

September 1960

Building Types Study: Office Buildings

Drama Center for Harvard

Building Components: Aluminum Finishes

Full Contents on Page 5





## SUMMITVILLE

HEAVY-DUTY ACID-RESISTANT

### FLOOR BRICK

Summitville floor brick is the perfect heavy-duty ceramic material . . . produced exclusively for industrial and commercial installations. High grade raw material and advanced production methods assure highest resistance to impact, abrasion and shock . . . impervious to acids, oils, greases, chemicals and fire. Available in 5 floor surfaces to meet every requirement. Contact your local ceramic tile contractor, or write direct to . . .







# Most practical elevator

OFFICE: KIWANIS INTERNATIONAL BUILDING, Chicago. Architect-Mielke & Smith. Contractor-C. W. Haynes Co. Rotary Oildraulic passenger elevator sold and installed by Gallaher & Speck, Inc., Chicago.

MOTOR HOTEL: HARVEST HOUSE, Boulder, Colo. Architects-Ralph D. Peterson, AIA, Robert E. Zermuelen, AIA, and Paul E. Graves, AIA, Associates. Contractor— Gerald T. Hart Construction Co. Rotary Oildraulic elevators sold and installed by Dover Elevator Co., Denver.



### Rotary Oildraulic Elevator satisfies the esthetic and mechanical requirements of these modern low-rise structures

For buildings to six stories, the Rotary Oildraulic Elevator is the most practical choice because of the many design and operational advantages it offers.

There is no need for a machinery penthouse since the elevator is pushed up from below by an oil-hydraulic plunger. No elevator counterweights are required and, frequently, no special machine room, permitting better utilization of available space within the building.

Construction economy-Savings on construction costs result from elimination of the penthouse and lighter shaft sidewall construction permitted because the elevator is self-supporting on the oil-hydraulic plunger.

Rotary Oildraulic Elevators are available with speeds and controls to accommodate the traffic volume and

pattern of any building to six stories. Modern passenger cabs finished in Formica or vinyl are decoratively compatible with interior design.

Advantages to owners-Important to building owners is the relative simplicity of the Oildraulic system which reduces maintenance required and contributes to dependability and economy of operation. In heavy-duty (capacities to 100,000 lbs. or more) freight service particularly, there are appreciable cost savings with Rotary Oildraulic operation.

For complete information, or assistance on plans and specifications, contact your Rotary Oildraulic Elevator Distributor listed in the yellow pages of your phone book. See our catalog in Sweet's Files.

MAIL FOR DATA FILE



Rotary Lift Company 1105 Kentucky, Memphis 2, Tenn.

Please send information on Rotary Oildraulic Elevators to:

Name.

Company.

Address\_



## ILDRAULIC **LEVATORS**

Passenger and Freight


### ROTARY LIFT COMPANY

Division of Dover Corporation, Memphis, Tenn., Chatham, Ontario First name in oil-hydraulic passenger and freight elevators industrial lifting devices-auto lifts.

# choice for modern buildings

DORMITORY: EMMA HARTMAN NOYES
HOUSE, VASSAR COLLEGE, Poughkeepsie, N. Y.
Architect—Eero Saarinen & Associates. Contractor
—Gilbane Building Co. Rotary Oildraulic passenger
elevator sold and installed by Burlington-Burwak
Elevator Co., New York City.

New world architecture in old world setting... Wrought Iron Pipe helps make it work





United States Embassy for New Delhi, India. Edward D. Stone, A.I.A.

Behind the lacy pattern of this veiled exterior wall, man's oldest ferrous metal promises piping permanence. Peter W. Bruder Associates, New York, N.Y., specified Wrought Iron Pipe here for soil, waste vents, and downspouts.

Note: Now — from Byers Research — there's an even better Wrought Iron for modern corrosion control: new 4-D Wrought Iron. It is available for your design considerations in tubular and hot rolled forms. Write for new 4-D Wrought Iron literature. A. M. Byers Company, Clark Building, Pittsburgh 22, Pennsylvania.

BYERS WROUGHT IRON

# ARCHITECTURAL RECOR

September 1960

#### THE RECORD REPORTS:

Behind the Record: "The Day of Doing" by Emerson Goble

Buildings in the News

12 Buildings Cited as A.I.S.C. Makes Its First "Architectural Awards of Excellence" 12 Education and Recreation: Theme for Second Annual Mastic Tile Competition 14 Kentucky Selects Architect for Major State Project by Competition (Spindletop Research Cen-

ter) 34 Letters 40

Meetings and Miscellany 45

Washington Report: "Background Paper for Conference on Aging Sees Today's Design Trends

as Problem" by Ernest Mickel 68 Washington Topics by Ernest Mickel 72

Construction Cost Indexes 84

Calendar and Office Notes 316

Current Trends in Construction by George Cline Smith 388

#### LOEB DRAMA CENTER

Hugh Stubbins and Associates, Architects 151

#### BUILDINGS FOR WORSHIP

Westchester Reform Temple Scarsdale, New York William W. Landsberg, Architect 161 St. Augustine's Episcopal Church Gary, Indiana Edward D. Dart, Architect 167 St. Thomas-in-the-Fields Episcopal Church Gibsonia, Pa. John Pekruhn, Architect 169

#### AIRPORTS

Introduction 173

Aeroquay No. 1, Toronto International Airport Malton, Ontario John B. Parkin Associates, Architects and Engineers 174

International Airport San Francisco, Calif.

Welton Becket and Associates, Architects and Engineers

Terminal Building Love Field Airport Dallas, Texas

Broad and Nelson and Jack Corgan, Associated Architects and Engineers 180

Terminal Building Detroit-Metropolitan Wayne County Airport Romulus, Michigan Giffels and Rossetti, Architects-Engineers 183

### THE BBPR STUDIO

Lodovico B. diBelgiojso, Enrico Peressutti and Ernesto N. Rogers, Architects 187

### HOUSES

Spear House Gloucester, Mass. Hamilton & Goody, Architects 197

Rockrise House Squaw Valley, Calif. George T. Rockreis, Architect 199

Daverman House Holland, Mich. J. & G. Daverman, Architects Cheney House Seattle, Wash. Harold I. Nesland, Architect

Ness House Surf City, New Jersey Peter Blake and Julian Neski, Architects

### BUILDING TYPES STUDY 286: Office Buildings 205

Bethlehem Steel Company San Francisco, Calif. Welton Becket and Associates 205

Memphis, Tenn. Office of Walk C. Jones, Jr., Architect 211 ding Pittsburgh, Pa. Harrison and Abramovitz, Architects 214 Leader Federal Building

Four Gateway Center Building

Phoenix-Rheinrohr AG Dusseldorf, German Federal Republic Dr. Helmut Hentrich and Hubert Petschnigg, Architects

Planning Office Buildings for Automation 220

IBM Datacenter Time and Life Building New York City Harrison & Abramovitz & Harris, Architects 225

Bank of America San Francisco, Calif. Wurster, Bernardi & Emmons, Architects 226

### ARCHITECTURAL ENGINEERING

Introduction 229

Suspension Structures by Seymour Howard, Architect 230

Technology in Architecture: A Contribution and a Challenge by Mario G. Salvadori 238

### BUILDING COMPONENTS

Aluminum Finishes by J. H. Goodyear 247

### TIME-SAVER STANDARDS:

Aluminum Finishes 249, 250

### PRODUCT REPORTS 253

OFFICE LITERATURE 254

ADVERTISING INDEX 390

Loeb Drama Center, Hugh Stubbins, Architect; Joseph Stubbins, Architect; Josep W. Molitor, Photographer

**Building Components:** 

A New Department

professional who must

information about the ever more numerous and

complex varieties of

building materials

available to hima new department

starting this month

(see page 247) will provide a new

reference source on

application and

specification.

and equipment

Aid for the busy

absorb and utilize

ARCHITECTURAL RECORD September 1960 Vol. 128, No. 3 (\*) 1860
by F. W. Dodge Corporation,
with all rights reserved.
ARCHITECTURAL RECORD
(combined with
AMERICAN ARCHITECTURE)
is published monthly,
except May 1960
when semimonthly,
by F. W. Dodge Corporation,
10 Ferry Street,
Concord, New Hampshire.
Editorial and executive
offices: offices:
119 West 40th Street,
New York 18, New York.
Western editorial office,
2877 Shasta Road,
Berkeley 8, California.

\$5.50 per year in U.S., U.S. Possessions and Canada: Second-class postage paid at Concord, N. H.

(Western Edition)

5

# Coming in the Record

### THE LEGACY OF WRIGHT

The buildings are familiar but the context is new: now they are a heritage, fixed and immutable, and the heritage can be evaluated as the living legend could not. What has Frank Lloyd Wright given to architecture? Next month, 55 years after the RECORD gave Wright's work its first architectural publication, a 40-page presentation prepared in collaboration with Frederick Gutheim will examine the legacy.

### NEW OPPORTUNITIES IN APARTMENT DESIGN

With some solid achievements in the field of single-family housing to its credit, the Architectural Standards Division of the Federal Housing Administration has launched a major effort to win the best architectural attention to the area of multi-family housing. A distinguished advisory committee of private architects is working with the Division to develop new definitions of FHA requirements which will mean a significant advance in design opportunities. The Building Types Study on Apartment Buildings will lead off with the first major article on this effort and its implications for apartment design.

OTHER F. W. DODGE SERVICES: Dodge Reports—Dodge Construction Statistics—Sweet's Catalog Services—Dodge Books—Dodge Mailing Service—The Modern Hospital—The Nation's Schools—College and University Business—Hospital Purchasing File—Chicago Construction News—Daily Pacific Builder (San Francisco)—The Daily Journal (Denver)—Real Estate Record & Builders Guide—Dow Building Cost Calculator.

Members of Audit Bureau of Circulations and Associated Business Publications. ARCHITECTURAL RECORD is indexed in Art Index, Industrial Arts Index and Engineering Index.

Every effort will be made to return material submitted for possible publication (if accompanied by stamped, addressed envelope), but the editors and the corporation will not be responsible for loss or damage.

Subscription prices: Published monthly except May 1960 when semimonthly. U. S., U. S. Possessions and Canada: \$5.50 per year; other Western Hemisphere countries, to those who by title are architects and engineers, \$9.00 per year. Single copy price except Mid-May 1960 issue \$2.00; Mid-May 1960 issue \$2.95. Beyond Western Hemisphere, to those who by title are architects and engineers, \$9.00 per year for 12 monthly issues not including Mid-May 1960 issues. Subscriptions from all others outside U.S., U.S. Possessions and Canada for 12 monthly issues, not including Mid-May issue, \$24.00 per year. Change of address: subscribers are requested to furnish both the old and new address, sending if possible stencil impression from magazine wrapper and to include city delivery zone number, where such is used, for the new address. Allow four weeks for change.

### Staff of Architectural Record

Emerson Goble, A.I.A.

CONSULTING EDITOR John E. Burchard

SENIOR EDITORS
James S. Hornbeck, A.I.A., Features
William Dudley Hunt, Jr., A.I.A.
Elisabeth Kendall Thompson, A.I.A., West

ASSOCIATE EDITORS
Robert E. Fischer, Engineering
Florence A. van Wyck, Production
Jeanne M. Davern, Assistant to the Editor
Herbert L. Smith, Jr., A.I.A., Houses
Mildred F. Schmertz, Design
Grace M. Anderson
Margaret F. Farmer, Engineering

CONTRIBUTING EDITORS
Ernest Mickel, Washington
Dan Street, Washington

ASSISTANT EDITORS Katheryn Gallant Anne Keffer

EDITORIAL ASSISTANT Caroline F. Brady

DESIGN Eugene H. Hawley, Director Alex H. Stillano, Associate

CONSULTANTS
George Cline Smith, Economics
Clyde Shute, Statistical
Clifford G. Dunnells, Jr., Field Research
Daniel J. Howe, Jr., Public Relations
Edwin W. Magee, Jr., Industry Relations
Sigman-Ward, Drafting

PUBLISHER Robert F. Marshall

PUBLISHING ADVISER H. Judd Payne

CIRCULATION MANAGER Marshall T. Ginn

# Officers of F. W. Dodge Corporation

HONORARY CHAIRMAN OF THE BOARD James McV. Breed

CHAIRMAN OF THE BOARD Paul Abbott

VICE CHAIRMAN OF THE BOARD Chauncey L. Williams

PRESIDENT Irving W. Hadsell

EXECUTIVE VICE PRESIDENTS
Julius T. Little, Robert F. Marshall,
T. Oliver Morgan, O. O. Pauhell

EXECUTIVE VICE PRESIDENT AND TREASURER Howard M. Thompson

VICE PRESIDENTS
Robert M. Cunningham, Jr., William H.
Hatch, Jr., H. Judd Payne, Richard H.
Ray, George Cline Smith

REGIONAL VICE PRESIDENTS Miles W. Beatty, Carl S. Bennett, Robert G. Bingham, Clinton C. Bennett, Roy J. Hard, Alton W. Kitchens, Arthur D. Prior

ASSISTANT VICE PRESIDENT AND COMPTROLLER Edwin H. Freed

ASSISTANT VICE PRESIDENTS Walter F. DeSaix, Clifford G. Dunnells, Jr., Gault Eastman, Clyde Shute

SECRETARY John S. Brittain

ASSISTANT SECRETARIES
William C. Breed, Jr., George W. Morgan

ASSISTANT TREASURER Irving B. Satin

# COPPER

simplifies plumbing in big addition to Children's Hospital, Pittsburgh



MAKING A SOLDER JOINT on an 8-inch copper soil and waste line—the largest size used in the drainage system. Solder-joint connections are one of the important reasons why copper tube systems are so much easier and faster to install.

S OME 70,000 pounds of Anaconda copper tube were used in the sanitary drainage system, hot- and cold-water lines, oxygen, vacuum, and compressed-air lines of the addition to Children's Hospital in Pittsburgh.

Copper plumbing provides the advantages of easier, faster installation, with additional economies in design and construction made possible by the lighter weight of copper tubes and the trim, space-saving, solder-joint fittings. Equally important, however, are the long-range benefits. Copper tube systems last longer, require less maintenance than systems of other materials.

Everyone benefits with all-copper plumbing. Architects have greater freedom in design to locate bathrooms and utilities where desired without sacrificing useful space. Contractors report that installation time has been reduced up to one-half—and their men prefer working with copper tube. Owners get plumbing that lasts—costs little to maintain.



ARCHITECT'S RENDERING of Children's Hospital Addition (foreground) at Pittsburgh. Architect: Alfred D. Reid Associates, Pittsburgh. Consulting Engineer: J. A. Murray, Pittsburgh. Plumbing Contractor: Sauer, Inc., Pittsburgh.



**TESTING A VALVE** on the hot-water supply system. Other copper tube lines in view are part of the sanitary drainage system, ranging in size from 1½ inches to 4 inches. Because connections are easily made, even in tight quarters, the lines can hug the ceiling.

Anaconda Copper Tubes are available in all standard wall thicknesses — Types K, L, M, and DWV (Copper Drainage Tube) — through plumbing wholesalers. There's a full line of Anaconda wrought and cast solder-joint fittings. For more information on ALL-COPPER plumbing, write:

The American Brass Company, Waterbury 20,
Conn. In Canada: Anaconda American Brass Ltd.,
New Toronto, Ont.

## ANACONDA

### COPPER TUBES AND FITTINGS

Products of THE AMERICAN BRASS COMPANY Available through Plumbing Wholesalers



GOOD REASONS TO SPECIFY



gas-fired COMMERCIAL WATER HEATERS



ALSO AVAILABLE free of change THE NEW BURKAY ENGINEERS' TEMPLATE

> Save time on roughing-in with this convenient water systems tem-plate. Includes outline guide for representative Burkay units—and for controls and fittings common to all water heating systems.



## the INFORMATION

you need

The popular Burkay Engineers' Manual contains complete data on large-volume water heating for schools, apartment buildings and many other applications served by Burkay equipment. A digest of the practical know-how which Burkay engineers have accumulated through more than twenty years of leadership in the field, this comprehensive manual is conveniently indexed for easy reference—and yours for the asking.

In addition, A. O. Smith maintains a full staff of field engineers—each man a specialist in the practical aspects of large-volume water heating—to work with you at any time.

### the **DISTRIBUTION**

your contractors can depend on

There's no room for second-guessing when the specs say "Burkay." Known and preferred throughout the plumbing industry, A. O. Smith products are immediately available (usually from stock) through leading distributor organizations in every part of the country.

### the PERFORMANCE your clients expect

Quick recovery, fuel savings, trouble-free opera-tion, extra long life—each is an important consideration in choosing a water heater or water heating system to meet the rugged demands of heavy commercial usage. And these are the very features which have made *Burkay* first in sales first in acceptance—over any other commercial water heater on the market.

Equally important, the wide selection of Burkay coil-type water heaters, Burkay glass-lined storage-type water heaters and Permaglas large-volume water storage tanks enable you to specify the right equipment for every hot water need.

A. O. SMITH CORPORATION			
Permagias	Division,	Dept.	AR-960
Kankakee,	Illinois		

Send my free copy of the Burkay Engineers' Manual.

Send my free Burkay Engineers' Template.

Have a representative call.

Type of Organization.....

makers of famous

Permaglas glass-lined water heaters, warm air and hydronic heating equipment

### The Day of Doing

Our most recent emissary to Japan (yes, John Burchard will soon be reporting on current trends in Japanese architecture) tells a story about the design of a certain very famous palace. The architect, as a condition to his accepting the commission, posed three provisos. The client was not to restrict him as to money; he was never to hurry him, and he was not to see anything until everything was finished.

As the story goes, the client agreed and the architect set about his work with his creative powers all nicely untrammeled. Yes, and the result was one of the most photographed of architectural executions.

There must have been clients like that among the great patrons of feudal times. The architect was given his head, and could extend himself freely to please his master. If he didn't please him, presumably, the master might have his head on a platter. But such were the risks of the times.

We had a recent opportunity to speculate on the relations of an architect and his patron client of more recent times, say at the turn of the century. We in this instance is my wife and I, spending a long week end with wealthy friends, seeing how the other one tenth of one per cent lives. Our hosts were ushered into this world about at the beginning of the century, and the silver spoon was solid gold. They were raised to be wealthy, in fact carefully trained as the good old idle rich. Father was founder of one of the dynasties of business, patriarch, benefactor. He was frequently a client of architects, and no doubt a magnanimous one. Father is long gone, and the picture of him as client is drawn only by inference.

On our week end, architecture was rarely discussed. It gradually dawned on us that these dear people never talked about anything but money and the people who had it. Names, famous names, were dropped just all day long. We began, in private, to do little parodies. "I had lunch that day with Mr. Rest." And then the inevitable parenthesis: "You know, he was one of the Beauty Rest people." "One of my oldest friends was Mr. Bones; his great grandfather, you know, was the Bones of Skull and Cross Bones. They made their money at sea, many, many years ago."

My wife tried to break into this stream of subconscious snobbery. She told them about a cocktail party; she dropped the names of at least two very famous architects. This conversational gambit went out into space and fell dead. They had never heard of these architects. Stanford White had done the living room in the big house, yes. And an architect was soon to be called, "the man who is to redo the kitchen." But nothing more about architects. We tried some other areas of doing, with the same result. Having was the thing, not achieving.

It must have been the mention of White that set me to speculating as to how an architect might fare. Not an architect of modern persuasion; but any architect of any time. I got a clue from their conversation about a doctor, a benighted individual who for some reason could not be drawn into civilized conversation. "It is so strange. I told him once, Mildred, about your latest cruise. I said, 'You know, Mildred is leaving tomorrow on a wonderful cruise.' And all he said was 'Indeed.' Really, I don't understand him at all." Clearly the good doctor was not to be possessed. Maybe he had other patients, if not other patrons.

The dear, dead days, fortunately beyond recall.

-EMERSON GOBLE

# Electrification . . . Reinforcement . . . Form



Complete Underfloor Electrification — Place E/R (Electrically Ready) Cofar units between standard Cofar sections. These large cells carry power, phone, signal circuits direct to desks and machines anywhere on the floor. Use any desired spacing of one-, two- or three-cell units to get complete electrification where it is needed, when it is needed.

**Design Flexibility**—By specifying E/R Cofar floors, you can economically design for spans up to 14'4", loads up to 250 psf. Provide for present and future wiring requirements economically.

Reinforced Concrete System—E/R Cofar system is reinforced concrete...strong, permanent,

fire resistant. High-strength, deep-corrugated steel units, with "T" wires welded across corrugations provide positive and temperature reinforcement. Units are also the form for wet concrete; serve as working platform. Up to 4-hour UL fire ratings.

**Economical**—Construction is fast. No wood forms. No bottom rebars. Work schedules are maintained. Long spans mean fewer beams; save on structural framing and beam fireproofing. Optional preset inserts on E/R units speed installation of service outlets—no concrete drilling. Best insurance rates available.

You get fast, dependable delivery of Cofar and E/R Cofar and helpful field service. Over 100 Granco distributors throughout the U.S.

# ... Get all three with E & R COFAR®



# R COFA



Corruform® Tufcor® Roof Deck Utility Deck Vin-Cor Structur-Acoustic Stay-In-Place Bridge Forms Guard Rail **Pavement Joints** 



- MAIL FOR E/R COFAR MANUAL

GRANCO STEEL PRODUCTS CO.

6506 N. Broadway, St. Louis 15, Missouri

A Subsidiary of GRANITE CITY STEEL COMPANY

Just sign coupon . . . clip to your company letterhead . . . mail today. Attention Department R-609.

OUR CATALOGS ARE FILED IN SWEET'S

# 12 BUILDINGS CITED AS A.I.S.C. MAKES ITS FIRST "ARCHITECTURAL AWARDS OF EXCELLENCE"

The American Institute of Steel Construction has announced its first "Architectural Awards of Excellence" in recognition of "outstanding esthetic design in structural steel."

Since 1927 the A.I.S.C. has sponsored a Prize Bridge Competition for engineers. "Now," said M. G. Gaskin, chairman of the Committee on Awards, "we want to honor the country's architects who recognize the esthetic, practical, and economic uses of structural steel in buildings."

The awards will be presented to 13 architectural firms at local meetings of the American Institute of Architects. Photographs of the winning buildings are shown on these pages,

with the exception of the unfinished Red Bud High School Coliseum, Red Bud, Ga., designed by Clarence H. Glass, Decatur, Ga. Twelve buildings were cited. Two architectural firms received awards for the Bloomington High School Gymnasium.

Photographs were submitted for nomination by A.I.S.C. engineers throughout the country and winners selected by an A.I.S.C. Committee on Awards which included: Mervyn G. Gaskin, Taylor & Goshen, Inc., Detroit; Clyde G. Conley, Mt. Vernon Bridge Co., Mt. Vernon, Ohio; C. P. Watson, Louisville Bridge & Iron Co., Louisville, Ky.; and T. R. Higgins, Director of Research and Engineering for A.I.S.C.







- Bloomington High School Gymnasium, Bloomington, Ill.; architects: Lundeen & Hilfinger with Schaeffer, Wilson & Evans, Bloomington. General contractor, Felmley-Dickerson Co.
  - 2. Episcopal Church of Our Saviour, Baltimore, Md.; architects: Cochran, Stephenson and Wing, Baltimore. General contractor, Consolidated Engineering Co., Inc.
  - 3. National Maritime Union Hiring Hall, Baltimore, Md.; architects: Ledner and Suputo, New Orleans, La. General Contractor, Goodman Construction Co., Inc.
  - 4. National Bank of Detroit, Detroit, Mich.; architects: Albert Kahn Associated Architects and Engineers, Inc., Detroit. General contractor, Bryant and Detwiler Co.
  - Southland Center, Dallas; architect: Welton Becket and Associates, Los Angeles. General contractor, J. W. Bateson Co., Inc.










- 6. Children's Hospital, Pittsburgh, Pa.; architects: Alfred D. Reid Associates, Pittsburgh. General contractor, Mellon-Stuart Co.
- 7. Harvest House Hotel, Boulder, Colo.; architects, Ralph D. Peterson & Associates, Denver. General contractor, Gerald T. Hart Construction
- 8. St. Ann's Catholic Church, Midland, Tex.; architects: Martin and Lemmon, Andrews, Tex. General contractor, Rose Construction Co.
- 9. Wells Fargo Bank American Trust Company, San Francisco; architects: Skidmore, Owings and Merrill, New York. General contractors: Haas and Haynie.
- 10. Dudley High School Gymnasium, Greensboro, N. C.; architects: Loewenstein-Atkinson, Greensboro. General contractor, H. D. Barnes
- 11. Bartlett Mountain Cabin, Huntington Lake, Cal.; architect: B. David Thorne, Berkeley, Cal. General contractor, Robert Jolly.














ARCHITECTURAL RECORD September 1960






Grand prize (\$10,000): Entry of Edward Colbert and Alfred J. Petrilli, Jury cited "total plan...relationship, scale of buildings...sense of educational community, including scientific aspects (atomic reactor)...air of reality...awareness of revolution occurring in American education"

Winners in the Second Annual Architects Competition sponsored by the Mastic Tile Corporation of America have been announced. A continuation of last year's project, the design of a middle-income housing development, (Sept. 1959, pages 14-15) the 1960 program challenged architects to design for a 295-acre site "an educational and recreational 'plant' for the use of everyone in the community, with educational facilities for approximately 5500 students. Entries were to show master plan and details of jr. high school.

# EDUCATION AND RECREATION: THEME FOR SECOND ANNUAL MASTIC TILE COMPETITION



Second prize (\$5000): Entry of Edwin F. Harris, Jr. "Accent is on building design . . . Most interesting besides intriguing roof is that buildings were conceived in terms of large space module . . . Interesting vistas, covered space make it a pleasant place to go to school"



### Buildings in the News

Professional adviser to the \$25,000 competition was A. Gordon Lorimer, A.I.A. The jury panel was headed by Henry L. Kamphoefner, F.A.I.A., Dean of the School of Design at North Carolina State College. Other members were: Harry J. Carman, Dean Emeritus of Columbia College, New York; William W. Caudill, A.I.A.; John Lyon Reid, F.A.I.A.; and Eberle M. Smith, A.I.A.

The competition was divided into two categories: professional and student. The jury considered 138 qualified entries: 100 professional and 38 from students. Shown on these pages are professional grand, second and third prize winners. In addition, the following professionals won \$500 merit awards: John V. Sheoris, A.I.A., Israel Stein and Robert F. Lindsey; J. Byers Hays, Harry J. Roberts, Joseph A. Poch, H. David Howe of Hays & Ruth; Peter Tarapata, A.I.A. and Charles H. MacMahon Jr., A.I.A.; Richard Saul Wurman and Alan Levy; John V. McPherson, Jack H. Swing, Robert L. Amico, George Albers, of Mcpherson-Swing & Associates.

The winner of the first student prize of \$2000 is also shown. Second and third prizes of \$1000 and \$500 and the four merit awards of \$250 each went to the following: Richard M. Foose, Columbia University School of Architecture (second); Richard C. Marcantonio, Pratt Institute (third); and (merit)—Frederic E. Melby, University of Minnesota; Minoru Takeyama and Ozdemir Erginsav, Harvard Graduate School of Architecture; John M. Ellis, M.I.T.; and James S. Daley, Oklahoma State University.






Third prize (\$2500): Marvin Hatami. "One of best decentralized plans . . . Overall coverage of site, distinguished . . . Simple in its forms . . . a well-integrated job"





First prize, Student Awards (\$2000): John Scarlata, Pratt Institute. Jury cited "development along water's edge . . . double-decking of seminar rooms on perimeter of building"

# **COMPLETES YOUR AUTOMATION SYSTEM**



# DOCKBRIDGE

### Automatically bridges the gap... between truck and dock with an easy grade

Engineered into one compact unit to meet the specific requirements of modern material handling systems...a truly automatic "DOCKBRIDGE" Loading Ramp.

Advanced engineering has finally achieved a truck-activated, hinged loading ramp that automatically adjusts to truck bed height without the use of costly hydraulics or jury rigged counterweights and counterbalances, or the need of a dock attendant at any time.

The American "DOCKBRIDGE" is modern in design. Only the "DOCKBRIDGE" is a complete package contained within its own frame. The framed unit can be fitted into a prepared pit in the dock — less than 18 inches deep. Or four sturdy legs can be attached to this frame, making it adaptable as a Free-Standing unit where a pit is not practical. "DOCKBRIDGE" installations are both low cost and easy for either existing facilities or new construction.\*

The hinged loading ramp is built like a bridge and floats on a stout spring scissor mechanism, known as the "center-poise shock absorber". The cross-traffic legs offer a solid base between the ramp and frame when the unit is not in use. Its simple construction eliminates maintenance other than periodic oiling.

\*"DOCKBRIDGE" Loading Ramps are available in 3 sizes: 6'x 6', 6'x 8', and 6'x 10'. Support legs for Free-Standing models are cut to size and are available at a slight additional cost.

EQUIPS
DOCKS
TO RECEIVE
TRUCKS...






GET ALL THE FACTS
write for free catalog
and specifications.

AMEDICAN

LOW down 10 inches

AMERICAN DOCKBRIDGE, INC.
241 W. OKLAHOMA AVE. + HUMBOIR 3-3600 + MILWAUKEE 7, WIS.



"Skyscrapers I," Josef Albers

A PORTFOLIO OF MID-TWENTIETH CENTURY ARCHITECTURAL INTERIORS – WITH COMMENTS BY VITRUVIUS A 16-page collection of views of important new buildings. Quotations from Vitruvius' "The Ten Books on Architecture" suggest that, while there are always new architectural functions and forms, certain precepts and truths are inherent to good architecture in any period.







"Architecture," states Vitruvius, "depends on Order, Arrangement, Eurythmy, Symmetry, Propriety, and Economy. . . . Eurythmy is the beauty and fitness in the adjustment of the members." Bennington College Library, Bennington, Vermont. Architects: Pietro Belluschi and Carl Koch & Associates, Cambridge, Massachusetts. The floors: Armstrong Custom Vinyl Cork Tile . . . chosen for the remarkable way it combines the natural beauty of cork with the practicality of vinyl; Armstrong Tessera (sheet vinyl) Corlon . . . chosen for its expressively simple design and gentle colorings.











"Order gives due measure to the members of a work considered separately, and symmetry, agreement to the proportions of the whole. It is an adjustment according to quantity. By this I mean the selection of modules from the member of the work itself, and starting from these individual parts of a member, constructing the whole to correspond." Parke Davis, San Francisco. Architects: Minoru Yamasaki and Associates, Birmingham, Michigan; Associated Architects: Knorr and Elliott, San Francisco. The floor is Armstrong Excelon (vinyl-asbestos) Tile . . . chosen for its clearly modern styling, moderate cost, and its practicality for these busy offices.











"For in all their works, they proceeded on definite principles of fitness and in ways derived from the truth of Nature. Thus they reached perfection, approving only those things which if challenged can be explained on the grounds of truth." Connecticut General Life Insurance Company, Hartford, Connecticut. Architects: Skidmore, Owings and Merrill, New York City. The Graphite Gray floor is Armstrong Linotile . . . chosen because, like fine leather, it has the unique ability to improve and mellow with wear and age.











"Propriety arises from usage when buildings having magnificent interiors are provided with elegant entrance-courts to correspond; for there will be no propriety in the spectacle of an elegant interior approached by a low, mean entrance." Automobile Club of Washington (AAA), Seattle. Architects and Engineers: John Graham and Company, Seattle. The floor is Armstrong Textelle Linoleum . . . chosen because large-scale, trapezoidal designs could be easily installed with the minimum of seams.









"The design of a temple depends on symmetry, the principles of which must be carefully observed by the architect. They are due to proportion. Proportion is a correspondence among the measure of the members of an entire work, and of the whole to a certain part selected as standard." Church of the Redeemer, Baltimore. Architects: Pietro Belluschi, Cambridge, Massachusetts, and Rogers, Taliaferro and Lamb, Baltimore. The floor is Armstrong Cork Tile . . . chosen for its rich, natural texture and the underfoot quiet and comfort needed for a church.











According to Vitruvius, "Symmetry is the proper arrangement between the member of the work itself, and the relation between the different parts and the whole general scheme, in accordance with a certain part selected as standard." International Minerals and Chemical Corporation, Skokie, Illinois. Architects: Perkins and Will, Chicago. The floors: Armstrong Linotile . . . chosen for the lounge because it gives a rich, smart appearance and assures fast, economical maintenance; Armstrong Custom Corlon (homogeneous vinyl) Tile . . . chosen for the cafeteria because of its clear, fresh colors, and its immunity to staining and damage.











"Invention, on the other hand, is the solving of intricate problems and the discovery of new principles by means of brilliance and versatility." Dallas Trade Mart. Architects: Harold A. Berry and Donald H. Speck, Dallas; consulting architect: Harwell Hamilton Harris, Dallas. The floor is Armstrong Tessera Corlon . . . chosen for its thorough-going ruggedness and its interesting, swirling patterns formed by colored vinyl chips set in clear vinyl.



credits:

All architectural photographs, except the one on the tenth page, by Lawrence S. Williams, Inc., Philadelphia. Quotations reprinted by permission of the publishers from Vitruvius', "The Ten Books on Architecture," translated by Morris Hickey Morgan, Cambridge, Mossachusetts: Harvard University Press. Front cover: "Skyscrapers I," 1926 by Josef Albers, courtesy of The Sidney Janis Gallery, NYC.

The variety of floors in this portfolio reflects the versatility and comprehensiveness of the Armstrong line. No matter what type of interior . . . religious or scientific, residential or corporate, academic or mercantile . . . there is an Armstrong Floor that satisfies its aesthetic, functional, and economic requirements.

A special group of representatives, Armstrong Architectural-Builder Consultants, have the exclusive responsibility of working with architects and interior designers. These specialists have at their disposal all basic types of resilient floors. This scope enables them to be completely unbiased when recommending the kind of floor best suited for any job.

If, for example, a first choice is ruled out on grounds of expense, quality and durability need not be compromised by recommending an inferior version of thinner gauge or cheaper formulation; instead, a different type of Armstrong Floor, properly balanced in quantity and quality, is readily applicable. In each of the several price categories listed below, there is a virtually unlimited range of colors and designs.

Your Armstrong Architectural Builder Consultant can make available to you the services of the Research and Development Center, Bureau of Interior Decoration, and Armstrong installation specialists. Call him at your Armstrong District Office or write direct to Armstrong Cork Company, Floor Division, Lancaster, Pennsylvania.

If you desire, a copy of this advertisement in booklet form will be gladly sent.

ARMSTRONG FLOORS approximate price per sq. ft, installed over concrete for a minimum area of 1000 sq. ft.

15¢-25¢ Asphalt Tile 1/8" Asphalt Tile (greaseproof) 1/8" Asphalt Tile, A and B colors, 3/16"

Linoleum Tile .0625"

Ask for F-1331.

30 s-45 c Asphalt Tile, C and D colors, 3/16" Excelon (vinyl-asbestos) Tile 1/16" and 1/8" Linoleum Tile .090" Linoleum (sheet) .090" Vinyl Corlon (sheet) .065" 50e-65e
Excelon (vinyl-asbestos) Tile,
"Imperial," 1/8"
Linoleum ("Battleship") .125"
Vinyl Corlon (sheet) .070"
Rubber Tile .065"
Cork Tile 1/8"

Cork Tile 3/16"
Linoleum,
special plain colors, .125"
Rubber Tile 1/8"
Vinyl Corlon (sheet)
.070" and .090"
Linotile 1/8"
Custom Corlon (vinyl) Tile 3/32"

\$1.00 and over Cork Tile 5/16" Custom Corlon (vinyl) Tile 3/32" and 1/8" Custom Vinyl Cork Tile 1/8"



### ARCHITECTURAL RECORD

# Western Section®

WESTERN SECTION EDITOR: Elisabeth Kendall Thompson, A.I.A.
2877 Shasta Road, Berkeley 8, California

### Public Service Is Public Relations

The question comes up every so often as to what public relations really is and, more often than not, it turns out that to most people public relations is *still* synonymous with publicity. Or, at any rate, that they expect the same results that a publicity program aims to achieve. But basically public relations and publicity are a long way apart as far as their ultimate goals are concerned.

After all the millions of words that have been spoken and written about public relations in the eight years since the American Institute of Architects embraced the idea of a public relations program of its own, it would seem that more words on the subject would not be necessary. But they seem to be needed more now, if anything, than ever.

Public relations is a long term program, with results that are often a long time in becoming visible or tangible, and frequently are anything but specific. Publicity is a short-term effort, intended to put some person, group or idea before the public immediately and to get from it an immediate response. Such an immediate response may not—indeed, it usually is not—a lasting response. What public relations seeks is a lasting response, a favorable and lasting response. And you do not get this overnight, or by the one-shot deal.

Another misunderstanding about public relations is that it means saying "yes" to every request for community service of any kind. An individual can make his own decisions as to what he wishes to involve himself in and how much time he himself wishes to spend on such requests, and when he decides this, he acts as a citizen of his community. But a professional group represents the profession, and when its time is requested, and its members' efforts, these should be used for professional public service which only a group's representatives can give.

An excellent example of this is the cooperation now being given by the Northern California Chapter, A.I.A., in connection with San Francisco's redevelopment program. Assistance was asked of the chapter by the Redevelopment Agency's far-seeing director, and as a result the city, the community and the developers specifically involved in the redevelopment area will have objective evaluation by professionals during the preliminary design period— when it is most needed.

But such an opportunity does not develop on a one-way street. It takes good public relations between a profession and the public for such assistance to be sought. And, as has been said many times, performance is the key: good public service is good public relations.

E.K.T.



Wurster, Bernardi & Emmons and DeMars & Reay for Perini-San Francisco Associates

### GOLDEN GATEWAY FINALISTS



John Carl Warnecke & Associates, Gardner Dailey and Victor Gruen & Associates for Tishman-Cahill Renewal Associates



Welton Becket & Associates for Kern County Land Company and Del Webb

# Renewing The West's

Redevelopment Projects Stress Quality of

After a good many years of dawdling, redevelopment has at long last begun to make progress in the West, particularly in the large cities—San Francisco, Los Angeles, Denver and Portland. But even in some of the smaller cities—Fresno, Santa Monica, Springfield, Ore., Pueblo, Colo.—projects for the enhancement of urban living are under way or in planning. And in Sacramento, Capitol Mall, the first redevelopment project to get underway in the West, is under construction.

The most spectacular projects to date are, however, two which have only recently made news: San Francisco's Golden Gateway (see Western Section, June 1960, pp. 32-4-6) and Western Addition developments. What especially distinguishes these two projects is the important role assigned to architecture as the means of providing an environment which recognizes both human values and urban relationships at the same time that it does not ignore essential economic factors. Each project makes this point in a different way, and each method of emphasizing these values is the brain child of the city's dynamic redevelopment executive director, M. Justin Herman.

For Golden Gateway, an architectural panel was appointed to evaluate (but not to recommend a particular choice) each of the proposals submitted to the San Francisco Redevelopment Agency. On the basis of the report by this panel and of its own study of the proposals, the agency has selected three finalists (see illustrations this page). Which of the three—or, as current speculation goes, which combination of the three—will get the contract for the 20-acre development was, at the end of August, anybody's guess.

The Western Addition was a different situation. Golden Gateway is to be one project, on one site, developed—presumably—by one developer from one—again, presumably—architectural concept. But the Western Addition land had been divided by the agency into a number of parcels to be sold to various developers, each with his own architectural and financial proposal, either at auction or by negotiation. There was no architectural panel to evaluate the designs of the various proposals, and there was pressure to get apartment units at middle-income rentals. With six developers and eight architectural firms involved in the 42-acre site, the relation between the groups could have been chaotic. Some kind of bold action was clearly needed.

The agency proposed to the developers and their architects the formation of a Western Addition Architectural Council, composed of themselves and representatives of the agency staff and of the local chapter of the American Institute of Architects. The A.I.A. representatives agreed to act, as a community service, as disinterested profes-

## Big Cities

### Environment as Well as Economic Feasibility

sionals who would provide assistance in discussion and evaluation. Despite some initial resistance by some of the developers, the plan was accepted and the Council came into being late last month. Factors with which it will be particularly concerned include circulation, space and building relationships, composition of building groups, and color and texture of individual buildings as related to the whole group.

Of the two projects, the Western Addition will get under way first. Golden Gateway is not only a larger project, but it is complicated by the tangled problems of relocating the city's Produce Market, now occupying the redevelopment site.

### Los Angeles' Bunker Hill

Meanwhile, in Los Angeles, land acquisition in the Bunker Hill redevelopment area was scheduled to get under way next month. This \$315 million face-lifting operation on an area long a blight in the city's civic center district is to provide the city with a commercial hotel and residential neighborhood by 1966. Supervising architects

continued on page 32-10



### ONE OF SIX DEVELOPMENTS IN WESTERN ADDITION

The International Longshoremen and Warehousemen's Union will build this three-story cooperative apartment project in San Francisco's Western Addition. Marquis & Stoller are architects. Other architects who will design for other developers include Skidmore, Owings & Merrill; Donald Powers Smith; Daniel, Mann, Johnson & Mendenhall, Milton T. Pflueger, Minoru Yamasaki and Gardner Dailey; and Jones & Emmons

### PORTLAND'S FIRST LOOK AT A MALL-TYPE SHOPPING CENTER

For conservative Portland a shopping center is an innovation, so when Lloyd Center opened last month people by the tens of thousands swarmed into the new mall and overflowed its stores on opening day-mostly just looking, but also savoring the easy, pleasant access from street to under-cover parking to covered mall and thence to shops of all kinds. With parking for 8000 cars either in the multi-level parking garage that adjoins the center's buildings or in small parking areas on its periphery, and with 85 stores already occupying space in the center, it was no wonder that an estimated 100,000 persons visited the center during its opening celebration.

Its location is strategic: on the East side of the Willamette River, it is central to a potential clientele of almost half a million people. Portland's downtown district is a mile and a half away on the West side of the river; but the bulk of the city's population lives on the East side. So Lloyd Center inevitably looms in the minds of some businessmen as a threat to their stability. In the minds of others, however, Lloyd Center





symbolizes a new spirit in Portland: one that sees the new center as a spur to the old, that urges it to renew itself and to retain its own character and special attributes.

## Two Cities With Traffic Problems Plan

FOR SAN FRANCISCO: A Tube Under the Bay

With a 50 per cent increase since 1955 in the number of automobiles inbound to the principal cities of the San Francisco Bay Area, the need for a regional rapid transit system has become acute—and the public has become increasingly aware of the acuteness of the need. In the last three years considerable has been done toward finding a solution to the problem: the State legislature authorized the establishment of a five-county rapid transit district and has approved the use of Bay Bridge toll revenue for construction of a tube under the Bay as a part of a transit system. More recently, broad-scale studies have been completed on proposed routes in the Bay Area.


Just what form of transportation—monorail or duorail—would be used in the proposed 132-mile system has not yet been worked out, but the District says that it will be "the most modern possible," with speeds up to 80 miles per hour and completely automatic control during normal operation. The first stage of the system will cover routes through San Francisco, down the Peninsula to Redwood City, up to Santa Venetia in Marin County, across the Bay and north to Richmond, south to Hayward, and east to Walnut Creek.

Essential to the system, however, are two Bay crossings, one over the Golden Gate to Marin County, the other to the East Bay. The present plan proposes bracing the Golden Gate Bridge to permit it to carry trains,

and construction of a four-mile tube under the Bay between the Oakland mole (relic of the days of the transbay ferries) and a point near the foot of Market Street in San Francisco.

The spectacular plan for an underwater crossing of the Bay is not new, but in its present form it has the advantage of considerable study by a combine of engineering firms, backed by other specialists, to determine its feasibility. An underwater crossing has always raised the question: Will it be safe in a big earthquake? Parsons, Brinckerhoff, Quade and Douglas of New York, Bechtel Corporation and Tudor Engineering Company of San Francisco, consulting engineers for the District, have been gathering information since the first of this year on the soil conditions at the bottom of the Bay. Geophones-earthquake recording devices-have been positioned at three points along the tube's route and are recording seismic information at depths of 100 ft, 160 ft and 250 ft. The data assembled will be used in designing the tube-of concrete-lined prefabricated steel sections -to make it as earthquake-proof as possible. Cost of tube and approaches is estimated now at \$127 million.

The overall plan for the system, approved last month by the District, now goes to elected city officials in the five counties for comment and recommendations. Its estimated cost is \$926 million.



## Rapid Transit

FOR LOS ANGELES: A Rubber-Tired "El" in Four Directions

Los Angeles' public transportation problems, often called "the worst in the country," have at last been tackled in a thorough and highly practical way, with the result that for the first time the city has a long-range development plan for its transit needs through 1980. The plan, drawn up by architects and engineers Daniel, Mann, Johnson & Mendenhall, program consultants for the Los Angeles Metropolitan Transit Authority, recommends an initial system of 74.9 miles, to be doubled in 20 years. The present development envisons four "corridors" running roughly north, south, east and west, from the central business district to Covina, Santa Monica, Long Beach and Reseda; later the central district would be connected with Santa Ana. Inglewood, Pasadena and San Fernando.


The proposed solution to Los Angeles' transit ills was made by DMJM and other consultants, including Victor Gruen Associates on community planning; Lloyd Aldrich on civil engineering; Bolt, Beranek & Newman on acoustics; LeRoy Crandall & Associates on soil, foundations and geology; and specialists in underground construction, transit systems operations, land acquisition, automatic control, transit equipment and land economics.

Three types of rapid transit—two monorail and one dual-track supported system—were suggested by the consultants, but they were agreed that Metro, the two-rail, supported system which uses rubbertired wheels and light-weight cars and is similar to the well-tested Paris subway type, would be "the most economical and adaptable to the alignments and conditions in the Los Angeles area."

Metro uses air conditioned, steel-framed and glass cars, electrically propelled and completely automatic in normal operation; its rubber tires, running on a concrete track, result in a quiet system. Each car would seat 54 persons but would hold additional persons standing, and would transport them at speeds up to 80 mph, which would average out at 35 to 40 mph at peak hours—twice the speed of most U.S. mass transit, according to DMJM president Irvan F. Mendenhall, and 40 per cent better than the rate of peak hour freeway travel.

Metro would use elevated tracks for the greater part of its run and its quiet operation would be a big factor in its acceptance; so would the "clean, pleasant-looking, long span structures" envisioned by the engineers which would carry the trains of cars. The elevated system was found to be considerably more economical than a subway system, and could be built faster. The estimated cost for the initial system is \$529,700,000, including stations and "park and ride" facilities at the outer terminals and at certain key points along each route.

















### AWARD-WINNING SCHOOL IN COLORADO

First place in a national design competition sponsored by the Wisconsin Chapter, A. I. A., and the Catholic Property Administration magazine has been awarded to Denver architects Victor Langhart and John McGuire for their design of the Sacred Heart elementary school in Boulder, Colo. The architects planned the school on the basis of the need for maximum, relatively level parking and playground space and for future expansion on a limited sloping site. The building is designed to act as a retaining wall, and the main entrance is a full story above the rear playground entrance. The existing school building at the south end of the block will probably be maintained as a high school, and the gymnasium and cafeteria facilities of the new elementary school will serve the students of both. The roof system of the new structure is a 4-in.-thick folded plate with a two-in. camber in the center. Lynn Wolffe of Boulder was the sculptor for the two pieces of sculpture used on the building's exterior. Stage two of the design-containing 12 classrooms, a scout room, and a meeting room-will be built when the parish purchases the remaining property on the site.



- 1. Multi-Purpose Room
- 2. Kitchen
- 3. Library
- 4 Classroom
- 5. Toilet Rooms
- 6. Playground & Parking



yours for the asking

Fluor/Summerbell's new 24 page Roof Structures Design Manual. Complete descriptive information, illustrations, tables, and specifications on glued laminated roof structures. A top drawer must for every engineer, architect and designer.



A division of The FLUOR CORPORATION, Ltd.

# Summerbell roof structures

GENERAL OFFICES:

P. O. Box 1267, SANTA ROSA, CALIFORNIA

### Fluor PRODUCTS COMPANY

**BOX 126** 

SANTA ROSA, CALIFORNIA

Gentlemen:

Please rush my copy of the new Fluor/Summerbell Design Manual.

Name

\_\_Title\_\_\_\_

Company

Address

Zone State

# Western Buildings in the News



UNION OFFICE BUILDING: A small garden on the south side of the building, and a three-story-high wall which fences it, act as sun shields for the offices in this new Credit Union Building for the Joint Board of Hotel Restaurant Employees and Bartenders Union in Los Angeles. The garden's green planting prevents glare from being reflected into the offices. One wing of the building extends over the parking lot, forming a porte cochère at its entrance. Architects: Smith & Williams, Pasadena



JEWISH TEMPLE: A large triangular roof will cover the main worship area of the new \$500,000 temple for Congregation Micah in Denver, Colo. The assembly area has a similar roof. Four cottage-type classrooms and administrative office area, with library and lounge, and the assembly area will open on a courtyard with sunken garden. Architect: Eugene D. Sternberg




INSURANCE COMPANY OFFICE BUILDING, PASADENA, CALIF: Pasadena's newest building is this just completed five-story office building for the Independence Life Insurance Company. The façade treatment—bands of anodized aluminum screening, the windows of each floor held by vertical aluminum mullions—is suspended from a frame above the building's roof line to hide penthouses. Architects: Welton Becket and Associates, Los Angeles




TEACHERS' HEADQUARTERS: A gold anodized sunscreen in a honeycomb pattern shields the continuous band of windows on the second floor of the new California Teachers Association headquarters building in Burlingame, Calif. Each of the building's three floors provides for a major operation; greatest floor area is on the second. An open gallery on the roof surrounds the third floor office area. Ground floor offices and conference room open onto a patio with a reflecting pool and fountains. Architects: Welton Becket & Associates

HYDRAULICS LABORATORY ADDITION: The new wing of the Charles W. Harris Hydraulics Laboratory at the University of Washington is as up-to-date in design, materials and structure as it can be, but it does not deny the tie to both the Collegiate Gothic of the rest of the campus buildings or to the modified Georgian of the earlier portion of the building to which it was joined. The exposed concrete of its frame contrasts with red brick filler walls just as the terra cotta quoins and red brick contrast in the older building. The structure is all modern: the H-frames are formed by prestressed concrete beams and columns; floor and ceiling slabs are also prestressed, and a built-up fiberglass roof covers the upper slab. Important research and teaching tools include a monorail and a tank six ft in diameter, with a stair the full height of the building. Architects: Liddle & Jones of Tacoma




MOSAICA Acceptance Personified

The structures illustrated represent significant exterior and interior applications of Mosaica. Their promise—color and beauty forever at moderate cost. A call to your nearest Mosaica representative will place facts on your desk for study.




**Turquoise Matte** 



**Grev Facet** 




High Rise Apartment, Spokane, Washington. Mosaica facing covers the end elevation with contrasting Mosaica panels in the wall system. Dayton N. Holloway & Partners, Architect



Office building, Los Angeles. Tower faced in black facet. Lane & Schlick, A.I.A., Architects



**Black Facet** 



Gold Facet



First National Bank of Oregon, Portland. Exterior wall facing and entrance way column surround. Jensen & Gilham, Architects



REPRESENTATIVES: San Francisco, A. E. Lilly Co., Inc. OR 3-7542

Los Angeles, Plastics in Architecture, BR 2-3777 • San Diego, Maloney
Specialties, Inc., CY 7-1856 • Santa Barbara, Backman Building Specialties,
WO 4282 • Portland, Floyd Johnson, BU 5-3222 • Seattle, Foster-Bray Co.,
Inc., MA 2-0525 • Spokane: Brant Bernhard Corp., RI 7-2081 • Phoenix,
Overstreet-Irwin Sales, AL 4-7808 • Houston, Shelton W. Greer, UN 4-4487
Salt Lake City, Specialty Contractors & Suppliers Inc., EM 3-2161 • Denver,
E. M. Gray & Co., PY 4-4649 • Honolulu, Commercial Building Sales, 506-956

# NOW

## AM-TUF TEMPERED GLASS FROM JOB-SITE MEASUREMENTS

Because of Coyne Tempered Glass Company's Southern California plant at Oxnard, it is possible for the first time to order tempered glass direct from job-site measurements. Previously, delivery schedules — eight to nine weeks from eastern processors — required that tempered glass be ordered from plans and specifications.

Now with AM-TUF's western plant and fast delivery time — up to six weeks faster — you can wait till the job is erected, send your glass man to the site for field measurements, order AM-TUF from Coyne, and have the tempered glass delivered in plenty of time to meet schedules. This eliminates all chance for error.

Coyne Tempered Glass Company has fullystaffed engineering departments to serve you. AM-TUF is scientifically processed to exacting specifications under rigid, modern controls. Impact resistance is five to eight times ordinary glass; heat resistance is to 500°; flexibility is four times ordinary glass; on breakage it disintegrates into harmless fragments.

For further information write to

# COYNE TEMPERED GLASS CO.

Producers of AM-TUF 906 Factory Lane, P.O. Box 606 Oxnard, Calif.

### Renewing The West's Cities

continued from page 32-3

for the project—Charles Luckman Associates with Welton Becket & Associates, Architects, and Donald R. Warren Company, engineers—indicate that the new Bunker Hill will be an urban center with tall office buildings, hotels and apartment houses, shopping malls and other commercial facilities. The site is a 136-acre flat area on a hilltop near Harbor freeway and easily accessible to the civic center.

Interest in Bunker Hill is reported to be strong among redevelopers. So far some 10 contracts have been negotiated with owner-participants who want either to build new buildings or rehabilitate existing buildings according to the redevelopment plan. Sites will be cleared before they are actually sold to private investors, however.

### Denver Plans Five Renewal Projects

Slowed by the need for a court test of the constitutionality of land condemnation for urban renewal, Denver's program of redevelopment is just getting under way. The first project, Avondale, is still in the land-acquisition stage, but sometime in 1962 the 22-block site is expected to be converted into a residential area providing 595 living units. The second, Blake Street, is just out of the planning stage; when cleared, its site will be sold in plots for industrial development.

Of the three other projects, two consist largely of rehabilitation programs. The third, still in planning, will be developed for light industry.

### Portland To Renew Its Oldest Neighborhood

Portland's first renewal project, the redevelopment of the South Auditorium area, is an 83.5-acre tract of run-down houses—some date from the city's earliest days—small commercial buildings, and multi-family structures. Located near downtown Portland, on the Willamette River and within easy access of freeways, the area has long been eyed by business and service companies which need to be near downtown but find it difficult to operate in the central business district.

When redeveloped, the South Auditorium project will contain no permanent residential units. Most of its land will be used for service and professional offices, light manufacturing and wholesaling, and for parking, with a smaller but adequate amount for motels. A park and a strip of open space along the Harbor Drive will complete the conversion of the area.

About 50 per cent of the property has been acquired or is under option, and some 85 buildings have been demolished. By 1963 the Portland Development Commission expects to have site improvements under way.

While South Auditorium contemplates no shopping center within its present site limit and is therefore no threat in that line to the new Lloyd's Center across the river (page 32-3), this redeveloped area could be a factor in maintaining a balance on the West side of the river. Whether Lloyd Center's three-year head start will counterbalance the effect of the redeveloped South Auditorium area remains to be seen.





Matching Aluminum Building Products by Trimview





Beauty,
Style,
Balanced Performance,
Matching Aluminum
Building Products
by
Trimview

Sliding doors and windows, tub enclosures and shower doors fashioned by Trimview craftsmen to meet all building requirements—to give complete satisfaction to architect, builder, dealer, and owner.


Designs in aluminum and glass to make building better, make living easier... from the Metal Fabricating Division of W. P. Fuller & Co. — for more than 100 years, the West's leader in paints and glass.

## Trimview Sliding Glass Doors

Trimview brings new grace, new imagination to the natural beauty of sliding glass doors. Here is full freedom of architectural expression: five-feet wide to fifty-feet wide, numerous combinations of fixed and sliding panels, single or double glazing, multiple tracks and wall pockets for any opening arrangement.

The basic economy of Trimview is this: there's a model designed to fit every setting — residential, custom, or commercial. Never any sacrifice of quality — all models are framed in satinsmooth aluminum, glide on nylon-tired steel rollers, lock out the weather with continuous weatherstripping.





## Trimview Tub Enclosures

Again, the Trimview mark of quality is unmistakable: heavy-duty frame design, high-polish finish, chrome-plated handles, nylon rollers. For further simplicity of design, choose the satin-finish models with aluminum handles.

Adjustable jambs and interchangeable panels save time and money in construction. Styles and sizes to match any decor, any tub arrangement — for glazing with any of a variety of glass styles or the increasingly popular plastic panels.



## Sliding Glass Windows by Trimview

In combination with Trimview doors, Trimview sliding glass windows create a tone-harmony of metal finishes. Each model is engineered with close attention to detail—full weatherstripping, nylon-tired rollers, trim fins for ease of construction, and convenient snap-latch.

Trimview, as always, gives full range to the imagination — with many variations in construction, in choice of glass. There are models designed for residential or commercial use — and a new, exceptionally low-budget series to meet all trade requirements.



Trimview Shower Doors Trimview excellence stands out in these practical and popular doors. Above all, Trimview shower doors perform — with continuous piano-type hinges, free-action friction latch, rubber sweep, and anti-drip channel. In a separate series, you may choose a lighter frame and satin-finish handles.

Standard or custom sizes, Trimview doors are engineered for fast glazing and installation — and are available pre-glazed.

## TRIVE WMETAL PRODUCTS

METAL FABRICATING DIVISION OF W. P. FULLER & CO.
600 NORTH THIRD STREET, COVINA, CALIFORNIA

Write for detailed specifications on any or all Trimview products—or for the name of the distributor or dealer in your area of the country. In the West, contact one of the sixty branches of W. P. Fuller & Co.

### New Offices, Office Changes

Smith and Needham, architects, have moved their offices to 1057 East 900 Street South, Salt Lake City, Utah.

Tom Hite, architect, has moved to new offices at 616 East 16th Avenue, Denver, Colo.

Nathan Karp and Jack Kositsky have opened an office as consultants in civil and structural engineering at 223 Clara Street, San Francisco, Calif.

Roger J. Easton has opened an office for the practice of architecture at South Vale Road, Boulder, Colo.

Hawaii architects William D. Merrill, Kenneth Roehrig, Wesley Kinder, and Kenji Onodera have established an architectural firm to be known as Merrill, Roehrig, Onodera & Kinder, Inc. Onodera, previously with Merrill and Roehrig in the Honolulu office of the late C. W. Dickey, architect, has had his own practice in Honolulu. Kinder had been with the firm of Merrill, Simms & Roehrig for the past ten years. Offices of the new firm are in the Damon Building, Honolulu, Hawaii.

Robert Wilmsen and Charles Endicott, architects, announce the formation of a partnership with DeNorval Unthank, Jr. The new firm, Wilmsen, Endicott & Unthank, A. I. A., will continue its architectural practice at 863-13th Avenue East, Eugene, Oregon.

### Elections, Appointments

The professional Engineers of Colorado have elected *Vern Konkel*, president; *Hugh Stapp*, vice-president; *Don Rand*, secretary-treasurer; and *Henry Boland*, director-at-large.

### Hawaii Asks More Funds For Cultural Center

The \$8.3 million which Congress was asked by President Eisenhower to appropriate for the proposed East-West cultural center in Hawaii won't be enough to accomplish the center's purpose, Hawaii's congressional rep-

resentatives say. The money asked by the President would be used to build the necessary physical facilities for the center and to help operate it during the first three years of its existence. Under the latter provision would be included scholarships for selected students from Asia and the United States.

The Center's objective is to "foster understanding between peoples of

the western world and those of Asia and the Pacific." The center was first proposed last year.

### L. A. Sets Itself Some "Space Targets" for 1980

By 1980 Los Angeles' downtown core will have a population roughly twice what it is today, John E. Roberts, dicontinued on page 32-16



## **Ceramic Tile in New Kaiser Center**

installed with



When Welton Becket & Associates designed the huge Kaiser Center, new home office for the world-wide Kaiser companies in Oakland, California, they specified ceramic tile for the lavatories — installed with TILE-MATE. Men who know tile best invariably specify TILE-MATE for all installations, indoor and outdoor. A thin-set mortar, TILE-MATE can be used over cement mud coat or against dry back-up. Mixes with water at the job site. Lighter and easier to handle, TILE-MATE saves labor and material costs, cuts wall weight, too. Write for catalog.

Mf'd. under license issued by The Tile Council of America



### HYDROMENT, INC.

438 Brightwood Ave. • Monterey Park, Calif.

Manufacturers of Hydroment Joint Filler

rector of the city's planning department told several hundred business and industrial leaders recently. This estimate means, he said, that about 2.6 million persons will come to and go from the central core during each business day. And it means that the city will have to have more facilities to meet the needs of that expanded daytime population.

High on his list of necessities for 1980 are the "space targets" which will make the downtown core a vital part of the city's economic life. These include doubling the present amount (12 million sq ft, net) of office space; increasing retail space to 6.8 million sq ft, hotel space to 7.1 million sq ft, service space to 4.4 million sq ft; government and quasi-public use space to 4 million sq ft; interior parking to 5.5 million sq ft; and reducing manufacture-wholesale by 700,000 sq ft to 2.5 million sq ft.

Roberts' other targets include revision of zoning laws to encourage high density development, encouraging apartment house building near the central business district, encouraging development of new attractions either within or near the central city. Inherent in his goals are some form of mass rapid transit and elimination of smog.

### Seattle Invites Designs In Fountain Competition

Another example of Seattle's high degree of concern for its civic environment is the announcement that the city is sponsoring at international competition for the design of a fountain to be built in what will become, at the end of the Century 21 Exposition, the city's civic center. The fountain, estimated to cost \$250,000, will combine light, water and sculpture.

Jurors for the competition are Nathaniel A. Owings of San Francisco; Bernard Rosenthal, sculptor, Los Angeles; Garrett Eckbo, landscape architect, Los Angeles; and H. Peter Oberlander, professor of architecture and design, University of British Columbia. Paul Thiry, primary architect for the civic center and Century 21 Exposition, and Fred McCoy, Seattle superintendent of buildings, will be ex officio jurors. J. Lister Holmes, Seattle architect, is professional advisor.

Five preliminary winners will be chosen in the first stage of the competition; the winning designer will be selected in the second phase.

Deadline for registering for the competition is October 14.

### Northwest Plans Varied Program

Architects, artists and a college professor-humorist will be featured on the program of the Northwest District, A. I. A., annual conference to be held in Sun Valley October 1-4. Theme of the program is "Design."

Speakers on the professional program include O'Neil Ford, architect of San Antonio, Tex., on "Design and Imagination"; Stephen Jacobs, architectural historian, Cornell University on "Design and Theory"; Paul Schweikher, Pittsburgh, Pa., head of Carnegie Tech's department of architecture, on "Design and Practiceture, on "Design and Theory"; and Elisabeth K. Thompson, Agent and Practiceture, on "Design and Theory"; and Elisabeth K. Thompson, Agent and Practiceture, on "Design and Theory"; and Elisabeth K. Thompson, Agent and Practiceture, on "Design and "Design and Practiceture, on "Design and Practiceture, on "Design and Practiceture, on "Design and Practiceture, on "Design and "Design and "Design and "Design" and "Design and "Design

continued on page 32-18



Just out! Yours for the asking. A 12 page descriptive analysis of the COAST 8-POINT PLAN OF FOOD SERVICE COUNSELLING. Read how the Coast Consultant analyzes project requirements . . . integrates design and facilities . . . controls food and labor costs . . . details physical requirements . . . specifies equipment and compiles project costs . . . in collaboration with the architect. A complete service for architects. For your copy, phone DUnkirk 8-9321 in Los Angeles, or write:



coast restaurant & HOTEL EQUIPMENT CO.

911 South Hoover, Los Angeles 6, California



### observe...

the size of these doors...the style and grace given to a monumental design. In the superb new Palm Springs Spa, from the combined talents of William F. Cody, Wexler & Harrison, and Phillip Koenig, the utmost quality and perfection of every detail was required. For the architectural aluminum used throughout the building Acme Metal Molding Company was the natural choice.

Acme quality is more than superior strength, more than clean lines and a beautiful matte finish. Versatility and freedom in styling, designed-in speed of installation, and competitive costs please architect, client and dealer alike. Specify Acme Metal Molding Company for quality in architectural aluminum.

Acme Metal Molding Company
Subsidiary of Northbrop Componation
1923 South Los Angeles Street
Los Angeles, California



aince 1907

TECTURAL RECORD Senior Editor, on "Esthetics—or Anesthetics?" Later, these speakers will take part in a panel discussion on "Design: Today and Tomorrow."

James M. Hunter, A. I. A., second vice president, will speak at the opening dinner on "The Institute: Design for Tomorrow." Banquet speaker will be Richard Armour, Scripps College professor, whose subject is "Designing Men."

Northwest region architects who

will participate in the program include Ralph Anderson, John Morse, Paul Thiry, all of Seattle; Wayne Gustafson, Billings; Richard L. Taylor, Kalispell; Robert Law, Honolulu; Alan Liddle and John McGuire, Tacoma; Saul Zaik and Keith Maguire, Portland; Bruce Walker and Will DeNeff, Spokane; Glen Cline, Boise; Kenneth Morin, Eugene. Artists on the program include Mrs. Donald J. Stewart, Vancouver, Wash., and Mrs. Theodore Prichard,

Moscow, Ida.; both are wives of architects.

Conference chairman is Charles Hummel of Boise; Theodore Prichard, program chairman; Charles Johnston, Payette, Ida., exhibits chairman. Harry Weller of Pullman, Wash., is regional director.

### Los Angeles and Pasadena To Get Nuclear Power Plant

A boiling water reactor of improved design will provide electrical power up to 50,000 kw for the cities of Los Angeles and Pasadena under a contractual arrangement with the AEC, Chairman John McCone has announced. This nuclear power plant will be a prototype for a 300,000 kw reactor which will incorporate special features intended to reduce power costs.

The two cities will provide the plant site in San Francisquito canyon and the necessary turbo-generator facilities, will operate the plant for not less than five years and will buy the steam produced by the reactor. The AEC will build the nuclear part of the plant under its Power Demonstration Reactor Program at an estimated cost of \$12,500,000. General Electric Company will design, fabricate, construct and test-operate the reactor; furnish the first core; and train personnel for its operation.

The plant is scheduled for completion in mid-1963.

### A Disneyland for S. F.?


San Francisco may have a Disneyland of its own, if the city's mayor has his way. He recently asked the city's Park and Recreation Department to look into the possibilities for such a project's being developed within the city limits.


Far from dismayed when told that a recreation park of similar attraction and scope would require 200 acres, the mayor replied: "Then find me 200 acres." Since large parcels of undeveloped land in San Francisco are practically non-existent and even small lots are hard to find—and then are not contiguous—the chances for realization of an amusement center on the Disneyland scale seem remote, though not without possibility.



### Western Construction Trends

(For analysis of construction trends nationwide, see page 370.)





Due to a sizable drop in the residential sector, total construction contracts in the 11 western states in the first half of this year fell six per cent below the corresponding period of 1959 to \$3,975,000,000. At the same time, however, contracts for non-residential buildings and heavy engineering construction showed some improvement over last year's levels.

It is interesting to note that, despite the six per cent decline, the Western region's share of total nationwide construction contracts increased slightly from 22.3 per cent in 1959 to 22.6 this year.


Contracts for nonresidential buildings in the West during the first six months of this year amounted to \$1,135,000,000, an increase of three per cent over the like 1959

months. All major nonresidential building types except public buildings and religious buildings showed gains over year-earlier levels. Educational building contracts scored the largest increase, rising 15 per cent above a year ago. Contracts for commercial buildings were up four per cent, sparked by an eight per cent gain in contracts for stores and other mercantile buildings, while office building contracts dipped slightly. Hospital contracts rose 10 per cent and small increases were registered for manufacturing buildings and social and recreational buildings.


Residential building contracts in the 11 states west of the Rockies in the first half of this year were valued at \$1,939,000,000, down 14 per cent from the comparable 1959 period. The bulk of the decline, of course, occurred in contracts for single family houses, which fell 15 per cent below a year ago. All other major residential building types, except dormitories, were also below year-earlier levels.

Western heavy engineering construction contracts in the first half of 1960 totaled \$901,000,000, a gain of five per cent over the same period last year. Within this category, contracts for streets and highways scored the largest dollar increase, rising 25 per cent over a year ago. Contracts for electric light and power systems were also substantially higher than last year.

EDWIN W. MAGEE JR. E conomist F. W. Dodge Corporation







### Western Construction Cost Indexes

Presented by Clyde Shute, Director of Statistical Policy, Construction News Div., F. W. Dodge Corp., from data compiled by E. H. Bueckh & Assoc. Inc.

Labor and Materials: U.S. average 1926-1929=100 DENVER

LOS ANGELES

	0.5010	ENTIAL	APTS., HOTELS OFFICE BLDGS. Brick	FACTORY Brick	BLDGS. Brick	RESID	ENTIAL	APTS., HOTELS OFFICE BLDGS. Brick	FACTORY Brick	BLDGS. Brick
PERIOD	Brick	Frame	Concrete	Concrete	Steel	Brick	Frame	Concrete	Concrete	Steel
1939	112.0	112.1	116.1	117.8	117.0	97.2	93.6	103.7	104.9	106.2
1948	217.8	218.1	202.7	207.0	206.7	215.9	216.5	205.8	210.0	209.8
1949	215.8	212.9	211.0	215.3	214.6	207.0	203.2	209.9	212.4	210.2
1950	230.0	228.2	218.8	221.3	221.2	224.1	222.8	217.4	219.0	217.5
1951	249.7	246.6	236.5	237.2	238.9	241.0	239.5	235.1	236.9	236.6
1952	253.6	249.4	243.4	245.1	245.6	243.8	241.7	239.8	242.6	241.5
1953	259.6	. 254.0	255.0	260.9	258.1	250.5	246.5	252.3	253.2	255.3
1954	258.9	252.0	259.1	266.2	263.4	251.0	245.3	257.7	255.7	261.8
1955	266.6	260.9	266.3	273.2	271.7	262.1	256.6	269.3	278.0	273.9
1956	274.9	269.3	275.8	282.3	285.1	272.6	266.7	282.9	292.9	289.3
1957	281.3	272.2	285.4	293.1	296.4	275.4	267.9	292.8	303.3	303.7
1958	282.2	272.0	288.1	295.9	298.8	277.9	286.6	302.6	314.5	316.4
1959	288.7	278.9	295.2	302.9	304.8	288.7	279.1	314.9	326.9	327.6
Apr. 1960	294.3	283.7	302.8	311.1	313.4	297.6	285.0	323.3	336.0	334.5
May 1960	294.1	283.5	302.5	310.9	313.2	299.8	289.8	328.0	340.2	337.2
June 1960	294.6	284.4	303.6	311.3	313.6	298.3	288.2	327.7	340.1	336.9
		9	6 Increase over 19	39			96	Increase over 193	9	
June 1960	163.0	153.7	161.5	164.3	168.0	206.9	207.9	201.5	224.2	217.

### SAN FRANCISCO

### SEATTLE

	211111111					00.				
1939	105.6	99.3	117.4	121.9	116.5	104.4	96.7	119.2	125.3	118.7
1948	218.9	216.6	208.3	214.7	211.1	216.3	211.4	211.5	216.6	216.9
1949	213.0	207.1	214.0	219.8	216.1	214.2	203.9	220.7	228.5	225.3
1950	227.0	223.1	222.4	224.5	222.6	224.1	213.6	227.1	234.5	230.3
1951	245.2	240.4	239.6	243.1	243.1	245.1	232.7	247.7	255.8	251.0
1952	250.2	245.0	245.6	248.7	249.6	254.3	239.8	258.8	267.7	263.8
1953	255.2	257.2	256.6	261.0	259.7	254.8	239.0	262.7	273.6	269.5
1954	257.4	249.2	264.1	272.5	267.2	253.3	236.1	266.6	279.1	274.0
1955	268.0	259.0	275.0	284.4	279.6	260.6	243.3	273.7	287.3	282.4
1956	279.0	270.0	288.9	298.6	295.8	273.5	254.0	288.5	303.4	299.0
1957	286.3	274.4	302.9	315.2	310.7	275.6	254.0	298.2	313.1	311.2
1958	289.8	274.9	311.5	326.7	320.8	279.9	256.4	306.0	324.0	320.8
1959	299.2	284.4	322.7	338.1	330.1	291.5	267.8	318.8	336.9	331.8
Apr. 1960	304.9	289.4	331.2	346.6	338.7	303.3	276.7	333.4	354.2	346.6
May 1960	308.1	291.2	335.9	353.6	344.3	303.3	276.7	333.4	354.2	346.6
June 1960	309.1	293.4	337.8	354.0	345 1	301.9	275.0	333.1	353.9	346.3
		96	Increase over	1939			% II	acrease over 1	939	
June 1960	192.7	195.5	187.7	190.4	196.2	139.2	134.4	179.4	182.4	191.6

Cost comparisons, as percentage differences, for any particular type of construction, are possible between localities, or periods of time within the same city, by dividing the difference between the two index numbers by one of them; i.e.:

index for city A=110index for city B=95(both indexes must be for the same type of construction). Then: costs in A are approximately 16 per cent higher than in B.


$$\frac{110 - 95}{95} = 0.158$$

Conversely: costs in B are approximately 14 per cent lower than in A.

$$\frac{110 - 95}{110} = 0.136$$

Cost comparisons cannot be made between different types of construction because the index numbers for each type relate to a different U. S. average for 1926-29.

Material prices and wage rates used in the current indexes make no allowance for payments in excess of published list prices, thus indexes reflect minimum costs and not necessarily actual costs.



# CURTAIN WALLS

PORCELAIN ENAMEL ON METAL IS IDEAL FOR:

louvers • canopy facia • wainscoting • letters • columns • sun shades • coping • tower facing spandrels • murals • church spires remodeling • curtain walls • veneer • mullion covers

Permanent color, choice of finish, stamped or embossed design, maintenance-free wear—your designs will broadcast their beauty for a lifetime when wrapped in a colorful "skin" of rich Architectural Porcelain Enamel! (And lightweight panels, fabricated to any module, go up fast with minimum structural requirements.) Let us tell you more about the many uses of this remarkable material. Write today for detailed information and copies of current Recommended Standards and General Specifications.



ARCHITECTURAL DIVISION

WESTERN PORCELAIN ENAMEL COUNCIL
P.O. BOX 5186 • EAST PASADENA STATION • PASADENA 8, CALIFORNIA
3770 PIEDMONT AVENUE • OAKLAND 11, CALIFORNIA

A.I.A. FILE No. 15-H-2

Aluminum-Framed Movable Partitions




A movable partition set in an anodized aluminum frame, Aluma-Wall features maintenance-free construction and filler panels to match any interior decor. Panels can be inserted or removed independently of adjacent panels. Partitions allow for layin raceways for electric wires; snapon covers offer easy access. Doors are available in the same facings and finishes as the panels. Aluma-Wall Partition Company, 859 East 108th Street, Los Angeles 59, Calif.



Thicker Hardboard Panel

A hardboard panel 3%-in. thick is a new product of Forest Fiber Products. Called Forest 3%", the board is oil-tempered and factory-sealed, and comes in a smooth or "rustic" surface with or without deep-etched grooving on 4 in., 8 in. or random centers. It can be applied direct without further finishing and, in areas where permissible, no sheathing is needed between it and studs. Panels come in standard sizes to 4 ft by 16 ft. Forest Fiber Products Co., P. O. Box 63, Forest Grove, Ore.







Architect-Designed Card Toy

A Seattle architect watching his children build a playhouse from a cardboard packing case got the idea for a new toy: Flexagons. These square and triangular-shaped cards are tough enough for many constructions; their various colours and patterns lend variety to the "designs" created with them. The cards all have flanges which are grooved at each end; rubber bands are used to hold them together. Figures of many kinds can be made, including plain icosahedrons, truncated icosahedrons, and rhombic triacontahedrons. Simpler objects can, of course, also be formed. Available in sets of various sizes at \$2.50, \$5.50 and \$10.50. Forde Corporation, 2132 Pacific Avenue, Tacoma, Wash.

REMEMBER CERAMIC ...IT'S A PROVEN FACT...IT SEL



for peepul who like to know what other peepul are peering-about about.

happy the howse that's lined in style...with HERMOSA GLAZED CERAMIC TILE! from entry to exit...from playroom to hall...it's the prettiest, quickest to clean of them all. it's the tile \* thinkers' tile (if you know what I mean). the experts own choice...made by GLADDING, McBEAN!

HERMOSA GLAZED CERAMIC TILE BY GLADDING, MCBEAN & CO.

hey...send 10¢ to us at **THE GLADDING, McBEAN TILE\*THINK CENTER,** 2901 Los Feliz, Los Angeles 39 for more good news for those of youse who are tile\*thinkers\*at\*heart.

# you can figure building costs QUICKLY and ACCURATELY




### BOECKH'S MANUAL OF APPRAISALS

OVER 100,000 individual unit costs—more than 300 buildings, with hundreds of variations, all easily converted to local cost conditions through the supplementary service, BUILDING COSTS.

## BUILDING COSTS Published Monthly

A supplementary service giving an analysis of current market conditions and the latest cost indexes for the major metropolitan areas of the United States and Canada to convert the estimating Manual to local cost conditions.



### SEND TODAY FOR COMPLETE DETAILS

E. H. Bo	ockh & Assoc	ates	
1406 M	Street, N.W.		
Washing	ton 5, D. C.		
containin	orward to the u g full details o and appraisal s	f your building	
NAME			



### Calendar of Western Events

- SEPTEMBER 12: Society of Industrial Realtors, Pacific Northwest Seminar; Seattle, Wash.
- SEPTEMBER 13: Opening, Japanese Art Treasures; M. H. DeYoung Memorial Museum, Golden Gate Park, San Francisco
- SEPTEMBER 14: Society of Industrial Realtors, Northern California Seminar: San Francisco
- OCTOBER 1-4: Annual conference, Northwest District A.I.A.; Sun Valley, Idaho
- OCTOBER 1-FEBRUARY 12: "Shape and Form," third in series of exhibitions on visual aspects of man's environment; Denver Art Museum, West Fourteenth and Acoma Streets, Denver
- •OCTOBER 3-7: California Real Estate Association; Masonic Memorial Temple, San Francisco
- •OCTOBER 6-8: Structural Engineers Association of California, annual convention; Yosemite National Park, Calif.
  •OCTOBER 18-NOVEMBER 20: "Masterpieces of the Last 100 Years," exhibition commemorating twenty-fifth anniversary of Museum's present location; San Francisco Museum of Art, War Memorial, Civic Center, San Francisco
- OCTOBER 19-23: Annual convention, California Council, A.I.A.; Yosemite National Park, Calif.
- OCTOBER 26-29: Annual conference, Western Mountain District A.I.A.; El Conquistador, Tucson, Ariz.
- •OCTOBER 27-29: Annual convention, California Council of Landscape Architects; Mission Inn, Riverside, Calif.
- OCTOBER 29-NOVEMBER 4: American Public Health Association convention; Civic Auditorium and Sheraton Palace Hotel, San Francisco

### WESTERN SECTION

### Index To Advertising

Manufacturers' Pre-Filed Catalogs of the firms listed below are available in the 1959 Sweet's Catalog Files as follows:

a Architectural File (green) ic Industrial Construction (blue) le Light Construction File (yellow)

Acme Metal Molding Co	32-17
Boeckh, E. H. & Associates	32-24
Coast Restaurant & Hotel Equipment Co.	32-16
Coyne Tempered Glass Co	32-10
Fluor Products Co	32-7
Gladding, McBean & Co	32-23
Mosaica, Div. of Soulé Steel	32-9
Smoot-Holman Co	32-22
Trimview Metal Products 32-11 to	32-14
Universal Molding Company	32-18
Upco Co., The	32-15
Western Porcelain Enamel Council	32-21

Western advertising offices: LOS ANGELES, Wettstein, Nowell & Johnson, Inc., 672 S. Lafayette Park Pl.; PORTLAND, Wettstein, Nowell & Johnson, Inc., 921 S. W. Washington St.; SAN FRANCISCO, Wettstein, Nowell & Johnson, Inc., 417 Market St.


Fairbanks-Morse Announces!

# A NEW SPLIT-CASE PUMP

FOR THE AIR CONDITIONING INDUSTRY

specifically designed for INSTALLATIONS

Single Stage, Horizontal Split-Case Centrifugal Pump for Chilled Water, Circulating or Booster Duty; Cooling Towers or General Water Supply.




Call Western Union . . . or write for bulletin #582C, Fairbanks, Morse & Co., Pump and Hydraulic Division, Kansas City, Kansas

### NOTE THESE DESIGN FEATURES!

- · Replaceable casing wearing rings . . . for increased pump service life
- · Mechanical shaft seals (or packing box)
- · Sealed prelubricated bearings requiring no lubricating service
- · Heavy cast-iron base, drip-lip design

Pump and Hydraulic Division

A MAJOR INDUSTRIAL COMPONENT OF FAIRBANKS WHITNEY CORPORATION



Winning Design. Architects: Frankel, Curtis and Coleman, Lexington. "Clearly superior in site solution, architectural character... appropriate to the program requirements for... sympathetic exploitation of natural beauties of land, water, trees...."

# KENTUCKY SELECTS ARCHITECT FOR MAJOR STATE PROJECT BY COMPETITION



Chrisman, Wash and Miller, Lexington

In the first architectural competition in its history, the State of Kentucky invited four young Kentucky architectural firms to compete in the design of a state-financed project, the nucleus of an economic and industrial research complex situated on the grounds of Spindletop Farm near Lexington, Ky. Winning design is shown above; other entries at left below.

The project was the Administration Building, first in the prospective 10-year building plan for the Kentucky Spindletop Research Center, which will house a Research Institute for the University of Kentucky and an Industrial Park for private research facilities.


Jurors for the competition, which was approved by the American In-

stitute of Architects, were: John Noble Richards, of Toledo, A.I.A. past president; Ralph Rapson, head of the School of Architecture at the University of Minnesota; and Samuel T. Hurst, dean of architecture at Auburn (Ala.) University. Professional Adviser was Prof. Charles P. Graves, head of the Department of Architecture at the University of Kentucky.


As to future State competitions, Kentucky officials will weigh the results of the Spindletop competition and, "depending on the advantages which may become apparent as the Administration building project moves into the construction phase," may consider the same method of selecting architecture for state-constructed buildings.



Jasper D. Ward, Louisville



Gray and Coblin, Lexington



Master Plan, developed by Scruggs & Hammond, Landscape Architects, provides for such facilities as fire and police services, auditorium, restaurant, research meeting area, library, and heliport

SERVICE PROBLEM HERE Labor Costs Exclusive with

UNIVERSAL "Service Guaranteed"

For years, UNIVERSAL has been paying the bill for the replacement of in-warranty inoperative fluorescent ballasts. These payments are a direct part of the exclusive and comprehensive UNIVERSAL Two Year Warranty Service Program with TES \* Architects, engineers, contractors, distributors, fixture manufacturers and maintenance personnel are all relieved of the burden of service.

Should you be confronted with a lighting failure which appears to be abnormal, regardless of the number of ballasts involved, you are requested to telephone UNIVERSAL -COLLECT - and ask for T E S \* Within 24 hours of your phone call, one of our field engineers will visit your installation. Assuming that our technical people determine that the lighting failure stems from ballasts which are being used in proper application, UNIVERSAL will arrange for the replacement of those ballasts and pay all charges in connection with the replacements, including labor. This is made possible by the high quality performance of UNIVERSAL "Service Guaranteed" BALLASTS in millions of fluorescent fixtures everywhere. A fine product can afford a fine guarantee.

You owe it to your own peace of mind to get the full details on this program. MAIL THIS COUPON FOR DESCRIP-TIVE BROCHURE. \*Technical Engineering Service



Executive Offices and Plant: 29-51 East Sixth Street, Paterson 4, N. J. Branch Off. & Warehouse: 4402 W. Jefferson Bivd., Los Angeles 16, Cal.

THE LARGEST INDEPENDENT MANUFACTURER OF FLUORESCENT TRANSFORMERS IN THE UNITED STATES

## BALLASTS

The only complete service program in the ballast industry!

UNIVERSAL M	ANUFACTURING COR	PORATION Dept-AR
29-51 East Sixth St	reet, Paterson 4, New Jersey	
	me your brochure describi Engineering Service) PROGR	ng UNIVERSAL'S EXCLUSIVE AM.
NAME	***************************************	
FURM		***************************************
STREET	**************************************	······································
CITY & STATE		
☐ Architect	☐ Distributor	☐ Maintenance Man
☐ Engineer	Fixture Mfr.	☐ Builder
☐ Contractor	☐ Equipment Mfr.	☐ Other



The Federal Reserve Bank of Atlanta Birmingham Branch office



The American National Bank & Trust Co. New head office, Mobile, Alabama



Whitney National Bank Extension, New Orleans

## Why Banks put their Money in Structural Steel

. . fabricated and erected by Ingalls



Manufacturers Trust Co. Fifth Avenue office, New York

When you design with steel, you make a sound investment. Economy, strength, and security are your dividends . . . year after year after year. And when you specify Ingalls to fabricate the structural steel, you can bank on skill and experience in building that investment. Plan with steel—Ingalls fabricated steel—on your next job.



The First National Bank of Atlanta Peachtree and North Ave., Atlanta



THE INGALLS IRON WORKS COMPANY Executive Offices: Birmingham, Alabama







### Architect:

James, Meadows & Howard General Contractor: The John W. Cowper Co., Inc. Painting Contractor: Alba Painting & Decorating Co. P&L Products Used:

Lyt-all Double Duty Primer, Lyt-all Flowing Flat, Lyt-all Stippling Eggshell, Vitralite Enamel.



the paint of professionals for over a century

### SPECIFIED ONCE - SPECIFIED AGAIN

The addition to the adjoining 16 story building of the Marine Trust Company, Buffalo, N. Y. is a handsomely modern structure. Pratt & Lambert paint and varnish were used in this new addition as they were in the original building erected 40 years ago. The facade of glass and stone is a pleasing contrast to the painted surfaces of the interior and the handsome stained wood panelling.

Professional-level, color planning service by experienced Pratt & Lambert representatives...the suggestion of distinctive color plans, in addition to recommendations of authoritative painting specifications, is available upon request and without obligation. Please write: Pratt & Lambert Architectural Service Department, 3301 38th Ave., Long Island City 1, N.Y., 4900 S. Kilbourn Ave., Chicago 32, Ill., 75 Tonawanda St., Buffalo 7, N.Y., 254 Courtwright St., Fort Erie, Ontario.

### PRATT & LAMBERT-INC.

NEW YORK . BUFFALO . CHICAGO . FORT ERIE, ONTARIO






## Mercury lamps may look alike

These Mercury lamps look alike and cost about the same, but one—the Westinghouse Lamp—will deliver more light initially and maintain this high light output longer. It is your most economical choice for industrial and commercial lighting and incorporates all 4 outstanding improvements listed below.

1. Lifeguard<sup>TM</sup> arc tube to improve lumen maintenance. Even after 10,000 hours of use, these lamps will still give 85% of their initial light output. This means that  $2\frac{1}{2}$  years after you install Westinghouse Mercury Lamps, your plant or streets will have almost the same high level of light as when the lamps were new!



## ... but four differences make one a better buy!

- 2. New design electrodes lock in the emission material and insure long life and easier starting.
- 3. Weather Duty<sup>TM</sup> construction. Special glass is resistant to thermal shock and corrosive fumes. Moisture, industrial fumes, even snow and rain can't harm these Westinghouse Mercury Lamps.
- **4. Hi-temp silicone cement** holds bases tight for life . . . actually gets stronger as the lamps burn. No drop-outs. Westinghouse even date-codes its mercury lamps so you can check performance.

No matter what type or wattage of mercury lamps you use, you will get more value and light for your money—plus longer, trouble-free service—by specifying and insisting on Westinghouse Mercury Lamps. Westinghouse makes the most complete line of mercury lamps in the industry . . . 100 to 3000 watt sizes . . . in clear, color-corrected and reflector types. Contact your authorized Westinghouse lamp agent or nearest Westinghouse sales office.

## YOU CAN BE SURE ... IF IT'S Westinghouse Electric Corporation, Bloomfield, N. J.

### NOT LESS FURNITURE BUT MORE SPACE; OR, UNITY IS NOT ENOUGH!

The Editor

Architectural Record

May I differ a bit from my good friend, Ed Barnes, in what he had to say about home furnishings in "Record Houses of 1960." I think his view is a bit impractical on some points and typical of that segment of modern designers who have tried to strip domestic architecture of its warmth, feeling, comfort and appeal to the imagination. Their hard, slick, smooth, uncomfortable angles and planes contribute little or nothing to physical well being and nothing at all to the spirit. Man cannot live by drab practicality alone!

He says, "We are building bedrooms just big enough to sleep in and dining rooms just big enough to eat in and living rooms just big enough for a fireplace." The antidotes he prescribes for what he later calls "confined modern space" are immovable pedestals, instead of beds; single support tables "cantilevered up from the floor"; "more sunken seating wells around fireplaces"; and "modular coordination."

Is it entirely impractical, in these days, for the average home owner to dream of possessing a home with rooms of sufficient size to permit the use of comfortable furniture that can occasionally be moved about to create fresh arrangements? Can he no longer dream of using his bedroom as a private sitting room or his children using theirs as a playroom

or study? And how about his wife? Making a bed on a pedestal is a bit more of a chore than doing the same job on a bed you can move about. Is he, also, to banish forever, the thought of family Thanksgiving and Christmas dinners, because the dining room comes only in one size and, presumably, the family does too?

If "floor space is at a premium," it is going to take something other than "modular coordination" to provide more of it. The suggestion that "our floor plane can actually dissolve into a series of steps and platforms" does not offer much practical help, when we consider the complexity of construction and additional cost inherent in the idea. Neither does it seem compatible with the general idea of a "harem interior," which the speaker favored. A bit further along he says, "If we are not able to sit on the floor, then the floor can rise up to meet us." Well, before it does, I think I shall depart for outer space.

I do not agree that this kind of thinking "leaves us with absolutely wonderful space." It's going to take a lot more than that to give the average American family something better than a 12-by-14 ft living room, 8-by-9 ft bedrooms and the Spartan austerity that some architects and builders provide.

Mr. Barnes says, "It is so easy to add, and so hard to subtract." Let us then add enough space to the house

so it will no longer be true that "even if the buyer owns the furniture, frequently there is no room for it." Then tables and chairs can continue to have four legs (as they have had for quite some time) and we won't have to have the "fairly stiff chairs with squarish lines," and slab sofas, or "a stiff chair (that) is good for your back."

Must we sacrifice the warmth and comfort of our homes; the "clutter" that is sometimes nothing more than the product of children's play or adult home activity, in order to "recede into a quiet architectural background?" Is that what house and home have to become in the space age? If it is, it bears at least a passing resemblance to the place where all lines are hard, straight and clean, where chairs are built in and stiff, where tables have pedestals instead of legs, where the wall serves as a support for the bed, the closets have standard drawers, and lethal wires are all safely tucked away-our shiny new state prisons.

I agree that for the average client, "we must give him space and furnishings that work together, not close him in but rather give a sense of calm." It will take architects and furniture designers of imagination and creativity and ingenuity, if we are to do it.

Julian H. Salomon, A.S.L.A. Landscape Architect Suffern, N. Y.

### ON ARCHITECTURE FOR A MAN AND HIS CAR

The Editor

Architectural Record

In reviewing the July issue which under its Building Types Study takes in motor hotels, I could not help but be struck by a most unusual American phenomenon as represented in some of the new motels which are anticipated in architect's drawings.

From earliest days man always needed, aside from wife and family, another creature to act as sort of alter ego. At first, it would seem that it was a man and his dog, later in civilization it was a man and his horse (especially if we are to believe our television screen). In the last century it has become a man and his car. It seems that man has become almost inseparable from his mechanical steed. This love of a man for a car has practically ruined most of the downtown areas of cities throughout our country. This phenomenon is about to create some of the most ridiculous architectural solutions imaginable. At long last in the San Francisco Hilton Hotel, a man will lovingly drive his car up ten stories so that he can have the mystifying pleasure of sleeping next to his car. In the Sky Host Motor Hotel the ultimate has been achieved in togetherness between a man and his car because in this scheme a man can leave his door open and with loving eyes see his car as he drowses off to sleep for the night and upon awakening, behold his beloved right next to his bed. This is such a touching spectacle—"A Man and His Car."

Morris Lapidus, Architect New York





competitive floors. First cost plus seven years of maintenance for each were compared. Terrazzo was the least expensive of any type—less costly by one-third than 5 of the 6 types. And it had far more remaining value after seven years than any other type.

Ask for Trinity White's fullcolor reproductions showing 24 chip and matrix color combinations plus standard terrazzo specifications. Address: Trinity White, 111 West Monroe St., Chicago 3.

A product of GENERAL PORTLAND CEMENT CO.

CHICAGO · CHATTANOOGA · DALLAS · FORT WORTH · FREDONIA, KANSAS

HOUSTON · JACKSON, MICHIGAN · TAMPA · MIAMI · LOS ANGELES

rinity White



## PERFECTION

## Infra-Red GAS Heaters

### SCHWANK

Startling savings of \$9892 in fuel costs in one year's operation plus a wonderful new kind of heating comfort are big reasons Perfection Schwank Gas Infra-Red Heaters rate high with Youngstown Foundry and Machine Company,

Youngstown, Ohio. Listen to these comments:

"Heating a 60 year old building like this is a tough job", states James Paumier, Plant Superin-




tendent, "but this Perfection Schwank system gives us a constant and comfortable 65° temperature, drastically cut our fuel cost and requires practically no maintenance,"

Wayne Thew, Foreman, exclaims, "I've been here for 20 years and

Perfection Schwank Infra-Red is far superior to any other heating system we've tried. Castings and machinery are





Part of the 41,160 square feet of floor space at Youngstown Foundry and Machine . . . all heated by Perfection Schwank Gas Infra-Red Heaters.

## cut heating bill \$9,892 . . . give Youngstown Foundry and Machine "Best Heat Ever!"

always the same temperature eliminating expansion and contraction problems and making tolerances much easier to meet."


States Joseph Sagy, Plane Operator: "Since we've had these Infra-Red heaters, there are no drafts, no hot and cold spots...in every way they're a big improvement over our previous heating system."

Acceptance like this makes it easy to understand why there are over 25,000 users of Perfection Schwank Gas Infra-Red Heaters.

Approved by A.G.A., Underwriters, C.G.A. and C.S.A. Under Schwank U.S. Patents 2,775,294 and 2,870,830 and pending applications PIONEERS IN GAS INFRA-RED HEATERS


PERFECTION 1135 Ivanhoe Rd., Cleveland 10, Ohio

division of Hupp Corporation / licensee of American Infra-Red Radiant Co.



Lashed by 25 m.p.h. winds, flames from the Memphis stadium towered like a gigantic blazing tongue above the roof of the Baptist Memorial hospital...licked hungrily at its face and the Adlake double-glazed reversible aluminum windows. For more than half an hour temperatures stood at Fahrenheit 1200° plus, the melting point of aluminum. Yet, no Adlake windows gave way. Frames retained their square ... weatherstrips their seal—thanks to Adlake's built-in safety of quality. "Without those windows, we would have had a bad situation," firefighters agreed. Officials credited Adlake double-glazed windows with having "saved the life of the hospital" not to mention human lives that may well have been spared. Write for 36-page catalog of non-residential aluminum windows and curtain walls.

> The Adams & Westlake Company Elkhart, Indiana





## Meetings and Miscellany



-Drawn for the RECORD by Alan Dunn

"Well, so much for our lifelong battle against 'facade'—our next commissions are all for underground missile bases!"

### Gropius Receives German Grand Architectural Prize

Dr. Walter Gropius was awarded the German Grand State Prize of Architecture, given by the Minister President of Rhineland Westphalen, Dr. Meyers in the Academy of Arts, Dusseldorf in July. The Award read: "The comprehensive community of the Fine and Applied Arts united by him in the Bauhaus has set an example of how to renew the integration of all design. . . . His architectural work, his thoughts, and his teachings have found acceptance throughout the world illuminating the German sphere through his personal participation and counsel."

### Lawrence Appointed Dean at Tulane School of Architecture

John W. Lawrence has been appointed Dean of the School of Architecture and Professor of Architecture at Tulane University. He succeeds the late John Ekin Dinwiddie, who died last September.

A member of the faculty of the School of Architecture at Tulane since 1949, Mr. Lawrence has taught Design at all levels of the undergraduate curriculum. Concurrently he has been engaged in private architectural practice, a partner in the firm of Lawrence and Saunders.

## Dean of Architecture at R.I.S.D. is DuMoulin

The new head of the department of architecture at the Rhode Island School of Design is Rockwell K. Du-Moulin, associate professor of Architecture.

Mr. DeMoulin will also serve as Acting Chairman of the Division of Architecture for 1960-61 during the absence of Albert E. Simonson, who plans a research visit to Japan on a sabbatical leave.

### Second World Conference on Earthquake Engineering

Japan, home of more than 1000 minor earthquakes a year, where myth has it that a playful underground catfish is the cause, was host in July for the Second World Conference on Earthquake Engineering. Participants in this world-wide effort toward mitigating earthquake disaster through an interchange of ideas and knowledge were scientists and engineers from 27 countries, including the USSR, Rumania, East Germany, and the Republic of China (Formosa)

The United States delegation included Professor George W. Housner of the California Institute of Technology, president of the Earthquake Engineering Research Institute. The


E.E.R.I. originated the First World Conference on Earthquake Engineering four years ago in Berkeley, Cal.


Sponsored by the Science Council of Japan, the Seismological Society of Japan, the Japan Society of Civil Engineers, and the Architectural Institute of Japan, the conference heard a total of 118 technical papers. These were grouped into five classifications: the relation of soil and foundation conditions to the earthquake problem; analysis of structural response and instruments; seismic and earthquake ground motion; earthquake resistant design, construction and regulations; and recent strong motion quakes and resultant damage.

A statement by John Rinne of Standard Oil of California, chairman of the committee of cooperation with Japanese conference organizers, can be said to express a general conclusion of the conference. He said: "engineered design and construction can provide reasonably earthquakeresistant structures with most of the construction material used or available throughout the world."


Conference proceedings are being published in a three-volume set and can be purchased at \$17.00 a set, including postage, from the Intelligence Section, Science Council of Japan, Ueno Park, Taito-ku, Tokyo.

more news on page 62





#### new approaches to structural design with fir plywood



THE AWARD-WINNING DESIGN of this retail lumber showroom is another example of the striking new architectural forms possible with fir plywood, at no sacrifice—in fact, with a gain—in structural strength and integrity.

The rippling roofline was created by a series of doubly concave plywood barrel vaults. It demonstrates the major advantages of the plywood vault for non-residential as well as home construction: design flexibility, a strong rigid roof, and economy in time and materials, due to plywood's high strength-weight ratio and extreme workability.

These vaults are of modified stressed skin construction, with plywood glue-stapled at edges to plywood box beams and, at mid-arc, to a continuous 2 x 4. The system provides large clear floor areas which, together with extensive use of glass for exterior walls, contribute to the remarkably light, open look.

The delicately scalloped silhouette is given a third dimension by a sheet metal fascia that caps the vault ends and bows out in plan to repeat the curve of the arches. For basic fir plywood design data, write (USA only), Douglas Fir Plywood Assn., Tacoma 2, Wash.



### TOMORROW'S STYLING

FOR TODAY'S MODERN BUILDINGS

compact wall mounted
water cooler has
mar-resistant vinyl clad
steel cabinet
for life-long beauty\*

OASIS ON-A-WALL 2 CAPACITIES: 7 and 13 GPH



Tomorrow's styling today. Only Oasis On-A-Wall offers a rich Vinyl laminated 20 ga. steel cabinet in stunning Silver Spice color . . . mar resistant for lasting beauty. Gleaming stainless steel top can't chip, crack, or tarnish . . . cleans in a whisk. Recessed anodized aluminum grille-work accents the crisp modern look.

Conceals plumbing . . . makes clean-ups easy! Mounts flush to wall—at any level—to hide plumbing and save space. Off-the-floor design makes the janitor's job a breeze. Highest anti-splash back of any wall mounted cooler. Designed for easy installation.

Full 5-year warranty. Superb Oasis engineering has finest record of trouble-free performance in the industry. Warranty covers entire refrigeration system and all components.

\*WRITE FOR FREE VINYL SAMPLE. Actual Vinyl laminated steel sample in Silver Spice color available on request. Free specifications and details of entire water cooler line for architects and engineers. (See Sweet's AIA File No. 29-D-42)



#### OASIS WATER COOLERS

The Ebco Manufacturing Co., Dept. 7-R, Columbus 13, Ohio Manufacturers of the most complete line of water coolers. Distributed in Canada by G. H. Wood & Co., Ltd.

Acoustiroc for beauty

Solitude for economy

Perforated Absestos Mineral Wool for humidity problems




Acousti-Grid for low maintenance

new ACOUSTICAL PRODUCTS

designed for ceiling grids

Gold Bond
BUILDING PRODUCTS

a step ahead of tomorrow



#### PROPERTIES

HRG: .8

Fire Rating: Class A Noncombustible

Light Reflectance: 83% Wt./sq. ft.: 1.26 lbs.

Sizes: 24" x 24" x 3/4" (Panels -- nominal

12" x 12" x 3/4" (Tiles)
12" x 24" x 3/4" (Tiles)
24" x 24" x 3/4" (Tiles)
Soft brush or repaint

Technical Bulletin No. 3574

Cleaning:

## 2' x 2' panels of new FISSURED ACOUSTIROC are strikingly handsome, dimensionally stable!

This beautiful new Gold Bond panel gives you four square feet of unbroken fissured surface on crisp white mineral wool. It's felted for maximum strength, and is unusually stable in the changing humidity conditions that often occur during installation. Panels lie flat in the grid without shrinking, sagging or warping. Acoustiroc can be used either as 2'x 2' drop-in panels in a grid (at considerable savings) or in the "J" Suspension System—tile sizes 12"x12", 12"x 24" and 24"x 24". Either way it's rated Class A noncombustible and needs very little maintenance. Ask your contractor or write Dept. AR-9601.

NATIONAL GYPSUM COMPANY . BUFFALO 13, NEW YORK




THE HRC: .70 - .80

Class A Noncombustible Fire Rating:

24" x 48" x 5/8" (Panels — neminal) 24" x 24" x 5/8" (Panels — nominal)

12" x 12" x 1/2" or 3/4" (Tiles)

Soft brush or repaint




Solitude's large 2' x 4' panels go over big areas fast, at very low cost, in a ceiling grid system. Solitude is a high density mineral wool - wood fibre material with great strength, a Class A fire rating, and good sound attenuation ratings between rooms. Needlepoint perforations make a pleasantly unobtrusive texture. Solitude is also available in 2'x 2' panels for use in grid systems, and in 12"x 12" tiles for concealed "J" Suspension Systems. Ask your contractor, or write Dept. AR-9602 for Technical Bulletin.

NATIONAL GYPSUM COMPANY . BUFFALO 13, NEW YORK

a step ahead of tomorrow Gold Bond Building Products






#### Now you can put PERFORATED ASBESTOS in ceiling grids!

New autoclaving process eliminates warping and shrinking

At last there's an asbestos panel you can depend on to lie flat in ceiling grid systems! These 2'x 2' and 2'x 4' panels of Gold Bond Perforated Asbestos are autoclaved—warp and shrink resistant. Their natural white finish makes a handsome, permanent ceiling surface that doesn't need painting. Backed with sound-absorbent mineral wool padding, Perforated Asbestos panels make a highly efficient acoustical ceiling. All components are inorganic - withstanding high temperatures and humidity, and having Class A noncombustible rating. Utilities are easy to reach — panels lift right out.

Perforated Asbestos panels can be used for pin-point lighting (without padding) or two-toned pattern ceilings. Add up all these advantages—then ask your Gold Bond" Representative for complete technical details. Or write Dept. AR-9603 for free samples and technical bulletin.

NATIONAL GYPSUM COMPANY • BUFFALO 13. NEW YORK




#### ACOUSTI-GRID panels are economical, durable, almost maintenance-free!

Acousti-Grid is a one-piece metal panel and black glass fibre pad designed for low cost grid system ceilings. Composition of these 2'x 2' panels means Class A noncombustibility and resistance to the damage of mold, fungus and vermin. Acousti-Grid's one-piece construction assures easy installation, maintenance and accessibility. The slotted and embossed surface presents a boldly woven texture that enlivens the decor in business offices or lounge areas. Ask your Gold Bond\* acoustical contractor for details, or write Dept. AR-9604.

NATIONAL GYPSUM COMPANY . BUFFALO 13, NEW YORK

a step ahead of tomorrow Gold Bond Building PRODUCTS





# NEW flat roof building gives you important NEW design element

Here's an entirely new addition to the Armco Building family. It's the single slope roof building—available in two designs, sloping 5½ inches front to back to provide an essentially flat roof structure, or sloping 4 feet front to back. Thus the economies of the production line are extended to



another basic structure featuring STEELOX® Panel Wall construction, Send the coupon for details. Armco Drainage & Metal Products, Inc., 7390 Curtis Street, Middletown, Ohio.

New steels are
born at
 Armco

ARMCO DRAINAGE & METAL PRODUCTS, INC. 7390 Curtis Street, Middletown, Ohio

Send details about the entire line of Armco Steel Buildings.  $\hfill \Box$  Ask the Armco Man in my area to contact me about new flatroof Armco Steel Buildings.


Name		Title	
Firm			
Street			
City	Zone	State	

#### ARMCO DRAINAGE & METAL PRODUCTS



#### Subsidiary of ARMCO STEEL CORPORATION

OTHER SUBSIDIARIES AND DIVISIONS: Armoo Division • Sheffield Division • The National Supply Company • The Armoo International Corporation • Union Wire Rope Corporation






like these as a part of a Honeywell Clock System


For the first time, you can complete your interior themes perfectly with a matching clock system. And regardless of your choice, each provides the finest in supervised time—a complete master clock-slave system, with programming optional. Shown here are just a few of the 33 attractive new faces available for your selection. All are backed by the same traditional service you've found so dependable in all Honeywell installations. For more information, call the Honeywell write Minneapolis-Honeywell, Dept. AR-2-

Honeywell



SEE US IN SWEET'S 1960 ARCHITECTURAL FILE, SEC. 34b/Mi

75 th



for 1¾" direct to beams. (Underwriters' Laboratories,

Inc.) No other sprayed-on fire-proofing material has these ratings. With the least material, SPRAYED "LIMPET" ASBESTOS achieves the best approved ratings. No adhesives, no multi-layer spraying or pressing either. SPRAYED "LIMPET" ASBESTOS has more approved ratings than any other sprayed-on fire-proofing material. Its fibers are 100% asbestos! Now, you know why you can't honestly specify SPRAYED "LIMPET" ASBESTOS "or equal." It has no equal.

> Write today for this booklet. Get more information on the advantages of SPRAYED "LIMPET" ASBESTOS for insulation, condensation control, and acoustical treatment as well as fire-proofing. Dept. B-3490, Keasbey & Mattison Company, Ambler, Pa.





### New 7/6" Architectural Craftwall



#### Roddis does such wonderful new things with wood

Now all the richness and beauty of genuine wood paneling, plus amazing new fire safety, can be yours with Fire-Retardant Architectural Craftwall. Because its unique, new center core is Roddis' manmade board—Timblend—treated with special fire-retarding chemicals. It's the first particle-core paneling to be listed and labeled by Underwriters' Laboratories!

New FR Architectural Craftwall is designed particularly for offices, or for schools, hospitals, public buildings — anyplace where fire safety is of vital concern. Choose from a wide range of hardwoods. Available prefinished the exclusive Roddis way for lasting beauty and durability. And at a considerable savings over ordinary

fire-retardant plywood 34" paneling.

FR is just one achievement of Roddis' pioneering with wood. There are others. Such as man-made Timblend...wood doors, guaranteed never to warp...veneers...custom paneling...special wood finishes...modern woodworking adhesives.

## Load-Bearing Interior Wall LABELED AND LISTED BY UNDERWRITERS' LABORATORIES

One Hour

Fire-Retardant,

Official tests prove FR Architectural Craftwall, in combination with U.L. labeled gypsum wallboard and wood studs, will form a wall that affords one hour protection against the passage of flame or dangerous heat transmission.

- 1 Wood studs: 2" x 4", 16" on center 2 U.L. labeled gypsum wallboard:
- 1/2" thick, nailed horizontally

  3 FR '4" Architectural Craftwall,
- FR 'a' Architectural Craftwall, nailed to studs

(Complete construction details available, Write for new Roddis Fire Retardant Bulletin)

Find out more about FR Architectural Craftwall or other Roddis products. Write: Roddis Plywood Corporation, Marshfield, Wisconsin.





"The 14-inch J&L Light Beam was the most economical member we could use for the spans," say Robert and Company Associates of Atlanta, the designers.

## New Atlanta Airport Terminal...Designed

Air traffic comes in, all at once, in Atlanta, Georgia. Often there are as many as 60 planes in the terminal, all loading and unloading. Atlanta is one of the most important airlines transfer points in the country. Everyone wants to hold lay-over times to a minimum, so heavy traffic peaks are unavoidable.

The problem was to design a new terminal that would make life easy for passengers and airlines people. And do it as inexpensively as possible.

That's why the compact, 11-story central terminal building (with control tower on top) was conceived—with six long concourses splayed out like fingers to provide plenty of parking space for planes—with easy access everywhere for passengers and airlines personnel—with 8 special second-story "jetways" that telescope out from above the concourses to let jet passengers on and off

with no stair climbing, high and dry out of the weather — and with underpasses beneath each concourse for baggage trains to run, safely separated from passenger walks.

**Design Economy** was gained in concourse construction and in stair stringer fabrication by selecting J&L lightweight structurals —14-inch J&L Light Beams for concourse and main terminal roof purlins—10-inch J&L Junior Channels for stair stringers.

Because they are easy to adapt, you can use J&L lightweight structurals in a wide variety of architectural designs. They reduce the steel tonnage you'll require. And because they're easy to fabricate, raise, and position, they cut labor costs.

To find out more about J&L lightweight structurals, call or write direct to Jones & Laughlin Steel Corporation, 3 Gateway Center, Pittsburgh 30, Pennsylvania.



Jones & Laughlin Steel Corporation



3 Gateway Center, Pittsburgh 30, Pennsylvania



## for the Jet Age with J&L Light Beams



Key factor in concourse design was use of J&L 14-inch Light Beams as purlins. Span between rigid bents varies from 19' 7" to 24' 0". Formed metal decking, which supports insulation and built-up roofing material, is welded to the purlins. Purlins and girders also support a maze of concealed piping.



J&L 14-inch Light Beams and J&L 10-inch Junior Channels were used extensively throughout the new "Jet Age" Atlanta Airport Terminal. J&L 10-inch Junior Channels were used as stair stringers. J&L 14-inch Light Beams are purlins, mainly in two-story concourse sections.



Wilkes Central High School, Wilkesboro, North Carolina

#### Not a glimmer of glare in this gym lighting job



#### INSTALLATION DATA

Abolite HMFAU-2400 fixtures with 750 watt incandescent lamps. Mounting height 22' with 15' 6" x 16' spacing. Ceiling height: 30'. Average footcandle level: 43.

Consulting Engineer: George B. Rottman & Associates

Electrical Contractor: Ralph Duncan Electric Company Abolite uplight fixtures shield against glare, wash out ceiling shadows—There are 43 footcandles of light (average) throughout that gymnasium, yet there's practically no glare to bother spectators or players. This easy-on-the-eyes lighting is made possible by the unique design of Abolite fixtures. Notice how both vertical and horizontal surfaces are lighted evenly without any deep shadows and how the light directed upward through the open top of fixtures eliminates sharp contrasts by washing out dark background shadows. 35° lamp shielding virtually eliminates glare.

Abolite's modern air-swept design also reduces maintenance costs. Air circulating through the fixtures sweeps them clean of dulling dust.

Although in this installation Abolite fixtures are used with incandescent lamps, they can also be used with color-improved mercury lamps. There are 18" and 24" diameter Alzak aluminum fixtures for use with 400 and 1000 watt mercury and 14" and 18" diameter fixtures for 300-500 watt incandescent lamps. Abolite Lighting Division, The Jones Metal Products Company, West Lafayette, Ohio.



THE JONES METAL PRODUCTS COMPANY

West Lafayette, Ohio

For the "largest office building west of Chicago"

## $M^{o}Sai$

precast concrete curtain wall and precast facing

The design versatility of Mo-Sai is clearly evidenced in its many uses on the dramatic new Kaiser Center, which rises 28 stories above the shoreline of Lake Merritt in downtown Oakland. California, and serves as worldwide headquarters for more than 50 affiliated Kaiser companies. This building employs over 250,000

Mo-Sai, in a variety of textures but with a common aggregate color,

square feet of Mo-Sai curtain wall and precast facing. Coarse-textured Mo-Sai precast concrete curtain wall, anchored directly to the steel framework, is used on end walls

Mo-Sai precast facing, anchored to a preconstructed monolithic concrete wall, was used for the street elevation of the five-level parking garage and shop section.

of the office tower and elevator tower.



Mo-Sai curtain wall on tower was made with a coarse white aggregate, with maximum grading to 2", cast in grey Per-manente cement matrix. Mo-Sai precast facing on street level is same aggregate in a white cement matrix



#### MO-SAI INSTITUTE. INC.

BADGER CONCRETE CO.

CAMBRIDGE CEMENT STONE CO.

ECONOMY CAST STONE CO

GEORGE RACKLE & SONS CO.

GOODSTONE MAG CO.

HARTER MARBLECRETE STONE CO.

OLYMPIAN STONE CO., INC.

CITTO BUEHNER & CO.

P. GRASSI-AMERICAN TERRAZZO CO.

SOUTHERN CAST STONE, INC.

SUPERCRETE, LIMITED

TEXCRETE MOSAIC CORP.

THE DEXTONE CO

THE MABIE-BELL CO.

THE MABIE-BELL CO.


V.C. - Miams 47, Florida

TORONTO CAST STONE CO., LTD.

WAILES PRECAST CONCRETE CORP.

WILSON CONCRETE CO

KAISER



#### Meetings and Miscellany

continued from page 45

#### Gallion Leaves U.S.C. Burge New Acting Dean

Arthur B. Gallion, former Dean of the School of Architecture at the University of Southern California, has been appointed director of plan-



ning for the Honolulu office of Harland Bartholomew & Associates, city planning and civil engineering firm with headquarters in St. Louis, Mo.

A Fellow of the American

Institute of Architects and member of the American Institute of Planners, Gallion served at U.S.C. as vice president of the Association of Collegiate Schools of Architecture.

Succeeding him at U.S.C. is Henry Charles Burge, A.I.A., as Acting Dean. Mr. Burge is a U.S.C. graduate and a member of the architectural faculty since 1945.

#### Opportunity for Architects, Artists to Study Abroad

Young American architects and artists have an opportunity to study

abroad in 1961-62 under the Department of State's educational exchange program. Awards under the Fulbright Act, are given for study in Europe, Latin America, and the Asia-Pacific area. They cover tuition, maintenance, and travel for one academic year.

Requirements are U. S. citizenship, a Bachelor's degree or its professional equivalent (for an architect, an architectural degree), language ability to meet the demands of the proposed study project, and good health. Preference is given to applicants under 35 years of age.

Requests for applications must be postmarked before October 15, 1960, and sent to: Institute of International Education, Information and Counseling Division, 1 East 67 St., New York 21.

#### Claude B. Riemersma, 53; 23 Years on AR Staff

Claude B. Riemersma, national sales manager of Architectural Record and a member of its sales staff for 23 years, died unexpectedly of a heart attack July 12 at his home in Chicago. He was 53.

Mr. Riemersma, who had been advertising manager for Crane Company in Chicago before coming to the

RECORD as a district manager in 1937, was promoted to regional sales manager in 1955 and became national sales manager last year.

#### University Research Center Headed by Kinne

William S. Kinne Jr., former professor of architecture at Illinois University, industrial architectural adviser, has been named director of the University Facilities Research Center located on the campus of the University of Wisconsin. The Center was established to spur cooperation of Western Conference Universities and University of Chicago in programs for building facilities.

#### Cummings Named Consultant To Building Code Commission

George Bain Cummings of Binghamton, N. Y., a past president of the American Institute of Architects and former vice chairman of the New York State Building Code Commission, has been named Division of Housing building code consultant. He will study, recommend methods to improve administration of services provided to cities by the Division's state Building Code Bureau.



John W. Lawrence (above), new architecture dean at Tulane, and students in the classroom



Barry Byrne, A.I.A., Evanston, Ill., gets Building Stone Institute award for distinguished use of stone from Gen. C. J. Hauck and Les D. Stennette at BSI meeting in Detroit



Ten top students out of 18 in the 1960 graduating class of Columbia University's School of Architecture received William Kinne Fellows Memorial Traveling Fellowships which finance six months abroad for graduate study and publishable research. They are: seated (left to right) Peter D. Eisenman, New York; Lewis Dale Booher, Iowa Park, Tex.; Henry H. J. Heissenbuttel, New York; Robert J. Badia, New York; and Frank B. Hollenbeck, Wilton, Conn. Standing (left to right) Armando Vargas, Puerto Rico; John H. Crowther, Mystic, Conn.; Nelson T. Nordquist, New York; Manuel D. Herz, New York; Ricardo M. Scofidio, Brooklyn; Alexander Kouzmanoff, associate professor of architecture and member of Fellowship Committee; and James G. Van Derpool, Acting Dean of the School of Architecture





## ANTIQUE MARBLE IN SOLID VINYL TILE another exclusive style in

## KENTILE FLOORS

Newest from Kentile®, this Solid Vinyl Tile combines all the beauty and depth of marble with soft, muted tones that impart quiet dignity wherever it is used. Ideal for fine residential or commercial installations, on walls as well as floors. Call your Kentile Representative for samples, or consult Sweet's File.\*

#### SPECIFICATIONS-

Use: Below, on or above grade.
Sizes: 9" x 9" and 12" x 12"
Thicknesses: Standard Gauge (.080") and 1/2" Colors: six as shown

<sup>e</sup>In New York, visit the Kentile Floors Showroom, Suite 3119 (31st Floor), Empire State Building, 350 Fifth Ave.

# NO surface hand pulls to tear or eatch draperies or blinds. NO surface hand pulls to prevent the by passing of other units

ADAMS-RITE

## FLUSH HARDWARE

ADDS MODERN STYLING AND VERSATILITY TO

SLIDING GLASS DOORS

ADAMS-RITE'S 4190 locking unit is a new type of hardware for FLUSH installation in narrow stile, sliding glass doors. All parts are set flush with the door stile, including the LOCK, INSIDE OPERATOR, FIVE-PIN CYLINDER, and RECESSED FINGER PULLS. This type of hand hardware allows the doors to easily slide past other stationary or sliding units without regard for usual hardware clearance. The doors can be "stacked" in pockets, and draperies or blinds will not be torn by catching on surface hand pulls. Available with or without flush, key-operated, five-pin cylinder lock on outside pull.

FOR NEW FREEDOM OF DESIGN WHEN USING NARROW STYLE DOOR HARDWARE

THINK FLUSH!




WRITE TODAY for complete specifications and information.

ADAMS-RITE MANUFACTURING COMPANY

NO surface hand pulls

to prevent complete

retraction of doors into "pockets."



## Plain or fancy...

#### you can strengthen just about any kind of masonry wall with Dur-o-wal

Hats off to today's architectural designers for a new world of beauty in concrete masonry. And orchids to the modern builders who are making that beauty last with Dur-o-wal. It's the rare block pattern, plain or fancy. that does not permit America's most practical, most widely used, most widely proved masonry wall reinforcement. Dur-o-wal is versatile.

Dur-o-wal's trussed, butt-welded construction-with deformed rods that lay straight and flat-has been engineered to do a job. Increases the flexural strength of a masonry wall at least 71 per cent, as much as 261 per cent, depending on the weight Dur-o-wal used, number of courses, and type of mortar. This makes for truly permanent masonry wall construction and looks.

For technical details, write to any of the Dur-o-wal locations below. See us in Sweet's.



Dur-o-wal reinforcement, shown above, and Rapid Control Joint, below. Weatherproof neoprene flanges on the latter flex with the joint, simplify the cauthing problem.

### DUR-O-WAL

Masonry Wall Reinforcement and Rapid Control Joint

RIGID BACKBONE OF STEEL FOR EVERY MASONRY WALL

**DUR-O-WAL MANUFACTURING PLANTS** 

- Dur-O-wal. Div., Cedar Rapids Block Co., CEDAR RAPIDS, IA. Dur-O-wal. of III., 119 N. River St., AURORA, ILL.
- . Dur-O-wat. Prod., Inc., Box 628, SYRACUSE, N. Y.

- Dur-O-wal Div., Frontier Mfg. Co., Box 49, PHOENIX, ARIZ.
   Dur-O-wal of Colorado, 29th and Court St., PUEBLO, COLO.
- . Dur-O-wal Prod. of Ala., Inc., Box 5446, BIRMINGHAM, ALA.
- Dur-O-wal Prod., Inc., 4500 E. Lombard St., BALTIMORE, MD.
   Dur-O-wal Inc., 165 Utah Street, TOLEDO, OHIO



Design for beauty and utility with an eye to economy too ...





Check the benefits your clients get when your design includes cloth towel cabinets in all washrooms.

**Towel Cabinets** 

- ☐ An end to litter, storage and disposal problems. Reduced maintenance and janitorial costs.
- Fewer plumbing repairs.
- ☐ Elimination of fire hazard.

One of your local Linen Suppliers will gladly install and service these units at modest cost. And, from then on, each washroom will be kept supplied with fresh, clean cotton toweling automatically. And, remember -- your specification does not obligate your client to any particular service.

Service is by American Linen Supply Co.

Cloth towel cabinets add smartness to this washroom in

the newly-built Prudential Federal Savings Building, Salt Lake City. Architect: Cunneen Co., Philadelphia, Pa.

For complete information, write to Linen Supply Association on your letterhead for this free Planning-for-Cloth Kit. Fully illustrated, it includes specifications for all continuous cloth towel cabinets.



Linen Supply Association of America

and National Cotton Council . 22 West Monroe Street, Chicago 3




The artist knows which materials allow the sculptor's curve, a clean interplay of line, a precise, geometric mass, or a shaggy, romantic texture. This is freedom; freedom which fits into a structural frame or holds up the roof; freedom, too, through economy and ageless workmanship.

This is brick and tile.

#### ARTISTS AND THEIR WORKS:

Jefferson Medical College Hospital, Vincent Kling, Architect. Chapel, Massachusetts Institute of Technology, Eero Saarinen and Associates, Architects.



## BACKGROUND PAPER FOR CONFERENCE ON AGING SEES TODAY'S DESIGN TRENDS AS PROBLEM

The new background paper on housing, prepared under direction of the committee on housing for the White House Conference on Aging in January, is crammed with statements which challenge architects.

The point is made, for example, that much of the housing presently being built and projected for construction will not serve adequately the needs of elderly persons. The split-level variety with narrow doorways and small bedrooms, with stairs at entrances, and with such meager space for circulation as to preclude continued occupancy by persons of advanced age, particularly the infirm, was noted as one of the problems in consideration of future shelter.

The White House Conference on Aging will be held in Washington January 9 through 12. Authorized by Congress, it will study 20 subject matter areas, of which one is housing. Like similar conferences on current problems, this is being preceded by local and state meetings and the background paper is being used by these pre-conference sessions to stimulate thinking on all aspects of shelter for older people.

#### Nelson Heads Housing Unit

Walter C. Nelson, Minneapolis, president of the Mortgage Bankers Association of America, is chairman of the conference's housing committee and Walter K. Vivrette, Minneapolis architect, is technical director for housing, with his headquarters in the Housing and Home Finance Agency.

The background document carries no recommendations but pointedly sets out existing conditions, achievements in and out of government, and the pressing need for a look at techniques for housing aging persons adequately.

There is this statement in the section on improving the quality of such housing: "While our efforts to increase the supply of housing for the

elderly will serve to improve the quantity of housing generally, much of our discussion will center upon the standards of housing and its suitability to the particular needs of the elderly. It goes without saying that generally rising standards of living in the United States should apply across the board to all individuals regardless of age. Certainly as successive generations of the aged appear, they will demand standards of housing comparable to those to which they were accustomed in earlier years."

#### Basic Criteria Listed

Discussing emerging objectives in the field, the report states that the house or apartment, to fulfill its purpose for independent living in later years, faces these criteria:

1. It must be as good if not better than the individual's customary living quarters of earlier years.

2. It must be suitable to the conditions of failing health and illness frequently observed.

3. It must also have maximum adaptability to the less frequently observed conditions of illness, disability, and convalescence.

4. It must contribute to continuing rehabilitation of the individual.

"Much of the available housing does not fulfill such objectives," the paper comments. "Some of its shortcomings can be overcome by minor adjustments or remodeling, but more generally, barring some outside help, these shortcomings will continue on into the years because of the habits and reduced energy which are characteristic of old age."

#### What Do Old People Need?

In its section on physiological and socio-physiological needs, the document gets down to some more specific treatment of the architectural applications in the design of housing for the elderly.

On light - We do know that most


people intuitively seek sunlight. They also recognize the value of proper artificial illumination, for as eyesight begins to fail, inadequate illumination may adversely affect not only efficiency but also mental and physical health. The light intensity for reading required by the older person is higher than that required by the student in school; the source and distribution of this light must properly relate brightness contrasts within his line of vision. Similarly, both in the home and in the institution, the older person needs control of the brightness contrast among the several spaces through which he moves-from room to hall, and from hall to room.

On sound— While excessive noise is disturbing, excessive quiet can be even more disturbing, particularly if the individual's sight is poor and he must depend on hearing for his cues. With loss of hearing, he may desire increased volume from his radio or TV; and unless he is living in isolation, such intensity of sound must not be allowed to annoy those about him.

On air—Some of the general reactions of the aging person as they pertain to the air about him have been observed: a desire for greater warmth and freedom from drafts; an inability to tolerate extremes of heat or cold; and a concern about air pollution and excessive humidity or dryness as they relate to comfort and range of toleration.

On hazard control— Resilient nonslippery floors, or at best floors with only the slightest coat of wax can be substituted for highly polished wood or terrazzo; scatter rugs and scattered furniture can be removed from circulation paths; unnecessary stairs and changes of level can be avoided in the design of housing; control of drafts and rain at entrances can be achieved without a four- to six-in.high step at doors, and even without a "tripping" threshhold; bathroom accessories, towel bars, curtain rods, soap dishes and grab bars can be in-

continued on page 364




## Fissured Armstrong Acoustical Fire Guard ----now available in square-edge detail----

The photograph tells the story. Ceilings have a smooth, uninterrupted flow with Fissured Armstrong Acoustical Fire Guard . . . now available in square-edge, as well as bevel-edge, detail. To learn more about Acoustical Fire Guardthe first time-design-rated acoustical ceiling tile—contact your Armstrong acoustical contractor (he's in the Yellow Pages) or Armstrong district office. Or write Armstrong Cork Company, 4209 Rock Street, Lancaster, Pennsylvania.



1860-1960 Beginning our second century of progress

## AMERICAN!



#### AMERICAN BUTTERNUT

## new perception in design freedom


Butternut veneer offers a new concept in receptive beauty that gives you remarkable design freedom. The soft, leafy grain and delicate brown tone of Butternut create a rare beauty distinctly its own. But the same subtle quality that reveals Butternut's unrivaled charm also makes it a natural choice for paneling veneer where design flexibility is desired. The passive graciousness, the quiet warmth of Butternut suggest it as the perfect compliment to any decor, any color combination, any architectural setting. Many other creative design possibilities are inspired by the hundreds of fine woods in Stem's veneer selection, the most complete in the world. Showrooms: New York City, Chicago and Los Angeles. Butternut is a truly American wood as it is native only to North America. Because of its harmonizing qualities Butternut has always been of special interest to interior artisans, cabinet makers, and in equestrian times, coach builders. Centenarians might remember that Butternut bark and nuts were cooked to extract dye for Confederate uniforms . . . in fact, at one time it was widely used by settlers for dyeing homespun woolens. Today, Butternut veneer is considered one of the most adaptable of all grains for use in American architectural design. Chester B. Stem, Inc., 795 Grant Line Road, New Albany, Indiana

#### STEM...EMINENCE IN WOOD



This cross-section shows one type of construction detailing that can be used with Butternut veneer. Stock molding material can be combined with veneer panels in many interesting ways. Butternut veneer comes in all lengths, including 14 and 16 foot lengths, and wider widths than any other major architectural wood.

BE ASSURED...SPECIFY STEM ARCHITECTURAL VENEERS



#### New Housing for Elderly Program Launched by HHFA

The Housing and Home Finance Agency late in July announced it was ready to receive applications for mortgage insurance under the housing for the elderly program. Daniel G. Minto, Burlingame, Cal. was named by Housing Administrator Norman P. Mason to administer this portion of the housing law which Congress enacted last year. A total of \$20 million was appropri-

Under the program, loans may be insured where they do not represent more than 98 per cent of the total development cost, and interest charges are expected to be approximately three and one half per cent.

To be eligible for insurance, the loans may be made only to private nonprofit corporate sponsors of rental housing for elderly families and persons. The housing and related facilities may be provided through new construction through the acquisition and rehabilitation or conversion of existing structures. Construction must be undertaken in an economical manner and may not be of elaborate or extravagant design or materials, HHFA said.

Because the primary purpose of the program is to test and report promptly on the rent levels which can be achieved under varying conditions, HHFA said that selection will be made from otherwise eligible applications in a way to assure an objective test of (1) projects built widely scattered locations throughout the country; (2) projects located both in large cities and smaller cities and towns; and (3) projects designed for independent or self-contained occupancy, along with those designed for congregate living.

HHFA also said that other significant elements of design, planning, and location which give promise of providing useful information and experience on the most effective means of meeting the housing needs of lower middle-income elderly persons and families will be weighed in selecting from eligible applicants and projects.

#### FAA Issues Revised Guide On Airport Construction

Publication of a revised edition of "Standard Specifications for Construction of Airports" has been announced by the Federal Aviation Agency. (Copies can be obtained from the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. at \$2.75 per copy.)

The specifications apply in the construction of civil airports and particularly projects sponsored under the Federal airport aid pro-

gram, FAA said.


The new 599-page book updates the last edition published in 1949 and contains valuable information for guidance in the preparation of plans and specifications for airport construction. Covered in the publication is such work as clearing, grubbing, grading, drainage, paving, lighting, turfing and incidental construction.


continued on page 337

## HARVARD'S LOEB DRAMA CENTER

CLANCY'S

Scene Control\*





· · · develops whole new concepts of staging and scenic design

· · · offers architects a new flexibility and economy of space and materials in stage house design

Imagine a theater designed without a separate steel grid structure . . . with no pin rails and counterweights. Now, Clancy makes possible stage houses of reduced dimensions and more graceful elevations.

Directors and designers work with an uncluttered, more efficient, safer backstage area, where electric muscles move scenery silently, accurately — controlled by one man at a console. And by eliminating the traditional lines of parallel battens, Clancy's PushButton Scene Shifting offers them a new flexibility of scenic effects with battens raked at any angle.

If you're concerned with school or college construction, you'll want com-plete details of Clancy's SceneControl and its effect on theater design. A technical bulletin and brochure are yours for the asking.

For additional counseling, Clancy's famous stage engineering service is also available. Just write or wire.

J. R. Clancy, Inc. Stage Consultants and Manufacturers

1010 W. BELDEN ST., SYRACUSE 4, N. Y.

CREATORS OF FAMOUS STAGES FOR THE ENTERTAINMENT CAPITALS OF THE WORLD

UNLIMITED
DESIGN
POSSIBILITIES


HONEYCOMB CORE—a "first" in the standard industry. Cutaway shows this new jet-age material—sandwiched, permanently bonded to both steel surfaces.

Vision lights and glass panels in great variety.

Standard preparation for the greatest variety of hardware . . . Standard cut out for cylindrical, mortise, unit and integra-locks . . . Your own choice of hardware, panic devices, concealed closures, trim and finish. Frames prepared for Universal Strike (ASA) to receive variety of locks.

**Louvres**-four types available: Air Conditioning, Fixed Slat, Adjustable Slat, Stamped.

**Bonderized** and prime painted. May be color matched with a durable baked enamel finish. A handsome wood grain finish also available.



Steelcraft's preengineered components permit literally thousands of design variations in transoms, sidelights, borrowed lights. Warehoused stocked distributors through

and FRAMES

Over 4,000 door types, styles and sizes ... over 7,000 frame variations



distributors throughout the U.S. can pre-

pare these sidelight and transom frames

for daily delivery.

Now you can have complete versatility in standard metal doors . . . and frame variety to match. For Steelcraft offers the broadest line in the industry. Rugged, handsome doors—flush, exceptionally sound deadened, and with "billiard table" flatness due to their unique honeycomb core that tests prove to be superior to girder type construction. Quality at low cost, too—for Steelcraft's standardization and modern-flow assembly make possible passed-on production economies. Get the full story today on why more and more architects specify Steelcraft. Valuable brochure on request.

STEELCRAFT

THE STEELCRAFT MANUFACTURING COMPANY 9017 Blue Ash Road, Cincinnati 42, Ohio The Steelcraft Mfg. Company 9017 Blue Ash Road, Cincinnati 42, Ohio

Please send me the Steelcraft brochure on the most complete line of standard steel doors and frames in the industry.

NUURESS.....

ZONE.....STATE...

73



Little Company of Mary Hospital, Torrance, Calif. Architect: Verge & Clatworthy & Associates, Los Angeles, Calif.

#### when your project involves a laundry department...

Ben J. Heath, Los Angeles, Calif., has helped architects plan laundries for more than 85 different projects during his 15 years as an Institutional Sales Representative for American's Pacific for American's Pacific Division, Recently he assisted Verge & Clatworthy & Associates, Los Angeles architect, in the preparation of in the preparation of laundry plans for the 150. bed Little Company of Mary Hospital, Torrance, Calif.



Our extensive background in planning and equipping laundries of all types enables us to analyze requirements quickly, furnish detailed recommendations which assure your clients of the most efficient, economicalto-operate laundry for their particular needs. These recommendations need simply be integrated into the overall building design.

The specialized knowledge and experience needed to help architects and engineers design modern, efficient laundry facilities make American representatives valued members of building project teams.

Rely on the experience that has proved itself in hundreds of successful installations. When your project involves a laundry department . . . call your nearby American office or representative (listed in the yellow pages), or write our Cincinnati office for complete information.



The American Laundry Machinery Company, Cincinnati 12, Ohio




A new line of office furniture as flexible as your imagination!

The \* 4000 Line by ALL-STEEL EQUIPMENT INC.

Aurora, Illinois

Write today for your free catalog





weatherproof enclosed and gasketed ...incandescent or fluorescent ...all cast aluminum everlasting construction ...flawless satin aluminum anodized for permanence ...louver guard or white tempered glass or prismatic lens diffuser available in 3 different sizes.

Ask for complete specification data sheets Section A pages 31/32/33/34. **mc Philben**LIGHTING

1329 Willoughby Ave., Brooklyri 37, N, Y

#### The Record Reports

New Cultural Ambassadors: Art in Embassies

Original works of art are being sent to United States Embassies abroad from more than 50 museums of this country under a new plan organized by the International Council of the Museum of Modern Art. This new "Art in Embassies" project was initiated to make art works available for our ambassadors' and foreign service officers' residences for the purpose of representing American creative achievements and of demonstrating this country's interest in the visual arts.

On a loan basis for at least one year, the first shipment of paintings arrived in May in Germany, where the paintings have been installed in the official residences in Bonn and Berlin of U.S. Ambassador and Mrs. Walter Dowling. U.S. Embassies in Brazil, Egypt, Iceland, Peru, Portugal and Spain have shown interest in obtaining paintings and sculpture under the plan.

The project is being carried out by the Department of Circulating Exhibitions of the Museum of Modern Art under the direction of Porter McCray. Among the museums and galleries which have agreed to lend works are: Carnegie Institute, Pittsburgh, Pa.; The Corcoran Gallery of Art, Washington, D. C.; William A. Farnsworth Library and Art Museum, Rockland, Maine; Philadelphia Museum of Art, Philadelphia, Pa.; The Whitney Museum of American Art, New York, N. Y.; The Columbus Gallery of Fine Arts, Columbus, Ohio; and The Downtown Gallery, New York, N. Y.

The original impetus for the cultural project was given by Mrs. L. Corrin Strong when she and her husband went to Norway on his appointment there in 1953. At her request a number of art works were lent by the Museum of Modern Art and other collectors. The success of this experiment led to the present plan.

The Museum of Modern Art's International Council is a privately supported educational group composed of approximately 110 men and women who are interested in furthering the international exchange of visual arts.

\*\*more news on page 126\*\*

other

GLIDE-GRIDWALL architectural aluminum

**PRODUCTS** 

glide


Monumental stock and custom types. All sash operate and bypass for window cleaning from interior. Strength of section allows heights to 6'6". The leader in the field for weather-tight performance and beauty of sight lines.

glide

Monumental stock and custom types. Glazed with  $Y_{k''}$  to 1" thick glass. Double sill, flush with floor, leak-proof even in complex multiple track and wall pocket units. Stainless steel rollers and track. Transom units available as integral part of door framing. Screens may be used on interior or exterior as required.



PANAVIEW stock door units employ the finest construction features of the GLIDE door series at competitive prices. Double weather-stripped, alumilited, and available in panels with single or \%" insulated glass.



WINDOWS AND WINDOWALLS


The most economical window wall available. Infinite variety is achieved by mulling and stacking PANASEAL windows in any combination. Ideal for schools and commercial buildings. PANASEAL windows also available for residential use.

## GRID WALL

ENTRANCES

Engineered for greater strength by integrating 1" narrow stiles with ½" plate glass, GRIDWALL offers the most appealing entrance door on the market. Cylinder lock, housed in push and pull plates of charcoal bronze finish, simultaneously throws a concealed bolt into threshold and head of door frame for maximum security. A complete line of mullion framing for flush glazing is available.

write for brochures and details GLIDE-GRIDWALL • 7463 Varna Avenue North Hollywood, California • Td. 7-3213



**VENTURE** 

PAINTING BY JOHN OTTERSON

The explorative urge motivates the creative efforts of every architect. Through his development of curtain wall, architecture has kept pace with the best technological advances in other fields.

We take pride in the knowledge that GRIDWALL... A DRAMATIC INNOVATION IN CURTAIN WALL DESIGN is a significant factor in bringing the architect's adventurous concepts to life.

A manual containing comprehensive GRIDWALL details, specifications and test data is available on request.



## **IMPORTANT**



## **ANNOUNCEMENT**

to people who hear voices\*

\*voices that intrude or disrupt and noises that project when they should be hushed.



## The new Aircoustat® Model W Return Air-Vent Silencers stop the transmission of noise without blocking air flow

Aircoustat Return Air-Vent Silencers eliminate the distracting sound of voices that spill from one area to another. Their slim design gives you a choice of installation. You can install them within a wall or ceiling or hang them on doors or walls. Let Koppers long experience in sound control help you. Write today for information to: KOPPERS COMPANY, INC., 3009 Scott Street, Baltimore 3, Maryland.



Model W Return Air-

In	size	es	for	all	appli	cations
Mo	odel	Т	hickn	ess	Width	Length

Model	Thickness	Width	Length	
W-1	31/2"	30"	48"	
W-2	31/2"	42"	48"	
W-3	5"	30"	48"	
W-4	5"	42"	48"	
W-5	7"	30"	48"	
W-6	7"	42"	48"	




### SOUND CONTROL

METAL PRODUCTS DIVISION


**Engineered Products Sold with Service** 

ANITROL

presents a dramatically new achievement...



UNPRECEDENTED STYLING, PERFORMANCE AND DURABILITY TO MEET THE MODERN TREND IN ARCHITECTURAL DESIGN



### FEATURES THAT MAKE ALL OTHER UNIT HEATERS OLD-FASHIONED!

New "sheer look" styling-Beautiful Phoenix Beige finish New gold-tone grille. Conceals louvers and draft hood opening . Low overall height . Automatic controls-Fully accessible . Factory-fired . Low Voltage Gas Controls-Standard . Low Voltage Sensitive Thermostat-Standard Limit control-interrupts control circuits and shuts off fuel if unit temperature becomes excessive . Thermopilot Shut-off. Shuts off all gas, including pilot, in event of pilot flame failure Automatic Pilot. Exclusive Janitrol low Btu. non-linting design • Quiet air delivery. Acceptable for schools and other applications where conventional units are too noisy . Motor prelubricated for 5 years . Built-in Draft Hood. Removable, provides full access to heat exchanger. Protects burners from abnormal up or down draft . Combustion air inlet. At bottom rear, through control enclosure. Controls constantly cooled by combustion air stream. Eliminates cross draft on burners • Ampli-Fire Ribbon Flame Burners. No flame contact on metal. Removable, with non-linting air shutters featuring thumb-screw adjustment.

provide the ultimate in quality and economy

## GAS-FIRED

commercial & industrial heating equipment

ALL NEW! JANITROL 67 SERIES UNIT HEATERS
FEATURING. . . STELLAR NEW STYLING, PERFORMANCE
AND DURABILITY!

New Janitrol 67 Series Unit Heaters are unusually handsome . . . incredibly quiet and efficient. They bring you, for the first time in unit heater history, distinctive appearance you can recommend for the smartest business setting. And they offer in even greater measure the traditional Janitrol quality and dependability in heating.

Their clean, crisp "look" is a departure from the crude, cumbersome industrial appearance of yesterday. Modern machine tools, trucks and structures have evolved as attractive, functional designs. And now, Janitrol sets the pace in unit heater styling!

The draft hood opening and adjustable louvers are concealed by the beautifully styled gold-tone grille. The rear combustion air inlet permits use of a solid bottom panel . . . eliminates any possibility of obstruction to combustion air intake.

Inside, design progress is equally significant. Yet every part is proven . . . every safety feature is included. Result? Performance no other unit heater can duplicate.

Naturally, the "heating heart" of every new Janitrol is the famous Janitrol Multi-Thermex heat exchanger with this unchallenged record for durability and low maintenance: among nearly three million heat exchanger tubes produced since 1940, replacements for all causes have run less than 1/4 of 1%.

Investigate the many exclusive advantages of Janitrol 67 Series Unit Heaters for jobs you specify or install. Let them help build your reputation for quality.

#### MEET EVERY COMMERCIAL AND INDUSTRIAL HEATING NEED FROM JANITROL'S BROAD LINE



#### GAS-FIRED DUCT-FURNACES

Install in a duct where air is circulated by separate blower. Adaptable for use with cooling. Two sizes: 200,000 and 300,000 Btu/hr. inputmay be combined to provide capacity from 200,000 Btu/hr. juput. Six sizes, from 50,000 to 225,000 Btu/hr. in Duct 55 models.



#### BLOWER-TYPE UNIT HEATER

Allows air delivery from greater heights and against greater static pressures. Models with exposed or enclosed blowers. A.G.A. approved as low and high static-type blower unit heater for air delivery to duct system up to 1.0 in. W.C. external static. Heat sections factory assembled. Sizes: 300,000, 400,000 and 500,000 Btu/hr. input.



#### FLOOR-TYPE UNIT HEATER

Cold air drawn from floor level is heated, filtered and discharged horizontally overhead. Quiet, clean, carefree—ideal for offices, restaurants, stores, labs, etc., requiring a compact unit.



#### HEAVY DUTY BLOWER HEATERS

For unit heating, central heating and air conditioning. Wide range of standard blowers and motors assures correct air delivery and temperature rise in each application. Factory assembled and tested. Capacities from 250,000 Btu to 1,750,000 Btu/hr. input.



#### HORIZONTAL OIL UNIT HEATER

For suspension overhead. Saves floor space. Compact, efficient, low-maintenance design clean and quiet in operation. May also be used to feed duct system. Choice of sizes from 84,000 to 250,000 Btu/hr. output to meet all needs.

## helpful data for ARCHITECTS, CONTRACTORS AND ENGINEERS Write collect today for complete information on Language units for heating with clean economical case in buildings

Janitrol units for heating with clean, economical gas in buildings of every type. There's no obligation.

#### JANITROL HEATING AND AIR CONDITIONING

A Division of Midland-Ross Corporation Columbus 16, Ohio • In Canada: Moffats Ltd., Taronto 15

Also Makers of Surface Industrial Furnaces, Kathabar Humidity Conditioning, Janitral Residential Heating and Cooling Equipment.

## No compromise with quality in Ro-Way overhead doors

In Ro-Way overhead doors for commercial and industrial applications, you'll always find just one standard of quality-the finest.

Take Ro-Way materials, for example. Sections are made from selected, kiln-dried West Coast woods. Panels are exterior grade Masonite® Dorlux®, guaranteed for the life of the door. All hardware is heavy gauge, roll-galvanized steel, beefed up to stand up under commercial use.


Ro-Way construction is second-to-none quality through and through. Muntins, rails and stiles are precision fit. Mortise and tenon joints both steel pinned and glued for added strength. Sections rabbeted for weather tightness.

Operation, too, is of unsurpassed quality. Specially

and individually tension-balanced springs assure easy-does-it operation, time after countless time.

That's why we say Ro-WAY is the door with builtin client satisfaction . . . the door you can depend on to be a credit to you. For full details, consult your helpful Ro-Way distributor whose name is listed in the Yellow Pages.

For maximum client convenience, specify the famous Ro-Way Electric Operator for commercial doors



#### Rowe Manufacturing Co.

1222 Holton Street, Galesburg, Illinois

there's a Ro-Way for every Doorway!

COMMERCIAL . INDUSTRIAL . RESIDENTIAL









LIGHTWEIGHT JAMOLITE® all-plastic cold storage doors add efficiency to busy salad department.

## Huge Food Service Center Designed with Jamison JAMOLITE Doors



FRONT AND BACK VIEWS of JAMOLITE door. Door at left opens on fruit storage, right door opens on food preparation area.

• 22 Jamolite all-plastic doors were specified for this unique establishment where literally thousands of meals are prepared daily.

Wherever food service operations require cold storage doors that must open easier and faster, and provide attractive appearance, the top choice is the modern Jamolite. These flushfitting doors are tough and warp-proof and are simple to install. They are furnished in gleaming white and in four colors.

Get complete data by writing for Data Sheet 102 to Jamison Cold Storage Door Co., Hagerstown, Md.

JAMISON COLD STORAGE DOORS



# Terrazzo for jet-age air terminals

Colorful terrazzo is usually specified for the nation's new air terminals. For this flooring material is durable, economical, easy to clean. Even under the most punishing traffic, terrazzo stays new-looking, safe, beautiful. No waxing or buffing or repairing, only an occasional wet mopping is required. Terrazzo can easily save up to 23¢ per sq. ft. per year in cleaning labor alone.

When planning terrazzo floors, consider the advantages of ATLAS WHITE portland cement. Only a white cement brings out the true color value of aggregates and pigments and assures sharp, vivid floor patterns. Write for brochure showing color reproductions of terrazzo with a white cement matrix; Universal Atlas, 100 Park Avenue, New York 17, N. Y.



Universal Atlas Cement Division of United States Steel

"USS" and "Atlas" are registered trademarks

WT-9

Offices: Albany - Birmingham - Boston - Chicago - Dayton - Kansas City - Milwaukee - Minneapolis - New York - Philadelphia - Pittsburgh - St. Louis - Waco

## Construction Cost Indexes

Presented by Clyde Shute, Director of Statistical Policy, Construction News Div., F. W. Dodge Corp., from data compiled by E. H. Boeckh & Assoc., Inc.

ATLANTA

#### Labor and Materials: U.S. average 1926-1929=100

## NEW YORK

	RESIDENTIAL		APTS., HOTELS, OFFICE BLDGS.	FACTORY BLDGS.		RESIDENTIAL		APTS., HOTELS, OFFICE BLDGS.	FACTORY BLDGS.	
			Brick and	Brick and	Brick and			Brick and	Brick and	Brick and
PERIOD	Brick	Frame	Concrete	Concrete	Steel	Brick	Frame	Concrete	Concrete	Steel
1930	127.0	126.7	124.1	128.0	123.6	82.1	80.9	84.5	86.1	83.6
1935	93.8	91.3	104.7	108.5	105.5	72.3	67.9	84.0	87.1	85.1
1939	123.5	122.4	130.7	133.4	130.1	86.3	83.1	95.1	97.4	94.7
1948	250.1	251.6	239.4	242.2	235.6	199.2	202.5	178.8	178.8	178.8
1949	243.7	240.8	242.8	246.6	240.0	189.3	189.9	180.6	180.8	177.5
1950	256.2	254.5	249.5	251.5	248.0	194.3	196.2	185.4	183.7	185.0
1951	273.2	271.3	263.7	274.9	271.8	212.8	214.6	204.2	202.8	205.0
1952	278.2	274.8	271.9	265.2	262.2	218.8	221.0	212.8	210.1	214.3
1953	281.3	277.2	281.0	286.0	282.0	223.0	224.6	221.3	221.8	223.0
1954	285.0	278.2	293.0	300.6	295.4	219.6	219.1	233.5	225.2	225.4
1955	293.1	286.0	300.0	308.3	302.4	225.3	225.1	229.0	231.5	231.8
1956	310.8	302.2	320.1	328.6	324.5	237.2	235.7	241.7	244.4	246.4
1957	318.5	308.3	333.1	345.2	339.8	241.2	239.0	248.7	252.1	254.7
1958	328.0	315.1	348.6	365.4	357.3	243.9	239.8	255.7	261.9	262.0
1959	342.7	329.0	367.7	386.8	374.1	252.2	247.7	266.1	272.7	273.1
Apr. 1960	348.8	335.1	374.0	391.1	379.7	258.1	252.8	273.1	279.9	279.6
May 1960	348.8	335.1	374.0	391.1	379.7	258.1	252.8	273.1	279.9	279.6
lune 1960	353.8	338.9	380.4	399.7	382.8	258.1	252.3	272.1	279.6	277.6
			% increase over 19	39		% increase over 1939				
une 1960	186.5	176.9	191.0	199.6	194.2	199.1	203.6	186.1	187.1	193.1

#### ST. LOUIS SAN FRANCISCO 1930 108.9 108.3 112.4 115.3 111.3 90.8 100.6 104.9 100.4 103.7 99.7 1935 95.1 90.1 104.1 108.3 89.5 84.5 96.4 105.4 1939 99.3 117.4 121.9 116.5 110.2 107.0 118.7 119.8 119.0 105.6 1948 227.9 231.2 207.7 218.9 216.6 208.3 214.7 211.1 210.0 208.1 1949 221.4 220.7 212.8 215.7 213.6 213.0 207.1 214.0 219.8 216.1 222.6 1950 232.8 230.7 227.0 223.1 222.4 224.5 221.9 225.3 222.8 1951 239.6 243.1 243.1 252.0 248.3 238.5 239.0 245.2 240.4 240.9 1952 253.2 250.2 245.0 245.6 248.7 249.6 259.1 249.7 255.0 249.6 1953 257.2 256.6 261.0 259.7 263.4 256.4 259.0 267.0 259.2 255.2 272.5 267.2 1954 249 2 264.1 266.6 250.2 263.7 273.3 266.2 257 4 279.6 1955 275.0 284.4 273.3 266.5 272.2 281.3 276.5 268.0 259.0 1956 298.6 295.8 288.7 280.3 287.9 299.2 293.3 279 0 270.0 288 9 315.2 310.7 1957 292.0 283.4 295.2 307.1 302.9 286.3 274.4 302.9 320.8 1958 297.0 278 9 304.9 318.4 313.8 289.8 274.9 311 5 326.7 1959 338.1 330.1 305.4 296.4 315.0 329.8 323.9 299.2 284.4 322.7 Apr. 1960 338.7 310.5 300.2 320.3 335.1 330.1 304.9 289.4 331.2 346.6 May 1960 344.3 312.5 302.3 323.5 338.6 333.0 308.1 291.2 335.9 353.6 June 1960 311.8 301.4 322.8 337.9 330.1 309.1 293.4 337.8 354.0 345.1 % increase over 1939 June 1960 182.9 181.7 187.7 190.4 196.2 171.9 182.0 177.4 192.7 195.5

Cost comparisons, as percentage differences, for any particular type of construction, are possible between localities, or periods of time within the same city, by dividing the difference between the two index numbers by one of them; i.e.:

index for city A = 110 index for city B = 95 (both indexes must be for the same type of construction). Then: costs in A are approximately 16 per cent higher than in B.


$$\frac{110 - 95}{95} = 0.158$$

Conversely: costs in B are approximately 14 per cent lower than in A.

$$\frac{110 - 95}{110} = 0.136$$

Cost comparisons cannot be made between different types of construction because the index numbers for each type relate to a different U. S. average for 1926-29.

Material prices and wage rates used in the current indexes make no allowance for payments in excess of published list prices, thus indexes reflect minimum costs and not necessarily actual costs.



# **New Architectural Uses for Aluminum Grating**

Here . . . new applications for aluminum grating . . . exacting installations where quality equal only to BORDEN'S will do:

- This shows BORDEN aluminum grating used in a system of drain trenches throughout Mellon Square Park, Pittsburgh, Pennsylvania.


  Architects: Mitchell and Ritchey, Pittsburgh, Pennsylvania
- BORDEN pressure-lacked type grating, of gold-anodized aluminum, forms the facade of this dramatic new structure. The Congregation Beth El Synagogue, South Orange, New Jersey.

  Architects: Davis, Brody and Wisniewski, New York, New York
- 3 BORDEN pressure-locked aluminum grating fabricated as foot scrapers for use at a school in East Orange, New Jersey.

  Architect: Emil A. Schmidlin, East Orange, New Jersey
- 4 BORDEN pressure-locked aluminum grating used for maintainence-free fencing at J. L. Hudson's Northland Shopping Center, Detroit, Michigan.
  - Architect: Victor Gruen & Associates, Detroit, Michigan
- Sunshades of BORDEN pressure-locked aluminum grating permit passage of light and air while screening strong sunlight at the Lone Star Gas Company Office Building, Dallas, Texas.
  Architect: George L. Dahl, Dallas, Texas

# BORDEN METAL PRODUCTS CO.

MAIN OFFICE: 822 GREEN LANE, ELIZABETH, NEW JERSEY • Elizabeth 2-6410
PLANTS AT: LEEDS, ALABAMA; UNION, N. J.; CONROE, TEXAS; BEETON, ONTARIO, CANADA



# JM JOHNS-MANVILLE

Box 14, AR-9, New York 16, N. Y.

Please send me, without obligation, your facts and data book on Transite Pipe for Plant Fire Lines.

NAME ADDRESS

ZONE

### **BUTLER JR. & SR. DUMBWAITERS** create fresh buyer appeal

- VALLOW OVERHEAD BEAM PERMITS OPER COUNTER INSTALLATIONS— ESTS ON TOP OF GUIDE RAILS
- CHOICE OF 3 STANDARD PATTERNS OF HIGH PRESSURE LAMINATE CAR LININGS ALSO ADJUSTABLE SHELVIN
- ALL NECESSARY SAFETIES INCLUO-
- CAR AND HOISTING MACH
- ALL CONTROLS PREWIRED READY FOR LOCATING -- ONLY FOLLOW CABLE AND LINE TO BE CONNECTED AT TERMINAL BOX
- ALL DRAWINGS ARE FURNISHED FOR FRAMING LAYOUTS INSTAL-LATION INSTRUCTIONS DOOR AND DOOR FRAMING ETC.
- FURNISHES THE ULTIMATE OF SIMPLICITY FOR INSTALLATION
- COMPLETE LESS SHAFTWAY, DOOR AND DOOR FRAMES, ONLY

Priced for the home. Built for commercial loads of 200 to 400 lbs.

Get better acquainted with Butler Jr. & Sr. by writing . . .





FLINCHBAUGH/MURRAY CORP. 390 Eberts Lane, York, Pa.

# **ELAFLOR\***



STRONG. LIGHTWEIGHT. RIGID ELEVATED ALUMINUM FLOORING FOR COMPUTER ROOM

Panels of extruded aluminum construction feature strength and low weight. Combination of pedestals, special extruded aluminum stringers and lateral braces insures a firm and rigid

Cut-outs can be made anywhere that cable or duct passage is required. All panels easily removed for underfloor inspection and maintenance.

In standard modular units with the floor covering of your choice.



WRITE FOR FREE LITERATURE AND SPECIFICATIONS LISKEY ALUMINUM, INC.


Friendship International Airport, Box 506, Glen Burnie, Md.

## Reynolds Aluminum "Colorweld\*60" Commercial Roofing and Siding

Reynolds exclusive "Colorweld 60" process applies color before embossing, before forming ...color so tough it retains absolute uniformity. That means better color, first of all... clean-lined, clear-textured. And Wider Design Scope is just one advantage of this important New Specification! It means faster production...immediate availability. And it brings the cost of color down to only a few pennies per square foot! Get the full facts on this latest advance in rust-free, corrosion-resistant aluminum roofing and siding. Call any Reynolds sales office. Mail the coupon now for your copy of new Color Brochure! Reynolds Metals Company, Richmond 18, Virginia. Choose from 20 Colors in any of the 4 Types Shown All in Stucco Embossed, Leathergrained or Mill Finish. Also FIELD ASSEMBLED INSULATED WALL SYSTEMS using combinations of these and other forms. Reynolds Metals Company, Dept. AR-9

Watch Reynolds New TV Show "HARRIGAN AND SON," Fridays starting Oct. 7; also "ALL STAR GOLF," Saturdays, resuming Oct. 15—ABC-TV. And on Sunday, Oct. 16, see the exclusive showing of America's new 1961 cars, on the National Automobile Show direct from Detroit—CBS-TV, 6 to 7 P.M. EDST.

ademark of Reynolds Metals Company





Richmond 18, Virginia

Please send me immediately your new Color Brochure on "Colorweld 60"—complete with accurate reproduction of the 20 new colors available.

Firm.

# Required Reading

#### Wayside Inns Up-to-Date

MOTELS, HOTELS, RESTAURANTS AND BARS. F. W. Dodge Corporation, 119 W. 40th St., New York 18, 327 pp., illus. \$9.75.

This is the second edition of this book, considerably larger than the edition of seven years ago. Much of the material has been reprinted from ARCHITECTURAL RECORD studies on motel and hotel design, but some is altogether new, notably RECORD editor William Dudley Hunt's article on motels. This constitutes in effect a check list of the questions, if not always the answers, which must be faced in motel design: location and site selection, with reference both to existing services and to eventual drawing power; site planning, and parking facilities; programming, in terms of size and number of units, and planning, in terms of sleeping units and of ancillary facilities: construction, mechanical services and furnishings; and costs.

The book also contains articles on various aspects of planning hotels and restaurants, presentations of buildings in photographs and plans, and engineering articles on acoustics, air conditioning and ventilating.

#### Good Design in Dixie

THE SOUTH BUILDS: New Architecture in the Old South. By Edward Waugh and Elizabeth Waugh. The University of North Carolina Press, Chapel Hill. 173 pp., illus. \$12.50

The major breakthrough in public recognition and acceptance of good contemporary architecture all over the South since World War II is well documented in this handsomely presented book. Such a book has certainly been needed to solidly demonstrate the quality and quantity of contemporary work in the region.

It is perhaps ironic that the timing of a collection of "Southern" architecture pretty well coincides with the disappearance of most vestiges of regionalism. The authors themselves find that "It is hard, if not impossible, to find any such influence except

in the pseudo-neo-Georgian, neo-Charlestonian, neo-Orleansean eclectic buildings." These continue to be built in the South, as elsewhere.

The result is that the book, in the essays which introduce the six sections, takes a general tone which is not particularly Southern, except in the explicit historical allusions. It becomes a piece of the mainstream of architectural development—which is as it should be.

It is a little regrettable that the segment of the U. S. selected to cover in the book (below the Mason-Dixon Line, west to the Mississippi) somewhat arbitrarily lops off most of Louisiana, and all of Arkansas and Texas. They certainly belong in the picture, and such centers as Little Rock and Shreveport are producing some vigorous, top-drawer work.

Beginning with a brief and discursive history of Southern architecture, with a dip into comments on Wright and the Chicago School, and Mies and the Bauhaus, the book presents sections on houses, schools, community and institutional buildings, and commercial and industrial buildings. Each building is shown with the usual case study type presentation. The book concludes with a section called "Trends and Purposes" showing some of the more "radical" buildings, along with some pictures of the TVA.

The text seems mainly slanted to the profession, and to students, and does some gentle chiding and urging on to better things. The buildings shown include both the work of Southern architects and others who have built in the south. All in all, it does a good job of selection, reporting, and placing the South of today into perspective with the national scene.

—Herbert L. Smith Jr.

#### The Baroque Interpreted

BAROQUE IN ITALY. By James Lees-Mine. The Macmillan Co., 60 Fifth Ave., New York. 216 pp. illus. \$7.

It is rather unfortunate that this book should appear at the same time as Rudolph Wittkower's Art and Architecture in Italy 1600-1750; for, while it cannot claim the complete-

ness and depth of scholarship of Professor Wittkower's study, it certainly deserves independent consideration.

Mr. Lees-Milne's approach is essentially subjective, both in his choice of material and in the manner in which he analyzes it. He considers the Baroque as an artistic concept rather than as an historical period, and finds it "an essentially religious manifestation, Catholic and primarily Roman."

There are, of course, dangers in a selective and speculative method. The reader may find himself wondering if, in fact, the plan of Borromini's St. Ivo does follow the contour of a bee with folded wings, or whether the Erectheum can be considered Baroque in any sense of the word whatever. He will nevertheless find this work an intelligent and readable introduction to the subject. The book is of normal size and weight, the illustrations are well-chosen and they and the notes are integrated with the text, which facts alone should commend this volume to the general reader.

#### The Modern Church in Evolution


KIRCHENBAU. By Reinhard Gieselmann and Werner Aebli. Verlag Girsberger, Kirchgasse 40, Zürich, Switzerland. 160 pp., illus. Approx. \$7 (28.50 Swiss francs).

The reaction of the English-speaking reader of this small and exceptionally good-looking book is likely to be one of frustration. Although the English summary is interesting and suggestive, one of the things it suggests is that the non-reader of German is missing a great deal, for the summary clearly covers only the highlights of what must be a uniformly interesting and suggestive text. It is additionally frustrating, for the non-reader of German, to have to forego the authors' discussions of individual churches.

Frustrations aside, however, it is still possible, and useful, for any reader, with the aid of the English captions and admirably organized examples, to follow the line of the authors' thesis of modern church archi-

continued on page 95

QPLM6500 for thin-lined architectural appeal.



# QUICK CHANGE LIGHTING




today can save tomorrow!

SUNBEAM LIGHTING COMPANY

777 East 14th Place, Los Angeles 21, California - 3840 Georgia Street, Gary, Indiana

Adaptability for future change is a basic design principle in back of Sunbeam Lighting fixtures. For instance, when you specify and install the ultra-shallow, surface-mounted Visionaires® #6500, #7400, #7500 or #8500 you are automatically planning ahead. The diffusers to these versatile series are all interchangeable. They give the building owner a wide choice of 16 different lighting possibilities when planning alterations. He might select QP8500 (Shallorama®) because of its recessed look and wide light distribution, QRH7500 (Sculpturama®) with the sculptured look and which is unexcelled in low brightness control or the QPCX7400 ("Wrap-around") with exclusive SUNLUX® plastic enclosure for soft diffusion. A quick change in lighting is as simple as the unique, tool-free, "hook-on" hinging arrangement can make it. Merely change the framed diffuser!



Wood parts made with precision form a background for the quantity production of the Template Group by the Leopold Company

90

# The Template Group by Leopold: High styled furniture for every office

Conceived in the architectural thinking of today, The Template Group blends sharp contrasts of form with a delightful interplay of proportions. The fully skirted, or closed desks appear chunky—almost boxy. This massiveness, however, is offset by the light lines of the metal legs, which hold it off the floor. Further lightness is accomplished by "lifting" the top from the blockish mass of drawer cases with a narrow band of color. Every component is completely functional by itself, or in combination with others. Surface, drawer and cabinet arrangements may be planned to suit individual requirements. Architects and interior designers are invited to write for a 24-page brochure illustrating the many modular components of The Template Group, along with pricing and purchasing information.

THE LEOPOLD COMPANY, BURLINGTON, IOWA



Executive L desk with 44" return, pedestals right or left side.



Conference desk with free form or rectangular overhanging top.



Bi-level L desk, 30" return, with or without paper rail.



Bi-level L desk, 44" return, with or without paper rail.

Designer: Charles Deaton



Roof under construction at Squaw Valley Winter Olympic Ice Arena. Associated Architects: Corlett and Spackman, A.I.A., and Kitchen and Hunt, A.I.A.; Structural Engineers: H. J. Brunnier, San Francisco, and John Sardis, San Francisco. General Contractor: Diversified Builders, Inc., Paramount, California.

# Unique use of steel roof decking

The thrills of the 1960 Winter Olympics have faded away, but the picturesque Arena will serve for many years to come. And one of the most unique features of this unique structure is the roof decking.

Designed to reduce snow loads, and at the same time provide a measure of warmth for spectators, the decking consists of cellular panels fabricated from strong, durable Bethcon galvanized steel sheets. Bethcon sheets were "corrugated" to a depth of 4½ in., then welded to flat sheets of Bethcon to create a row of warm air ducts. These cellular panels were then plug-welded to structural steel purlins.

Warm air, pumped from the skating-rink refrigeration plant, flows through a continuous duct along the eave line and thence into the roof-deck cells mentioned above. This heating method effectively melts the snow atop the roof, and at the same time raises the temperature within the building for the comfort of spectators.

It's another example of the way architects can capitalize on the strength, economy, and versatility of Bethcon galvanized sheets, and at the same time create pleasing architectural effects. Available in a wide variety of gages, in coils or sheets, Bethcon can take severe forming without damage to the zinc coating. Let our nearest sales office tell you more about Bethcon.



Looking like a giant wigwam, this unusual structure can shelter some 8,000 winter sports enthusiasts in relative warmth and comfort.



Deep-formed Bethcon sheets were welded to flat sheets to form unique cellular units designed to carry warm air for heating and snow removal.

BETHLEHEM STEEL COMPANY, BETHLEHEM, PA.


Export Distributor: Bethlehem Steel Export Corporation



for strength
... economy
... versatility

BETHLEHEM STEEL





# Stainless Steel Beauty...

from the line of fine Cylindrical Locksets engineered by corbin to fulfill the heavy duty requirements of schools, hospitals, churches, commercial and public buildings. Illustrated is Harmony Knob x 85104 Stainless Steel Rose—also available in solid brass, bronze and aluminum. Choose from a variety of stirring designs... available in all functions. Masterkeyed as desired.

It pays to make it CORBIN-throughout?

# P. & F. CORBIN DIVISION THE AMERICAN HARDWARE CORPORATION MEW BRITAIN CONNECTICUT



Design for a modern kitchen by Huson Jackson, A.I.A.

# "CERAMIC TILE MAKES THE DIFFERENCE... EASY TO WORK WITH...RELAXING TO LIVE WITH..."

To help create a warm, functional kitchen, Architect Huson Jackson used ceramic tile . . . and captured this rare combination for work-free convenience and relaxed living.

The semi-separation of the breakfast area—at the right of the ceramic tiled cooking island—affords a pleasant place for eating and relaxation. In the kitchen section an aqua tone ceramic tile wall from floor to ceiling keynotes an easily cleaned, colorful work center. The tiled counter tops, drainboards and floor guarantee lifelong service and economy. Why? Ceramic tile won't burn, scratch or stain!

Inside or outside the home, ceramic tile surfaces give your clients *more* beauty, *less* work, negligible maintenance. Improved, lower cost installation methods are leading the way to even wider use of this quality product.

Husm Jackson

THE MODERN STYLE IS

#### CERAMIC TILE



The many benefits of ceramic tile will make sense for both you and your clients in any residential, institutional or commercial project you undertake. See your local tile contractor for up-to-date information, including all the details on the new lower cost installation methods and the new dry-set portland cement mortar.

#### PARTICIPATING COMPANIES

American Encaustic Tiling Co., Inc. Atlantic Tile Mfg. Co. Aztec Ceramics, Inc. Cambridge Tile Mfg. Co. Carlyle Tile Co. Continental Ceramics Corporation General Tile Co. Gladding, McBean & Co. Hood Ceramic Corporation Jackson Tile Mfg. Co. Jordan Tile Mfg. Co. Lone Star Ceramics Co. Monarch Tile Mfg. Inc. Mosaic Tile Co. Murray Tile Co., Inc. National Tile & Mfg. Co. Olean Tile Co. Oxford Tile Company Pacific Tile and Porcelain Co. Pomona Tile Mfg. Co. Redondo Tile Company Ridgeway Tile Co. Robertson Mfg. Co. Stylon Corp. Stylon Southern Corp. Summitville Tiles, Inc. Texeramics, Inc. Wenczel Tile Co. Winburn Tile Mfg. Co.

#### TILE COUNCIL OF AMERICA, INC.

800 Second Avenue, New York 17, N. Y.; Room 933, 727 West Seventh St., Los Angeles 14, Calif.; Room 207, 5738 North Central



Expressway, Dallas, Texas

### Required Reading

continued from page 88

#### The Modern ...

tecture: from the "first experiment" (neoclassicism), through the second experiment (eclecticism), the third experiment (emphasizing the "process of industrialization," and exemplified by Notre-Dame-du-Raincy). the fourth experiment (characterized by purity in form and in use of materials), to the fifth, and current, experiment (a break away from the rectangular plan and an aspiration toward "active forms of space," as in Aalto's church at Imatra, or Wright's at Madison). Changing esthetics is not the only factor considered; changing views of the Church's place in the community, and of its function, are also covered.

#### **Buonarotti Biography**

THE LIFE OF MICHELANGELO. By Charles H. Morgan. Reynal & Co., 241 E. 49th St., New York 17. 254 pp. plus illus. \$6.

This biography is relatively brief and readable (though it must be a continuing source of sorrow to art historians that paintings are so much more fun to write about than to read about), and serves as a useful introduction to the art as well as the life of Michelangelo. To those whose readings in Renaissance art history have progressed very far, it will be of less service, and architects will find that the master's architecture gets short shrift.

#### Romanesque and Early Gothic

ROMANESQUE EUROPE. By Harold Busch and Bernd Lohse. The Macmillan Co., 60 Fifth Ave., New York 11.23 pp. plus 225 plates. \$9.

The latest in the publishers' series "Buildings of Europe," this book covers Romanesque architecture as far west as Ireland and far east as Dalmatia. The text is a straightforward and sufficiently detailed description of the chronological and regional developments of Romanesque building, including transitional and early Gothic, and makes no attempt to gild the lily—the lily in continued on page 372



"The beautiful beginning of the 'Contempora Suite' was the carpet that ends your budget problems—lovely, lush, long-lasting GULISTAN Carpet!"

"Any motel can afford this fabulous carpet," says designer Wing Jean. "Gulistan costs so little to maintain, it cuts costs of floor maintenance up to 50% over other kinds of flooring. Good reason to begin any beautiful motel room with Gulistan. Limitless colors and original designs bring any bright ideas to life. Why not ask the Gulistan Design Department to work out a one-of-a-kind design for you?"



American Furniture . Bates Bedspreads . Curon Wallcovering



GULISTAN® CARPET

More distinguished motels, restaurants, theaters, banks choose Gulistan than any other carpeting.

Write: Commercial Department AR-9, A. & M. Karagheusian, 295 Fifth Ave., New York 16, N. Y.



**WELDWOOD ACOUSTICAL DOOR.** For the first time, an effective low-cost, sound-retarding door with beautiful hardwood faces is practical for applications that could not justify the higher cost of earlier types.

functional, durable, beautiful

# FOR EVERY OPENING THERE'S A WELDWOOD DOOR

The complete line of Weldwood® doors gives you one-source convenience — and responsibility—for all your door needs. Interior, exterior, real wood faces, paint grade, acoustical, fire, Paniflex™ bifold—these are some of the doors available. Every Weldwood door is specifically designed and constructed for superior performance in its own applications. Any Weldwood door can now be ordered prefinished and machined for size and hardware.

WELDWOOD DURAPLY\* EXTERIOR PAINT GRADE DOOR. Now, without priming, 2 coats of quality paint, properly applied, will last on a door up to 5 full years without blistering, peeling, checking, Resin-fiber overlay resists abrasion. The heartwood cedar used for the edges is one of the most durable woods for exterior use.





WELDWOOD STAY-STRATE® DOOR. Faces of beautiful hardwoods give a handsome exterior and match interior wood paneling. The fireproof, inert Weldrok® mineral core assures life-of-the-building performance. Ends costly door adjustments. Available in new sizes for ceiling-high installations.

#### THE WELDWOOD DOOR GUARANTEE

United States Plywood unconditionally guarantees Weldwood Stay-Strate, Acoustical, and Duraply Exterior Paint Grade doors against warping, twisting, or manufacturing defects for the life of the installation, when accorded treatment which is considered good practice as far as storage, installation, and maintenance are concerned. If any of these doors should fail to meet these standards, United States Plywood will replace it without charge, including labor costs of hanging and refinishing involved.

## WELDWOOD DOORS

United States Plywood 55 West 44th Street, New York 36, N. Y.	AR 9-60
Please have a Weldwood Architects' Service Repr	esentative call on me.
Please send me:  "Weldwood Architectural Doors"—#2010. New specifications, detailed drawings on the full line of "Functional Beauty For Business And Institutional I idea photographs show Weldwood paneling in offi	of Weldwood doors. Interiors." 28 pages of
NAME	
FIRM	
ADDRESS	
CITYZONE	*****

# Weldwood teak paneling—such a beautiful way to build prestige

Wood's wonderful warmth says welcome to office guests. In Weldwood® paneling you choose from the world's largest collection of fine woods in panels that have been carefully matched for grain and color. This lobby in the Government Employees' Insurance Company, Chevy Chase, Maryland, is paneled in a handsome matched treatment of Weldwood Algoma-made Architectural teak. Architect: Vincent G. Kling, Philadelphia. All paneling in the building was installed by John A. Yohn Co., Ardmore.





For this comfortable office, architect Kling specified Weldwood Algoma-made Architectural cherry paneling. Beautiful woods in this luxury grade include walnut, oak, Benge\*, birch, Korina\*, as well as many others. Each is a sound investment in lifetime beauty and low maintenance.

Confidence . . . permanence . . . stature . . . Weldwood paneling in your office designs won't do it alone. But it helps. Beautiful walls like these build the right atmosphere for business—and they keep your client's maintenance costs low. You are invited to consult with a Weldwood Architects' Service Representative for help in planning a Weldwood paneling installation in your next building design. Mail the coupon on the reverse side of this page, or call the nearest United States Plywood branch.

# WELDWOOD

**REAL WOOD PANELING** 

130 branch showrooms in the United States and Canada In Canada: Weldwood Plywood, Ltd.



whether you specify curtainwall for economy or effect...

# ... MARMET has it!

You have a choice of two curtainwall systems when you specify MARMET. The 5212
Series, or the 5142 Series used on the magnificent luxury apartments (under construction) above, provides strong vertical accent lines with heavy aluminum mulls designed to receive spandrels and lite sections, stacked one atop the other. With lightweight muntins, these panels can easily be handled by two men... often stacking from the inside, saving the cost of exterior scaffolds.


Where the effect of heavier horizontals is preferred . . . MARMET's 6442-43 gridwall system employs large interlocking grid sections pre-assembled at the factory with heavy aluminum horizontals. Vertical mulls lock together with provision for controlled expansion at each joint. These special expansion joints absorb cumulative expansion horizontally and/or vertically in structures such as the hospital at the right.

Whether its economy or effect that's most important on your next curtainwall requirement . . . remember MARMET has it!

series 5212 & 5142



for LOWEST ASSEMBLY COST Vertical mulis receive stacking panels series 6442-43



for HEAVIER HORIZONTALS

For additional information on the complete line of MARMET products—consult Sweet's Catalog File No. 17a or write to MARMET for catalogs



tins,

St. Mary's Hospital Detroit Lakes, Minn. Architect: Foss & Company Moorehead, Minneson



300-A Bellis Street, Wausau, Wisconsin



A crystalline crown for the McGregor Memorial Building...of




## GLASS BY AMERICAN-SAINT GOBAIN

Minoru Yamasaki's new McGregor Memorial Community Conference Center—on Wayne State University's mid-Detroit campus—serves a sober academic function. Yet it achieves the screnity of a classic temple, the visual drama of a Renaissance palazzo. This building lives on light...the play of it on sculptured, folded concrete shapes...reflection in a graceful pool...the luminous splendor of its faceted skylights. The rich, translucent glass used here is Blue Ridge Huewhite, one of many ASG glasses which lend themselves—strikingly well—to creative architectural treatment. American-Saint Gobain Corporation.



#### LUSTRAGRAY®

is used in glazing Wayne State's Richard Cohn Memorial Building. This fine, neutral-tinted sheet glass reduces glare by 50% without sacrificing visibility. Increased opacity from the outside contributes to privacy...helps relate window and spandrel areas-to amplify the verticality of the mullions. Architects: Harley, Ellington & Day, Inc.



## Wayne State University gains light and luxury with these ASG glasses



BLUE RIDGE HUEWHITE 8 ...

in a formation of pyramidal crystals, floods the McGregor Memorial Building's lobby and galleries with diffused light. Detailed with machine-like precision, this skylight is the major integrating element between the structure's two halves. Huewhite provides true-color transmission of sunlight . . , modulates nighttime illumination into a

white radiance of singular purity.
Skylight Manufacturer. Super Skylight Products Company.
Glazing Contractor. Standard Glass Company.

The installations and samples pictured here merely suggest the variety of ways in which American-Saint Gobain glasses can contribute to your plans. Every important type of flat glass - in the widest range of characteristics, sizes and designs - is available to you from this one source.

For detailed information, see the following Sweet's files: Architectural: 7a/Am...16d/Am...3e/Am. Industrial Construction: 6a/Am . . . 3b/Am. Light Construction: 2e/Am. Plant Engineering: 5b/Am.

For other information, call the American-Saint Gobain district office nearest you . . . or write:

AMERICAN-SAINT GOBAIN CORPORATION Dept. AR-30, 625 Madison Ave., New York 22



DOUBLEX® patterned glass

A distinctive 1" checkered pattern which sets up striking effects of light and shade. Flutes on one surface run at right angles to corrugations on other surface. Very good diffusion and obscurity.



BLUE RIDGE BEADEX ® patterned glass

Newly styled for sparkling decorative effects. Satinol® finish on the smooth side may be specified for increased obscurity . . . matte finish for increased diffusion. A striking partition material. 7/32" thick.



SECURIT®

Tempered Muralex® patterned glass transmits diffused light, retains privacy. Sleek aluminum trim and Compreg handles are handsomely detailed. Various finishes, sizes and styles are available.



RANDEX decorative glass

Another new ASG glass, Its relatively obscure, high brilliance pattern in randomspaced ribs permits striking effects. Satinol matte finish on reverse surface increases obscurity and diffusion.



CREATIVE IDEAS IN GLASS

Flintkote Built-Up Roofing Representative Tony Plonski says...

"Let it rain... let it storm...

No other known form of bituminous roof coating—when exposed to weather—will outlast Flintkote's Aluminized® Static Coating!

"Aluminized Static is a protective coating that gives all the high reflective insulating qualities of aluminum—PLUS the waterproofing and durability of asphalt static. Aluminized Static can't burn . . . doesn't stain or alligator-crack over any normal type of asphalt sub-surface. It retains its brilliance for five years and longer . . . and won't flow even in the hottest weather.

"Protective, long-life Aluminized Static Coating

"Protective, long-life Aluminized Static Coating can be used—beautifully—on metal, masonry, glass or asphalt-covered surfaces."

For particulars and literature, see your Flintkote Representative. You'll find he's a great guy to work with . . . and he knows his stuff in building materials.

The Flintkote Company, 30 Rockefeller Plaza, New York 20, N. Y.

\*REGISTERED BY THE U.S. PATENT OFFICE





America's broadest line of building materials

# ASTRILITE.

n advanced concept which assures superior illumination for all of the lighting requirements in the patient's room . . . with significant economies for the hospital.



AMERICAN STERILIZER

Write for illustrated brochure LC-110R

# THIS IS THE SIGN OF

The world's most reliable automatic protection services against fire, burglary, holdup and other hazards.

It is the bane of burglars and arsonists, who recognize it as a formidable adversary. ADT subscribers from coast to coast are proud to display this monogram on their premises. It is a promise to their employees, customers and neighbors that they have provided the most dependable and modern service available to protect their lives, property and jobs.

The reputation of this symbol stems from the organization behind it, the American District Telegraph Company. The unmatched efficiency of this company in safeguarding life and property is attained through everlasting attention to maintenance. It is the leader in its field, not only because of its superior detection and signaling devices, but because all ADT systems are regularly inspected, tested and always ready for reliable operation.

Is your building 99 and 99/100ths per cent immune to losses by fire or burglary? If not, call the ADT office listed in your telephone directory and find out how you can be better protected and (as is often the case) save money, too!

Controlled Companies of

## AMERICAN DISTRICT TELEGRAPH COMPANY

A NATION WIDE ORGANIZATION Executive Office: 155 Sixth Avenue, New York 13, N. Y.



Forty-Second and Going Branch, First National Bank of Oregon, Portland, Oregon. Architects: Balzhiser, Seder & Rhodes, Eugene, Ore. Contractor: A. C. Edmon, Portland.

Space provided: main banking room, safe deposit vault, employees' lounge, men's and women's rest rooms, furnace room, storage area. Structural framing: double curved glulam beams spaced at 15'. Exterior walls: band sawn siding, brick. Interior walls: wood paneling, exposed brick, plaster, metal

wall tile. Heating: forced warm air duct system. Ventilation: refrigerant forced air system. Lighting: fluorescent and incandescent. Floors: vinyl tile over concrete slab. Roof: built-up felt and tar with crushed Haydite over striated Tim-Deck. Area: 3,950 square feet. Cost: about \$15 a square foot.



The ability of glued laminated timbers

to be formed in almost any desired shape provides an ideal combination of distinctive design, beautiful appearance, and permanent, economical construction.

## TIMBER STRUCTURES, INC.

P. O. BOX 3782-A, PORTLAND 8, OREGON


Division Offices in Ramsey, N. J.; Schiller Park, Illinois; Dallas Texas
DISTRICT REPRESENTATIVES IN MAJOR CITIES THROUGHOUT THE UNITED STATES
Affiliated Company: TIMBER STRUCTURES, INC. OF CALIFORNIA, Richmond

Member A. I. T. C. and Producers' Council function-perfect . . . fashion-right

# the kno-draft® "ARCHITECTS' GROUP"

LINEAR and RECTANGULAR SERIES

AIR DIFFUSERS



As the name explicitly implies, the "Architects' Group" provides architects, engineers, and their customers with a comprehensive line of air outlets that combines the best air distribution with graceful, unobtrusive modern styling.

Especially designed to complement the essentially rectilinear pattern of interior architectural schemes, the "Group" consists of three series—squares, panels, and long-slotted, or linear. To satisfy different structural or functional demands, each series is available in several types... and each type can be furnished with all optional accessories necessary to meet any air diffusion requirement.

Select confidently from the Connor "Architects" Group" . . . function-perfect, fashion-right. Representatives in principal cities.





106

Request—on your letterhead, please—our new "Architects" Group" bulletin, K-27A.


CONNOR ENGINEERING CORPORATION

DANBURY . CONNECTICUT



kno draft

air diffusers



A superbly designed lockset! Distinctive new lever handles and escutcheons in brass, bronze, or aluminum. Polished or satin finishes. Heavy-duty "unit construction" with rugged, extruded

brass chassis. Entire lockset installs as a unit . . . no disassembly . . . no mortise. For data, write Russell & Erwin Division, The American Hardware Corporation, New Britain, Connecticut.

from russwin...new concepts in doorware design...new beauty for doors in your buildings RUSSWIN



Holder—revolving hood protects, covers paper.





Coronado Extendo-bar for drying nylons, lingerie.





Relaxation Unit
Is luxuriously practical—
recessed for toilet
paper, cigarettes, ashtray,
magazines, papers.



HALL-MACK COMPANY Division of TEXTRON INC. AR-960 1380 W. Washington Blvd., Los Angeles 7, Calif. Please send your FREE color booklet of new bathroom

ideas


NAME PLEASE PRINT CITY ZONE

ADDRESS\_

A lady never tells her age – and neither do Hall-Mack Bathroom Accessories. Styled for a lifetime of gleaming beauty, these quality accessories provide practical convenience and comfort — plus blending harmoniously with either modern design or period architecture to enrich the beauty of any bath. Pioneered by Hall-Mack, these quality accessories are tailored to meet the needs of every budget. Building, buying, or remodeling-always specify and install Hall-Mack Bathroom Accessories for the touch that means so much.

Sold by leading plumbing, tile and hardware dealers everywhere

# Freedom in Design



# ANLEY COMPANY

One Gateway Center, Pittsburgh 22, Pennsylvania Sales Offices: New York \* Buffalo \* Pittsburgh

# the focus is on dependability...



WATROUS MAJESTIC DIAPHRAGMTYPE FLUSH VALVE. COMPLETE DATA
FURNISHED IN CATALOG NO. 459.

Here is a city-within-a-city — Kodak Park Works, largest of the four Kodak plants in Rochester, N.Y. It covers more than 1,000 acres, employs more than 20,000 people and it's still growing.

The architects and engineers for Kodak know how maintenance problems—even minor ones—are magnified in facilities of this size. They rely on quality products to help keep a sharp focus on dependable performance. That's why, over the past 24 years, Kodak has specified Watrous Majestic Flush Valves for all new construction and remodeling of all four plants and also the Kodak Office Building.

There is one sure way to build dependability into your plumbing plans: specify flush valves by Imperial Watrous.



THE IMPERIAL BRASS MFG. CO. 6300 W. Howard Street, Dept. AR-90 Chicago 48, Illinois



Twice the wear

- half the care

# How to save 40% to 50% on-site labor on Oak Floors

#### FINEST FINISH EVER GIVEN HARDWOOD FLOORS

Eliminate floor sanding and finishing to free yourself from a big head-ache in home construction and to save on-site labor costs. When you use Bruce PREfinished Floors there's no waiting for sanding, no tieups while finishes dry, no interrupting other work. Bruce PREfinished Flooring is easy to lay (just like plain strip) and the beauty and durability of the factory-applied finish are far superior to on-the-job finishes. Write today for complete facts. See our catalog on all Bruce Floors in Sweet's File.

#### Bruce PREfinishing eliminates all these operations



(3 Cuts)



APPLYING FILLER and FINISH (2 or 3 operations)




WAXING and BUFFING (2 operations)

# PREfinished Floors



BRUCE

E. L. BRUCE CO., 1594 Thomas St., Memphis 1, Tenn.





## montgomery® ELEVATOR COMPANY

Moline, Illinois Offices in Principal Cities



EXCLUSIVE MANUFACTURERS OF DEPENDABLE PASSENGER AND FREIGHT ELIVATORS

Here is vertical transportation at its best. Montgomery's "Measured-Demand" elevator system in this modern bank and office building incorporates complete group supervisory control. An electronic system controls and automatically adjusts its operation to variations in traffic flow.

Installed by the Hunter-Hayes Elevator Co. of Dallas, Texas, the Montgomery elevators in this building received the same careful attention in their installation as their counterparts "The Men of Montgomery" gave in their manufacture.

On your next commission where vertical transportation is required, call in a Montgomery representative who will gladly help you with your plans. See the yellow pages of your phone directory.

MONTGOMERY ESCALATORS -- STEPHENS-ADAMSON "SPEEDWALKS" AND "SPEEDRAMPS"



ONE —As sturdy as they are, Penmetal partitions can be changed as easily as a floor plan.



two —Because of the single modular framing, changes are quickly made...without disturbing office routine.



three—Door and window installed where there was a solid wall an hour or so before.

# Look how easy it is to change an interior

Changing a Penmetal interior to meet new requirements is as simple as one...two...three.

In photo *one*, the secretary is being told that, from now on, she must serve two masters. She isn't happy about the idea because, she argues, it won't be efficient. There is no connecting door between the new man's office and her own, so she will have to run down the hall every time he wants to dictate.

Apparently her argument makes sense because, in photo two, steps are being taken to solve the problem.

Now, in *three*, everyone is happy as the boss explains that Penmetal partitions are designed to meet just such emergencies as this.

Complete floor-plan flexibility is made possible by Penmetal's single modular design which permits sections to be interchanged without disturbing entire runs of partition. Think of the long-term economy for your client in such mobility.

For full details, send for the latest edition of Penmetal's 24-page catalog. The coupon below will bring you a copy promptly.

## PENN METAL COMPANY, INC.

Sales Office for Movable Partitions:
P.O. Box 1460, Parkersburg, W.Va.
AXminster 5-4521
Executive Offices: 40 Central St., Boston 9, Mass.
Plant: Parkersburg, W.Va.
Distributors in Principal Cities



a name to remember

	t cost or obligation, a copy of the cost of obligation of the cost
Name	
Company	
Address	
City	State



New developments in patient care...

by St. Charles



Medi-Serv Unit



**Nurses Station** 

"Patient Line" Wardrobes. Functionally designed to meet all storage, vanity and lavatory requirements. An attractive, efficient and economical solution to patient room storage and grooming convenience. Completely flexible . . . built-in or free-standing . . . meets varying patient room needs in new plans or alterations of existing buildings.

Nurses Station. Compact, space-saving "Medi-Serv" Unit includes sink, refrigerator and adequate storage for medicine preparation needs. Custom designed nurses desk includes nurses call unit.

For complete information and specifications of the complete line of St. Charles casework systems for all hospital storage requirements write, on your letterhead, to:

harles








Wardrobe/Dresser

Wardrobe/Lavatory

ANOTHER NORTON IN SU



SURFACE-MOUNTED DOOR CLOSERS

set new standards of architectural harmony with the clean-lined simplicity of contemporary door design.

SEE THE FOLLOWING PAGES FOR FULL DETAILS

MODERN DOOR CLOSERS FOR MODERN DOORS
...built to serve, not for years, but for a lifetime.

Note how perfectly the TRIMLINE closer



# NORTON TRIMLINE

The "New Look" in Door Closers for the "New Look" in Doors

As architectural "gingerbread" has continued giving way to the clean, uncluttered look, the need for door closers to match has grown increasingly urgent. Norton design has always kept well ahead of that need, but never at the cost of reducing efficiency for the sake of compactness or styling.

# THERE'S A NORTON CLOSER TO

More New-Look (NORTON) Closers For New-Look Doors

Engineered for today's demanding service requirements, styled for the modern look in today's doors and trim, yet with no deviation from traditional Norton quality and operating efficiency.

#### SERIES 750 CORNER-TYPE CLOSER

New extruded aluminum closer for metal or wood exterior doors with narrow top rail.


Powerful as it is, this unique closer is amazingly inconspicuous because it blends so smoothly with the door's top rail. The arm channel is set into the top rail so that it cannot be seen. Full rack-and-pinion mechanism combines with a special spring to assure maximum durability and unvarying efficiency. Handles the heaviest of standard exterior doors with ease.

#### EXTRA-COMPACT FULL SURFACE CLOSER-

A miracle of compactness...projects only 1½ inches from door...less than half as much as regular surface-mounted closers. Nevertheless, this closer is designed and built in the Norton tradition to withstand constant use, maintaining full closing power and top operating efficiency at all times. For interior doors only... Models 702N and 703N.

#### SERIES 704 FOR HEAVIER DOORS

Norton developed this series to satisfy the many requests for closers like 702 and 703, but heavier and more powerful. Shell is of molded aluminum enclosed in a wrought metal covering of pleasing modern design. Projects only 2". Suitable for doors up to 3'6" x 7' ... regular or holder arms... surface-mounted shoe only.



#### harmonizes with this modern narrow-rail door.


Norton's outstanding new *Trimline* series is a product of this policy. The trim, modern lines which suggested the name make *Trimline* closers ideal for the narrow-rail doors now so widely used, but they are equally at home on any door. A *Trimline* closer mounts neatly on the top rail, eliminates hangovers, blends beautifully into the trim, and unobtrusively complements the design of the door.

#### TIME-TESTED MECHANISM

Trimline closers are true liquid-type closers with all the rugged dependability of the time-tested, Norton-originated rack-and-pinion mechanism proved virtually indestructible in thousands of installations. They are powered by a specially designed spring of highest-quality steel.

Closing speed can be precisely regulated with smooth, quiet operation throughout the swing of the door. The shell is lightweight aluminum, ideal container for the Nortol fluid which provides both checking action and constant lubrication of every part. *Trimline* closers are nonhanded, too; can be used on doors opening either left or right.

The same Trimline closer serves for doors that swing out or in, right or left...is practically invisible from outside.



The Trimline series comes in sizes B, C, D and E, to handle doors of all standard weights and sizes...any desired type of arm. Send today for detailed specifications. No obligation...just mail coupon on page 4 of this insert.

# MEET EVERY DESIGN REQUIREMENT




## NORTON INADOR® CLOSERS


The out-of-sight closer that never intrudes upon the clean lines of modern door design.

The name INADOR applies not merely to a single model but to a complete line of single-acting closers for metal or wood *interior doors* hung on butts. Correctly installed, the INADOR closer is virtually invisible, since the entire mechanism fits snugly in the top rail of the door.

INADOR closers are available with all types of arms and mounts needed to take care of practically any specification. And, when you specify INADOR, you are specifying easy, efficient, almost maintenance-free operation for many years to come.









### Norton lintel-concealed door closers

Here's the closest approach yet to a completely invisible door closer. Size for size, it matches any surfacemounted exposed-arm closer in power. It can also be equipped with a concealed arm as illustrated, providing almost 100 % concealment when door is closed. Double-piston action used in no other concealed closer permits this one to be changed from right to left hand in the field. All other advantages of Norton Surface-Mounted Closers PLUS maximum concealment for harmony of design.

### Closers like this have served for 50 years or more!

Among the most widely used of all closers is the Norton Standard Model Full Surface Closer shown above. Here is the up-to-date version of the original Norton Door Closer, hailed as "revolutionary and challenging" when introduced in 1880. Many thousands of similar Norton Door Closers are still in daily use in some of America's best-known public buildings after 30 years and longer in continuous service. Available in sizes B, C, D, E and F, with standard fittings to meet every door closer need.

**NEW CATALOG & DATA BOOK FREE TO ARCHITECTS...** No obligation. Just mail the coupon.

#### NORTON DOOR CLOSER CO.


catalog and data book

Dept. AR-99, Berrien Springs, Michigan Rush me a free copy of your latest loose-leaf



NORTON DOOR CLOSERS

Berrien Springs, Michigan



# DESIGN AWAY!

# You can meet any combination of electrical and construction specifications with General Electric's full line of underfloor systems

No matter how progressive your designs may be, you can count on getting an underfloor wiring system to fit them from General Electric. That's because G.E. makes all four types. Each type is specifically designed for a different type of floor construction. For example:

**G-E Standard System** fits into poured concrete floors only  $2\frac{1}{2}$  inches thick. The duct has an inside cross section area of 3.357 inches.

The G-E Two-level System is for buildings where feeding problems are more complex. With this system you get completely separate services (normally feeding through the lower level, distribution through the upper level), and feeding can be accomplished from many different locations. This system needs a minimum floor fill of  $3\frac{1}{2}$  inches.

**G-E BIG DUCT** gives you lots of capacity in a simple, low-cost system that needs only 3 inches of floor fill. The  $8\frac{1}{2}$  square-inch cross section of BIG DUCT can be used by itself or in conjunction with the standard system.


G-E Cellular-steel Floor Wiring System is for buildings with cellular-steel floor construction. With this system you can have an electric outlet every six inches in any direction, if you want to. This system provides maximum capacity with maximum flexibility.

You can get valuable manuals that contain complete layout, design, product, and installation data, just by filling in the coupon and sending it to General Electric.

### Progress Is Our Most Important Product

# GENERAL ( ELECTRIC

Section CU103-935, Bridg	pany, Conduit Products Departmen eport 2, Connecticut	
Please send me your bull wiring systems.	etin on single- and two-level steel under	loo
Please send me your bul	etin on cellular-steel floor wiring.	
Enclosed is a description	of my underfloor wiring problem. Wha	t de
you suggest?	•	
you suggest?		
,		
Name		
NameTitle		



Though work was still in progress when these photographs were taken, it is easy to see why saw-textured redwood was used so extensively throughout this Case Study House. By taking advantage of redwood's rich color tones and interesting grain patterns, the architect has not only designed a house that is highly functional but one that also conveys a delightful feeling of warmth and serenity.

CRA

All the wonderful warmth of wood is best expressed in redwood.

CALIFORNIA REDWOOD ASSOCIATION
576 SACRAMENTO STREET • SAN FRANCISCO
CRA-CERTIFIED KILN DRIED REDWOOD

REDWOOD PANELING in the bathroom (note concrete form for sunken tub) extends into free-standing redwood wall in the adjacent sun-bathing patio.





INTERIOR PANELING was left unfinished so that nothing would detract from the decorative grain patterns and subtle color tones of the saw-textured redwood. Exterior siding was treated with a clear water-repellent.




Killingsworth, Brady & Smith



REDWOOD BAFFLES, shielding the house from the street and neighbors, have been made a distinctive design feature. Throughout the house, glass and redwood meet with a minimum of distracting metalwork.

AN INTERESTING DETAIL are the outlets, in several rooms, leading from the master TV antenna system.





NEW ROYAL construction concept gives you...


This new Royal VISCOUNT Modular Furniture is superbly functional. It's timelessly styled, meticulously made . . . and designed for infinitely variable arrangements as modular groupings and free-standing occasional pieces. Each unit is complete in itself . . . no complicated parts to order and assemble jigsaw-fashion.

VISCOUNT offers you more than 50 exciting new upholstery patterns and colors . , . from durable, wipe-clean materials to luxurious deep-textured fabrics. Impervious Royaloid table tops are available in 20 colors, patterns and finishes – from rich wood-grains and marbles to soft decorator pastels. And, one-piece leg-frames are of square-tube Satin Chrome finish.

Write for Royal VISCOUNT brochure 9026 for details ROYAL METAL MANUFACTURING COMPANY
One Park Avenue, New York 16, Dept. 12-I, N. Y., U.S.A., cable ROYALMETAL



Assembly couldn't be simpler! Two hidden bolts join starter and add-on frames into rigid, unified ensembles. Seat-and-back sections clamp to frame at front and back. Table-tops and seats... can be interchanged in seconds... or frame assembly rearranged at will. Free-standing units for occasional chairs, tables, ottomans.





# on aldrin

Today, more and more builders and architects are specifying aldrin for termite control in new construction. Here's why:

Aldrin is now listed in the minimum property standards of the F.H.A. for termite control on all types of new construction—slabbasement—crawl space. This means complete projects can be treated safely, and without interrupting normal construction work.

Aldrin is alkali-stable, even when lime, cement and other building materials are present in the soil.

And, aldrin is economical. Small

amounts go a long way, give effective protection for many years.


See your local Pest Control Operator for complete information on aldrin for termite control in new construction. Why not see him today. Or write to:

#### SHELL CHEMICAL COMPANY

AGRICULTURAL CHEMICALS DIVISION
110 West 51 Street, New York 20, New York
ATLANTA • NEW ORLEANS • ST. LOUIS • SAN FRANCISCO



# REDISCOV



124

# ER GOAL

# COAL IS RELIABLE for the constant production of steam for process and power

For over a century and a half, since the harnessing of steam, industrial America has been dependent upon coal for conversion to dynamic energy. Today, coal is still preferred by informed users in major industrial areas who count on its economy, efficiency and reliability.

Reliable—because coal's tremendous reserves assure abundant supply for centuries, not decades. More efficient and economical than ever before—benefits of constantly new technological developments in both the mining and use of coal. Reliability, too, in transportation of coal by Chesapeake & Ohio—and at low cost.


It will pay anyone faced with the problem of modernization to *rediscover coal*. Today or centuries from now there will be ample supply to outlive the life span of the finest combustion equipment.

#### Chesapeake and Ohio Railway

Terminal Tower • Cleveland 1, Ohio

Outstandability in Transportation





A modern boiler room in pastel colors has a clean, almost clinical appearance. Automatic sealed handling of coal and ash eliminates dust. Advance-design combustion equipment gets top BTU's from low cost coal.



C&O Fuel Service Engineers provide free consultation to C&O patrons on combustion, application, equipment, or plant arrangement problems. Write to R. C. Riedinger, General Coal Traffic Manager, above address.



The 5100-mile Chessie Route directly serves over 300 mines in America's richest bituminous coal reservoir with the finest fleet of 66,000 coal cars. Specify C&O routing for dependable, efficient delivery.

CHESSIE SERVES THE COAL BIN OF THE WORLD

Leading architects specify as

# STANDARD" FOR RELIABLE FASTENING TO STEEL OR CONCRETE

An employee of F. H. Sparks Co., Inc., world-famous curtain wall erection contractor, fastening a bracket to a structural beam on the First National City Bank Building, N.Y.C.

When cost, efficiency and holding power are important, only Ramset powder-actuated fastening belongs in your plans. Every Ramset fastener is austempered for extrastrength, and guaranteed on any approved application. Wherever threaded studs or drive pins are used to fasten permanently to steel or concrete, Ramset does the job quicker, easier and at a lower in place cost.

Ramset has proved its versatility and ability on all kinds of jobs around the world ... permits greater design freedom, and is far more efficient 15 times faster than other methods, Ramset is your best specification! Write direct for details, or call your dealer ... he's listed under "Tools" in the Yellow Pages.

RED TOP FASTENER WITH THE TOP

#### Ramset®Fastening System

ALIN MATHIESON . WINCHESTER-WESTERN DIV. . 301-1 WINCHESTER AVE. . NEW HAVEN 4, CONN.

#### The Record Reports

#### AWARDS

#### Lewis Mumford Honored as Architectural Critic

The American Institute of Architects has made Lewis Mumford, architectural critic, an Honorary Associate Member of the New York Chapter of A.I.A. "for his articles on architectural criticism which have contributed importantly to a greater esthetic appreciation of architecture by the reading public."

Also honored was the late Bassett Jones, an engineer who developed lighting systems and elevators for skyscrapers. His was a special citation "in affectionate memory of his distinguished contribution to the technical development of architecture and his stimulating collaboration with its practitioners."

James Felt, chairman of the City Planning Commission, was given the New York Chapter of A.I.A. Award of Merit "in recognition of your integrity and dedication as a public servant with the most laudable ambition to create a new zoning ordinance for the City of New York."

1960 awards in the annual A.I.A. journalism competition were presented to representatives of *Time* Magazine, *The Nation*, and *Horizon* Magazine. First prize in the journalism competition went to Grady Clay, real estate editor of the Louisville Courier, for an article on architecture which ran in *Horizon*.

#### Stein Gets Howard Medal


Clarence Stein, F.A.I.A., New York, was awarded the Howard Medal for "distinguished contribution" to the advancement of city planning. The medal was awarded by the British Town and Country Planning Association.

#### Design Award to Eames

The 1960 Design Award from the Philadelphia Museum College of Art was presented to designer Charles Eames "for making a fine art of fur-

continued on page 130






The ultimate in built-in convenience...


# RECESSED VENDORS for KOTEX feminine napkins

O KEEP PACE with the latest architectural designs, Kimberly-Clark has styled a brand new recessed dispenser for Kotex feminine napkins for rest room use in schools, offices, stores; industrial and public buildings. This unobtrusive, built-in vendor holds 63 individually boxed napkins. 33 vend from a single loading, 30 are held in storage.

These streamlined, sturdy, pilfer-proof vendors add a much appreciated service to any public building. They are available with either a five-cent or ten-cent coin mechanism.

Available in durable white enamel, satin chrome, gleaming polished chrome and stainless steel. Matching frame for recessed installation. (Other vendors that can be surface mounted are also available.)







### RECESSED DISPENSERS FOR KLEENEX TISSUES

Holds full box of Kleenex 200's. Dispenses one tissue at a time. Mirror-chrome finish, Holes in back and side make it easy to fasten to studding.

For further details on how these attractive new dispensers can fit into your plans, see Sweet's 1960 Architectural File Cat., Section 19a/Ki. or write to Kimberly-Clark Corp., Dept. AR-90, Neenah, Wisconsin.

KOTEX and KLEENEX are trademarks of KIMBERLY-CLARK CORPORATION

#### KIMBERLY-CLARK CORPORATION NEENAH, WISCONSIN



# NEW PERSPECTIVES with gypsum drywall systems



UNITED STATES GYPSUM the greatest name in building


BRAHAM, ANDERSON, PROBST & WHITE, INC. AND RAYMOND S. KASTENDIECK, ARCHITECT


# RELEASE REINS ON IMAGINATION TIGHTEN REINS ON COST


Now, with a series of gypsum drywall systems, find the advantages of design and economy you've long sought for the commercial, institutional, and industrial construction you plan! Precise control of performance—in the quality of walls, ceilings, and partitions; in their sound reduction, fire-resistance, broad acceptance of decoration. Savings in construction time, savings in space—for greater investment returns to your clients. Long-range flexibility of interior planning, with partitions permanent in appearance and performance, yet easily movable if needed.

These are only a few of the advantages that will quickly become apparent to you, when you have full information on these new U.S.G. gypsum drywall systems. Contact your local gypsum drywall contractor, your U.S.G. sales representative, or write to United States Gypsum, Dept. AR-05,

300 W. Adams St., Chicago 6, Illinois.








TIMES LONGER
Than Untreated Lumber

Planning for a vacation cottage should include more than usual attention to protection against decay and termite attack. Often as not, the building site is in "the country" or near a lake where moisture conditions and decay spore prevalence from surrounding wooded areas is a big factor. In the popular pole-type cottage above, the specification for OSMOSE Pressure Treated posts and lumber is the sure way to provide long-lasting protection against decay which otherwise might endanger the entire structure in the matter of a few years. In areas where insect attack is a hazard, the small additional cost for OSMOSE Pressure Treated lumber may prevent untold repair and maintenance expenses later on. OSMOSE Pressure Treated Wood also serves as a prime coat...takes paint better .. is noncorrosive and is clean to handle. So, when you design with wood, be sure to protect it with OSMOSE Pressure Treated Wood. Refer to our catalog in Sweets.

Typical areas requiring protection of OSMOSE Pressure Treated Wood

- All job-framed millwork, including window sashes, trim, door frames and moulding.
- All exterior sills, siding and exposed studs.
- All structural lumber exposed to weather, including porch decking.
- All supporting poles and porch stairs, especially those portions in contact with the ground.
- All handrails, posts and porch furniture.

For MORE Freedom of Design, look to OSMOSE Pressure Treated Wood.



OSMOSE WOOD PRESERVING CO. OF AMERICA, INC.
983 Ellicott Street • Buffalo 9, New York

#### The Record Reports

continued from page 126

niture and the film." Mr. Eames is known as the first designer "to exploit the possibilities of mass production methods for the manufacture of furniture" and as a writer, producer, and director of films which have received awards at the Edinburgh Film Festival and American Film Festival.

#### Harry C. Plummer Honored

Harry C. Plummer, Director of Engineering and Technology for the Structural Clay Products Institute and a leader in the formulation of improved building codes for masonry construction, was honored with the Award of Merit of the American Society of Testing Materials at the Society's annual meeting.


#### Hering Memorial Awards

The National Sculpture Society presented its first Henry Hering Memorial Medal Awards for outstanding collaboration between architect, sculptor and owner in the distinguished use of sculpture. The awards, given in three categories—Ecclesiastical, Monumental and Commercial—were made by Paul Manship, honorary president, at a meeting held at the Architectural League of New York.

Architect and sculptor recipients of the awards in the Ecclesiastical category were: for Loyola Seminary, House of Studies, Shrub Oak, New York (completed in 1955)—Voorhees, Walker Smith Smith & Haines, architects; and Donald De Lue, Gleb Derujinsky, Henry Kreis, Joseph Kiselewski, Oronzio Maldarelli, and Carl L. Schmitz, sculptors.

In the Monumental category, the following were honored for the Normandy American Memorial, St. Laurent-sur-Mer, France: Harbeson Hough Livingston & Larson, architects and Donald De Lue, sculptor.

In the Commercial Building category, awards for 100 Church Street, New York City (dedicated 1958) and 529 Fifth Avenue, New York City (opened 1959) were given to the firm of Emery Roth & Sons, architects; and Frank Eliscu, sculptor.



# economical ways to use sound and communications... to enrich school curricula

and improve administration

Few architectural means at your disposal can do more to broaden a school's educational program and improve its management than functional sound and communications. Several such services are described on the following pages. You will also find an unusual offer of technical assistance in pre-planning a system to fill any set of needs.

This kind of pre-planning provides you with expert guidance in layout and specification... helps you present to your client a variety of useful functions based on aptness of design rather than additional expense... assures easy maintenance, good appearance, and any degree of expandability... to fit any budget.

#### How to get the most out of communications and sound in SCHOOLS

The console shown here is the central control of an Executone sound-communication system for an average-sized K-8 or secondary school. Located in the General Office, it handles switching, programming, transmission and power amplification for all the services described below—and others that your client's special requirements may suggest. Its 5-channel capacity eliminates the need for more than a single conduit for signals or communication between any two points in the system. Identical functions are available in a vertical console, for use



#### 1. Supplement the teaching program with sound

where office space is at a premium.



Educators today attach great importance to audio-aids in the class room. They wish to exploit sources of special teaching materials... to place each class in closer relation to the school and the world around it... to develop each student's critical faculties. They value the availability of:

Radio broadcasts: speeches; music; coverage of special events; interviews: important dramatic presentations; sessions of Congress; etc.

**Recordings:** from an ever-increasing fund of educational material on tape and discs.


**Transmissions** from other parts of the school: student musical programs; sports events; etc.

Recording and play-back facilities: for classes in choral and instrumental music; language and speech courses; drama workshops; etc.

All these audio-aids can be supplied by a single Executone classroom reproducer . . . the same instrument that handles time signal, alarm and intercom functions. With a standard Executone system, any combination of rooms — chosen by selector-switches — can receive either of two simultaneous sound transmissions. Reproduction is of unusually high quality. Where recording and play-back are desired, rooms need only be supplied with microphone and tapedeck jacks. Amplification takes place at the main control console.



# 3. Speed administrative action: relieve over-burdened staff




Freedom to teach—and to work more productively—is one of the best answers to the chronic shortage of teachers and administrative personnel. Time savings increase in direct proportion to the staff's communication capabilities. Today, these can economically include: A) 2-way electronic voice intercom . . . between the office and any classroom . . . with complete privacy safeguards. B) Privateline room-to-office and room-to-room intercom . . . with call origination from any point. The Executone system offers all the above, providing 2-way remotereply intercom through each classroom speaker . . . optional private-line handset communication using an independent channel carried by the same wiring.

# 2. Preserve student discipline during unsupervised intervals

When teachers must leave their classes, the maintenance of discipline usually depends on the presence of a substitute. Faculty members may now be relieved of this non-productive extra duty. Unattended students can be monitored from the Office—through the Executone speaker—and notified by its open-line signal light that they are under remote supervision.



# 4. Save money & space in providing variable time programs



Classes with varying time requirements need no longer be subject to an inflexible set of signals. But conventional time-programming equipment—including independent crossconnect panels, relay racks, classroom buzzers and wiring systems—is bulky and expensive.

The Executone system includes a remarkably compact, easily accessible peg-board programmer—which allows each classroom to be placed on any one of six different time programs within seconds. This function is built directly into either standard console! The costly conventional system is eliminated.



#### 5. Control student transportation

Teachers find it especially difficult to keep order—and prevent delays—when restless students must await loadings of homeward-bound school buses. This condition is relieved when children are permitted to play freely—until summoned to the loading area in proper groups and directed to their buses.

This can be achieved through an inexpensive adjunct to the Executone system: a microphone jack at the loading area and speakers at loading and congregation areas. Both microphone and speaker wiring run in the same conduit. The amplifiers at the main console are utilized. Any available microphone can be plugged in at dismissal time.

# 6. Preserve the continuity of classroom activities



Communications in the modern school go a long way toward assuring uninterrupted class activities. But care must be taken that the facilities which make this possible are not themselves a disruptive influence. This is the case where calls make it necessary for teachers to drop what they are doing, to approach or handle equipment . . . or where a call interrupts a sound transmission.

Executone removes both of these contingencies. Through-the-speaker calls, for brief conversations, can be answered by the teacher from any point in the room—without raising her voice. And use of the optional handset channel for longer conversation prevents interference with concurrent sound programs.

# 7. Prevent confusion and panic in emergencies

Leading administrators have long felt the need for greater control of student bodies in emergencies. They seek alarm signal facilities to augment standard fire alarm systems—for such special contingencies as air raids. To control student movements in critical situations, they wish to make it possible for any staff member to broadcast voice instructions—without having been trained in the use of sound equipment.



In the Executone system, the same components used to produce time signals will also provide supplemental alarms. Executone furnishes duplicate signal generators—for fail-safe standby duty. For follow-up voice instructions, after an alarm, a staff member need only touch the 'emergency' bar at the Executone console. This overrides all other transmissions . . . allows him to speak immediately to the entire student body.



# 8. Provide quality-controlled sound for audience activities

No audience facilities are so intensively used as those in the modern school. Auditoriums and gyms serve not only during the school day—but also for adult and community activities . . . for socials and special events. Sound reinforcement equipment must be designed to high standards. And controls must be efficient. Conventional microphone mixing units—because of A-C power, ventilation and space needs can seldom be situated where they do most good.

An Executone system provides not only sound reproduction of highest quality, but also new flexibility in the location of controls. Transistorized preamplifiers and mixers are compact enough for concealment anywhere . . . have no special installation requirements.

On the next page . . . an. offer of unusual benefit to you and your client!



#### How to get the most out of communications and sound

# FXECUTORE OFFERS YOU SIX STAGES OF SERVICE



#### STAGE A PERSONNEL INSTRUCTION

Executone representatives will train and-when necessary-re-train your client's personnel in the proper operation of the system. This planned program assures maximum benefits through full utilization and correct care of the equipment.

#### STAGE 6 MAINTENANCE ON THE PREMISES

To assure uninterrupted performance from any Executone system, prompt and reliable maintenance service, and complete stocks of factory replacement parts are always available locally. Each distributor is staffed with skilled technicians trained on a continuous basis at Executone's Factory Technical School . . . to provide your client with expert service on his own premises . . . for the life of the building.

#### STAGE 6 FULL YEAR FACTORY GUARANTEE

Every Executone system and component is guaranteed by the Executone factory for a full year.

#### STAGE 1 DESIGN STANDARDS

Executone's service-tested design standards-mechanical, electronic and acoustical—are your assurance of trouble-free system performance. Design ingenuity-resulting in simplification, miniaturization and increased capability-keeps the cost of an Executone installation competitive . . . reduces maintenance costs.

#### STAGE @ CONSULTATION OR SURVEY

To help you plan an optimum system, your local Executone Systems Engineer will assist in a comprehensive study of your client's needs recommend the equipment designed to meet them within his budget . . . suggest ways of implementing a system through modular purchases where funds are severely limited . . . provide you with full information on a professional level. You will find him thoroughly conversant with specialized practices in your client's field.

#### STAGE (3) INSTALLATION AND SUPERVISION

Your Executone distributor will assume full responsibility for the final and satisfactory operation of the system-whether installed by a contractor or by a factory-trained Executone crew. An Executone Field Engineer will co-ordinate and supervise all phases of the installation, and check it out thoroughly on completion.



SSISTANCE...WITHOUT OBLIGATION

THIS COUPON W	ILL BRING YOU UP-TO-THE-MINUTE INFORMATION OR A
Executone, Inc., Dept.S-3 415 Lexington Avenue, Nev	v York 17, N. Y.
I would like my local Executon I would like detailed literature following building types: schools hospitals churches plants	e Systems Engineer to call. on intercom and sound systems for the fices fretail stores fransportation terminals
Name	Title
Firm	
Address	

COMMUNICATION and SOUND SYSTEMS

In Canada: 331 Bartlett Avenue, Toronto


# now...

### wood sliding glass doors


### that can be painted or finished naturally

Pella now offers sliding glass doors of wood that can be painted or finished to match any color scheme inside and out. The superior insulating qualities of wood plus a combination of stainless steel and wool pile weather-stripping make this sliding door weathertight — prevent condensation. And you can achieve warm, traditional

effects with Pella removable muntins in regular or diamond patterns. Types 0, 0x, x0, 0x0 and 0xx0 doors available in 33" and 45" glass widths x 763/4" glass height. Call the Pella distributor listed in your classified telephone directory for specifications and literature. Rolscreen company, Pella, 10wa.



The welded steel T-section on all four sides of the 1¾" Ponderosa Pine door panels gives the PELLA SLIDING GLASS DOOR its rugged strength and slim lines.



# The First National City Bank of New York

1,500,000 Square Feet of Gross Floor Space

Carson & Lundin and Kahn & Jacobs
Associated Architects

Meyer, Strong & Jones Mechanical Engineers

George A. Fuller General Contractor

Raisler Corporation
Air-Conditioning Contractor

# INSTALLED



Modern smooth-fin design of Aerofin coils permits ample heat-exchange capacity in limited space—permits the use of high air velocities without turbulence or excessive resistance.

Aerofin performance date are laboratory and field proved. You can specify Aerofin coils at full published ratings.

AEROFIN CORPORATION

101 Greenway Ave., Syracuse 3, N.Y.

Aerofin is sold only by manufacturers of fan system apparatus.

List on request.

ENGINEERING OFFICES IN PRINCIPAL CITIES




# folding partitions

#### ... massive panels of WOOD to divide large areas of space




When plans call for a large space divider—one that's substantial yet decorative—try PELLA WOOD FOLDING PARTITIONS. This latest PELLA product offers new panel dimensions of 10-3/8" x 1-1/16". Available for any width opening and heights up to 20'1". Embodying good basic design and rich natural wood textures, these partitions integrate with interior appointments of most churches, restaurants,

schools, clubs and offices. Specify factory-finished or for finishing on the job. Stable core construction assures non-warping panels. Patented "live-action" steel spring hinging system maintains panel alignment. Consult your classified telephone directory for nearest PELLA distributor in U.S. or Canada, or, send for literature. ROLSCREEN COMPANY, PELLA, IOWA.




OTHER PELLA QUALITY PRODUCTS INCLUDE PELLA WOOD WINDOWS, ROLSCREENS, WOOD FOLDING DOORS AND WOOD SLIDING GLASS DOORS



Architect for the 10-story apartment at 1600 Beacon St., Brookline, Mass., was Arthur G. Manaselian. General Contractor: Vappi Co., Inc.; structural engineers: Shannon and Doherty; steel fabricator: West End Iron Works.

# Slabform on steel joists provides maximum lateral restraint in 10-story apartment





By using Slabform\*, Bethlehem's solid steel centering, fastened firmly to steel joists, the architect obtained a construction with maximum lateral restraint in this 10-story, Brookline, Mass., apartment house. When concrete floor slabs were poured, the entire structure was braced and stiffened because of the integration between steel beams, joists, and Slabform.

There were cost savings, too, in using this construction. Bethlehem Slabform requires less concrete than when flexible centerings are used. Clean-up time is reduced. And, most important, solid centerings prevent loss of moisture during curing, resulting in a stronger slab.

Bethlehem supplied the structural steel, joists, and Slabform for the apartment. We make a full line of "S" and "L" series joists, and our Slabform comes in five gages in all standard lengths.

\*Registered

BETHLEHEM STEEL COMPANY, BETHLEHEM, PA.

Export Distributor: Bethlehem Steel Export Corporation

### BETHLEHEM STEEL





### wood casement windows

### ...only ones to offer exclusive Rolscreen feature

Clients often have the mistaken idea that windows are pretty much alike. That is, until you tell them about Pella wood casements. For, only pella offers an inside screen that rolls up and down! Besides that, inconspicuous storm sash remain in place the year 'round. After wrestling with conventional screens and storm sash, clients regard these two pella features as sheer

huxury. Yet, chances are Pella wood casements run no more than the windows and equipment you might be using. Countless arrangements are possible with 18 standard ventilating units in up to 68 in. glass height by 24 in. glass width. Full specifications in Sweet's. Consult classified telephone directory for nearest U. S. or Canadian Pella distributor. Rolscreen company, Pella, Iowa.





DRAMATIC SHAGGY STRIPES WOVEN INTO A COLORFUL BIGELOW CREATE AN EXCITING CIRRUS-CLOUD EFFECT IN NEW YORK'S NEW DEMILLE THEATER



# THERE'S A CARPET FOR EVERY PURPOSE AND DECOR IN BIGELOW'S WIDE SELECTION

Bigelow Carpet is selected by top designers for the most important architectural jobs. Reasonable price, long economical service, and top performance under traffic—as well as beauty—are prime considerations in every Bigelow Carpet designed for use in public areas. Special designs, colors and textures available. If you plan an installation, consult Bigelow's Carpet specialists about colors, patterns, weaves, at prices your client can afford. No charge for this service. Contact Bigelow through the nearest sales office or by writing to Bigelow Contract Department, 140 Madison Avenue, New York 16, N. Y.



Bigelow sales offices are located in the following cities: Atlanta, Ga.; Boston, Mass.; Buffalo, N.Y.; Chicago, Ill.; Cincinnati, Ohio; Cleveland, Ohio; Dallas, Texas; Denver, Colo.; Detroit, Mich.; Hartford, Conn.; High Point, N. C.; Kansas City, Mo.; Los Angeles, Calif.; Minneapolis, Minn.; New York, N. Y.; Philadelphia, Pa.; Pittsburgh, Pa.; St. Louis, Mo.; San Francisco, Calif.; Seattle, Wash.




### mp windows


### massive fenestration for recreation building

PELLA WOOD MULTI-PURPOSE WINDOWS adapt imaginatively to plans that call for extensive glass areas. In a full range of fixed and ventilating sizes, these pleasingly proportioned windows provide virtually limitless design possibilities. Used as fixed and awning vent combinations, MP WINDOWS function ef-

ficiently in a building that requires good natural ventilation. The next time you work on a municipal, commercial or residential project, let these quality wood windows help execute your best ideas. Consult your classified telephone directory for the name of the nearest U.S. or Canadian PELLA distributor.

ROLSCREEN COMPANY, Pella, lowa





Only one foot higher than auditorium floor, circular stage protrudes into audience, opens new possibilities for creative directors.

### Frank Lloyd Wright specified Kohler plumbing fixtures for \$1,000,000 Dallas theater

The Kalita Humphreys Theater represents a significant contribution to theater design, makes possible a more intimate relationship between actor and audience.

Compatible with the theater's contemporary lines are the Kohler fixtures and fittings. They answer architects' demands for superior quality, durability, maximum service.

KOHLER CO. Established 1873 KOHLER, WIS.



K-2048-C Jamestown lavatories were specified for all washrooms. Straight-front styling, Centra-All-Brass fittings, concealed overflows.



K-4982-TA Bardon offthe-floor urinal has exclusive control for uniform water distribution for thorough cleansing.



K-4450-ETA Stratton closet is completely dependable, smooth-working. Off-floor design simplifies and minimizes washroom maintenance.

# KOHLER OF KOHLER

ENAMELED IRON AND VITREOUS CHINA PLUMBING FIXTURES . ALL-BRASS FITTINGS . ELECTRIC PLANTS . AIR-COOLED ENGINES . PRECISION CONTROLS

San Francisco scores a homer with Candlestick Park, America's newest stadium



YOU CAN BE SURE ... IF IT'S Westinghouse


America's newest baseball arena is lit at night for maximum "playability" with 1147 Westinghouse Type VRC-20 1500-watt floodlights. The precise aiming of the lights was under the direction of Westinghouse Lighting Sales Engineer Reed Hansen, (below), and they are designed to burn at over-voltage increasing their normal candle power 37 percent. This means that players under most conditions enjoy visibility as good as daylight gives without the glare and shadows that frequently plague them on sunny afternoons.

Westinghouse floodlighting system maintains IES standards of intensity for playing areas. The striking design of the wind baffle tops massive concrete stadium. Two of the eight floodlighting towers that are spaced around perimeter of stadium are shown here.



J-94143-2





# Giants' new home is Powered-Up for maximum nighttime "playability"

San Francisco's Giants racked up a 3 to 1 victory to open their season and inaugurate their new home in the West, Candlestick Park—one of the finest baseball stadiums in America.

Candlestick Park is a massive concrete structure that has an air of being weightless and soaring. Utilizing precast and prestressed beams and supports, the stadium consists of two tiers of seats (some radiant heated) that provide maximum "seeability" for 45,000 fans—with the upper deck topped by a unique wind baffle. To challenge the teams, foul lines extend 335 feet, and it's 420 feet straight from home plate to the fence. A giant scoreboard not only keeps tabs on the game in progress but also on action in both major leagues. A press, radio and loge-seat mezzanine, dress-

ing rooms, refreshment areas and an 8700-car parking lot complete the impressive installation.

The careful attention applied to the architectural design and construction extends to the electrical distribution system serving the stadium. To give the field maximum "playability" at night, 1147 1500-watt Westinghouse floodlights make this one of the best-lighted baseball diamonds in the country. Included in the electrical system are eight power centers (one for each lighting tower), master lighting control panel, individual lighting panelboards, dry-type transformer, motor

# YOU CAN BE SURE ... IF IT'S Westinghouse

J-94143-3



Checking scale model of Candlestick Park are Lyle E. Patton, Consulting Electrical Engineer; John S. Bolles, Architect; Walter A. Haas, President of the San Francisco Recreation and Park Commission; and Raymond S. Kimbell, General Manager of the San Francisco Park Department.



Economical power distribution for Candlestick Park was achieved with eight Westinghouse unitized power centers of 750- to 225-kva ratings, each having plenty of expansion room. Each power center steps 12-kva primary power down to 120/208 volts to serve lights and electrical equipment. Inspecting one center: M. P. Buswell, Westinghouse Area Sales Manager; C. L. Harney, General Contractor; and L. E. Patton.



Motor control and protection are afforded by the Westinghouse motor control center under examination by H. G. Dechene of Brayer Electric; L. E. Patton; and D. G. Hartman, Westinghouse Sales Engineer. Such control centers group all controls together in interchangeable, space-saving, easily installed modular units. Starter units control and protect motors for air distribution units from centralized location.



Lighting for concourse and corridors is controlled and protected by Type NLAB panelboards located around stadium. Relays and control switches installed in this panel allow remote operation from centralized point. Seen examining this attractive flush mounted panelboard in stadium concourse are H. G. Dechene and G. R. Brayer of Brayer Electric Co.; and Spence Pors, Westinghouse Distributor Salesman.

#### Giants' new home (cont.)

control center, air handling equipment and motors. All are Westinghouse products, chosen for their ability to provide dependable, uninterrupted service. Careful attention to future uses for the stadium produced an electrical system capable of expansion. For example, the field lighting and related power supply equipment can be easily enlarged to provide the extra illumination required for nighttime football games. For information about how the Westinghouse products that Powered-Up Candlestick Park can meet your electrical needs, call your nearby Westinghouse Electrical Construction Engineer. Or write, Westinghouse Electrical Corporation, Box 868, Pittsburgh 30, Pennsylvania.

OWNER: San Francisco Stadium Inc., for City and County of San Francisco ARCHITECT-ENGINEER: John S. Bolles, San Francisco

E. Elmore Hutchison, San Francisco
CONSULTING ELECTRICAL ENGINEER: Lyle E. Patton, San Francisco
GENERAL CONTRACTOR: Chas. L. Harney, Inc., San Francisco
ELECTRICAL CONTRACTOR: Brayer Electric Co., San Francisco
WESTINGHOUSE DISTRIBUTOR: Westinghouse Electric Supply Co.,
San Francisco

YOU CAN BE SURE ... IF IT'S Westinghouse



Comfortable heating for Giants' locker room and clubhouse area is provided by Type AH horizontal air distribution unit, one of four in Candlestick Park. The inherent design of stadium construction, with widely separated points of heating demand, is an excellent application of Sturtevant air handling equipment,

Tough, durable Micarta® is ideal surfacing for Candlestick Park's refreshment counters. This hard-working plastic surface is immune to scuffs, knocks, hot liquids and rough treatment . . is easily cleaned, never needs refinishing. Shown are Tom Morse, U. S. Plywood Salesman; Joe M. Moore, Cabinetmaker; and Bill Lyle, Westinghouse Micarta Salesman, examining Micarta counter top.




# THE CLEAN-CUT "ARCHITECTURAL LOOK"

Here you see one of the striking new 1000 SERIES desks by GF—
designed by one of America's leading architectural firms.
Functionally styled, with all-flush surfaces and clean uncluttered lines. Combines the modern "architectural look" with unmatched GF quality. Models for both private and general offices. For that new office building on your drawing board, specify this architect-styled beauty
The General Fireproofing Company, Dept. Z-14, Youngstown 1, Ohio.



Los Angeles Sports Arena · November 1-4





# Now! Strong, economical concrete floors and roofs for any building!

It's easier than ever to install concrete floors and roofs — thanks to Wheeling's new, improved 3/8" Rib Lath! Especially designed for surfaces of less than 5,000 square feet, this low-cost material actually does two jobs for the price of one! Just look!

EFFICIENT, PERMANENT CONCRETE FORM! Wheeling Rib Lath has sturdy, closely spaced ribs. This assures the strength and rigidity needed to eliminate the dangerous side pull associated with more flexible forms. There's no costly welding, because Wheeling Rib Lath can be clipped or tied. And Wheeling Rib Lath's so strong it usually eliminates shoring completely... becomes an integral part of the slab, so there's never any form to remove.



Rigid Wheeling 3/8" Rib Lath transfers loads to joist along strong vertical axis only.



Wheeling's 3/8" Rib Lath doesn't allow load to be transferred along weak horizontal axis . . . thus causing "dominoing."

PROVEN CONCRETE REINFORCEMENT! Unlike smooth, solid forms, Wheeling 3/8" Rib Lath has hundreds of tiny openings that grip concrete to form a composite slab. What's more, Wheeling Rib Lath reinforces the bottom of the slab...adds strength where tension stresses are greatest.

See your Wheeling man this week for the complete facts on new, improved Wheeling 3/8" Rib Lath for concrete floors and roofs. Wheeling Corrugating Company, Wheeling, W. Va.




For larger surfaces or unusually heavy loads, use new Wheeling Tensilformet

#### WHEELING CORRUGATING COMPANY · IT'S WHEELING STEEL!



Immediate delivery on all stocked items from these warehouses: Boston, Buffalo, Chicago, Columbus, Detroit, Kansas City, Louisville, Minneapolis, New Orleans, New York, Philadelphia, Richmond and St. Louis. Also Sales Offices in: Atlanta, Houston.



# RUBEROID'S TIME TESTED SPECIAL BITUMEN heads the class in roof protection



Applied 28 years ago-still in service. The Accomac Elementary School, Accomac, Virginia-a typical example of economy and durability with RUBEROID roofing. This Special Bitumen job, done in 1932, is a four ply 15# Asphalt Felt, Bitumen and gravel surface on one inch of insulation.

Long roof life and RUBEROID Special Roofing Bitumen are synonymous. Proven time and again on jobs like the Accomac School, Special Bitumen is today's choice for tomorrow's weather-tight, maintenance free, built-up roof.

The plus values of durability and an engineered application by a RUBEROID Approved Roofer are your assurances of quality this year, next year and for many years to come. It's a combination that can't be topped in the built-up roofing industry.

Specify RUBEROID Special Roofing Bitumen on your next project and get those extra years of roof life.


For detailed RUBEROID Specification Data, write to: The RUBEROID Co., 500 Fifth Ave., New York 36, New York.

The RUBEROID



# DRAMA CENTER FOR HARVARD





Opposite page top: view from main street.


Bottom: view from side street.


NAME: Loeb Drama Center
OWNER: Harvard University
LOCATION: Cambridge, Massachusetts

1: HITECTS: Hugh Stubbins and Associates; Gordon
Anderson, Job Captain; John Wacker, Landscape

Consultant; Color and Furniture, S. T. Lo
STRUCTURAL ENGINEERS: Goldberg, LeMessurier & Associates
MECHANICAL ENGINEERS: Delbrook Engineering, Inc.
ELECTRICAL ENGINEERS: Thompson Engineering, Inc.
THEATER LIGHTING, STAGE EQUIPMENT & ELECTRO-MECHANICALS:
George C. Izenour

ACOUSTICAL ENGINEERS: Bolt, Beranek & Newman CONTRACTOR: George A. Fuller Company






GROUND FLOOR PLAN

Harvard's new theater is such a mechanical marvel that many people who would otherwise care may not notice that it is first rate architecture first of all. When the curtain goes up this October for the theater's opening performance, 600 spectators will sit around the three sides of a projecting Elizabethan apron type stage, watching Harvard's extra-curricular drama group in a production of Shakespeare's Troilus and Cressida. The audience's position in relation to the stage, and the position and shape of the stage itself will be only one of three basic arrangements which are chosen in terms of their suitability to the play to be performed. Two stage hands can manipulate electrically driven components to transform the theater within fifteen minutes to the traditional proscenium type stage and seating of the Broadway theater, or to the theater-in-the-round arrangement frequently used in the off-Broadway experimental theater. There is much additional maneuverability within these three basic systems. This flexibility at Harvard's new center should encourage a great development in the arts of the theater and lovers of the drama have every right to be excited, but those who also love architecture will be rewarded by a good look at the building itself.

To take its place politely in a setting of small scale, predominantly residential buildings, the Loeb Drama Center had to conceal its great bulk. The site itself was small, costs had to be kept down and therefore the building could not spread in small units. An adequate stage tower must be a high, wide and deep element, often difficult to compose, and the drama center required many square feet of auxiliary space for classrooms, offices, workrooms and a rehearsal and tryout room with the same floor area as the working stage space. A compact, skillfully or-








Lobby overlooking terrace

Joseph W. Molitor

Bush hammered concrete and red brick contrast with aluminum sun screen




dered solution allowed a generous portion of the site to be developed as a garden entered from the lobby. The stage tower is set as far back from the street as possible to minimize its apparent bulk (see plot plan), and the height of the auditorium is concealed by the surrounding two-story element into which the smaller spaces are fitted.

The building not only works well, but it is handsome in the way that a theater should be. Before design began architect Stubbins and the theater's directors agreed on their objective stated as follows in an early report: ". . . though the theater must be beautiful, its builders must also remember that the play's the thing. The building must not be so architecturally exciting and excited, as building, that the plays produced in it will be overshadwoed by their frame. On the contrary, the auditorium should please the imagination in such a way as to release it, not captivate it. Certain museums and art galleries recently erected as monuments to their architects make the reminder necessary."







Joseph W. Molitor



Main façade



Entrance



Theater designer George C. Izenour has devoted his career to developing the mechanical and electronic systems which make convertible theaters possible, but this is the first one to be constructed. The Harvard theater uses his electronically controlled winch system which moves along a grid in the flies, raising and lowering and positioning flats according to a pre-set pattern. Izenour's pre-set lighting system is also used

1. Stage framed by proscenium with seats beyond is traditional type

2. Platform seating moved about pivot points on hydraulic controlled motorized wheels to opposite walls, side panels folded back, apron stage raised by hydraulic pistons to 3 ft above floor to level of stage. Remaining seats in auditorium are fixed. This is the Elizabethan type stage


3. Proscenium raised providing the full 60-ft width needed to swing platform seating to position on stage then lowered. Complete stage extension raised by hydraulic pistons. Side panels positioned to screen actors' entrances and exits. Fixed seats complete arrangement for partial theater-in-the-round. Complete theater-in-the-round was rejected by designers who feel that actors' entrances and exits should not be made through the audience

Lighting raft suspended below the auditorium ceiling is a screen for stage lighting. It also provides the proper acoustical properties required at the ceiling level





Stage and seating arranged for proscenium type performance. Cyclorama at rear will have movable side extensions to make a curved enclosure







Lobby off main foyer. Coat hangers were designed by architects

Secondary lobby faces side street and smaller garden





Three notable religious buildings that possess in common the attribute of good design; while each maintains, as well, the integrity of its own visual expression through the influences of form, structure, and material



### Sanctuary Plan In A New (But Old) Shape

Westchester Reform Temple

LOCATION: Scarsdale, New York

ARCHITECT: William W. Landsberg

DESIGN CONSULTANT: Marcel Breuer, F.A.I.A.

LANDSCAPE ARCHITECTS: Bye & Herrmann

STRUCTURAL ENGINEERS: Wiesenfeld, Hayward & Leon

MECHANICAL ENGINEERS: Gussow & Skidmore

CONTRACTOR: Westchester Construction Co.

The sanctuary of this temple in suburban Westchester County is shaped in plan as a six-pointed Star of David. The resulting space becomes a religious symbol, is highly effective for a variety of uses, and holds considerable interest for its formal and functional conception—see plan, page 165, and accompanying caption. The star form also "reads" visually as one walks about the exterior of the building, and two of the exterior spaces created by the plan-shape serve respectively as sanctuary garden and entrance patio-garden.


The building is a simple bearing wall plus concrete slab-and-beam structure, finished on the exterior principally by whitewashed brick, with certain minor portions of sprayed stucco on block. The architect would have preferred field stone, but the budget would not permit its use.


The building consists of two principal elements; the star-shaped sanctuary—identifiable in the photos by its lacy, decorative upper fenestration—and an extended lower element that houses classrooms, social area and kitchen, administrative office, and rabbi's study. The temple at present serves a congregation of 275 families, a group expected to expand to 400. Provision for such expansion has been planned, and will consist of future additional classrooms as well as a large hexagonal-shaped social hall towards the rear of the plot. Space is provided in the basement of the present building for such youth activities as scouting, etc.





The site is an extended rectangle set within a residential neighborhood. The building was placed well back from the street and given a park-like setting so it would be in keeping with its environment. The free-standing, whitewashed brick wall toward the street (left page, top) provides privacy for the glass-walled sanctuary and defines a sanctuary garden






### Scarsdale Temple


Beyond serving as religious symbol and intriguing esthetic idea, the Star of David-shaped sanctuary works extremely well for its intended uses. Each of the six pointed areas has a specific use, as does the total space when thrown open. The bema and altar form the focus for the interior and occupy one point; the entrance lobby opposite occupies another; the four remaining points-at the sides-can be closed off by floor-to-ceiling curtains to serve as classrooms. For the normal weekly attendance, the hexagonalshaped central area functions as sanctuary, but during the High Holy days the entire space is used to accommodate the larger attendance. The architects explain that the floor-to-ceiling hangings further the tent-or tabernacle-idea; one of special significance in the Jewish faith, and related to the story of the flight through the wilderness.


Basically, this arrangement does not destroy the integrity or scale of a multi-use space in expanded form, which is so often the case in the more usual plan which adds, upon occasion, a large unintegrated area to the sanctuary for maximum seating. For good sight lines and more intimate contact with the speaker, the bema here extends forward into the central hexagon. For secular activities (lectures, concerts, etc.) a rolled-up screen of wood slats can be dropped from a ceiling recess to hide the Ark and choir loft, virtually transforming the space into an auditorium.

Color interest centers on the bema; the sanctuary having white walls, ice-blue ceiling, gray terrazzo floor, and dark oak pews designed by the architects. The bema carpeting is brilliant blue, the interior of the Ark a bright red-orange, brilliantly lighted.

Xanti Schavinsky designed the colored glass window to the left of the bema; the textile used for the sanctuary curtains was designed by Anni Albers











### Surging Upward Thrust As Spiritual Expression


St. Augustine's Episcopal Church Location: Gary, Indiana Architect: Edward D. Dart Engineer: Donald S. Robinson Contractor: Blake Barnard Corp.

The dynamic, reaching lift of the curvilinear pointed arches framing the nave of this church makes for an unusually moving interior. The laminated wood arches begin the visual surge with a slow curve and extended cross-section near eye-level, and then spring upward in a faster reverse curve and constantly tapering section to virtually disappear in the semi-darkness at the apex. There is, of course, nothing new in such a concept—as a visit to any 13th century Gothic cathedral will show—but here its expression in modern idiom is uncommonly effective, possessing an almost primitive vigor.

The award-winning church was designed for a congregation of 350, and its 52-ft-wide by 70 ft-long nave rises to an apex of 36 ft. The roof decking is of 4 by 6 T & G aromatic red cedar; the gable ends—both inside and out—are of vertical, rough-sawn redwood boards with battens. By way of contrast, the reredos wall and altar railing are of polished white oak. The Indiana limestone altar and oak altar furniture were designed by the architect.


Controlled lighting is supplied mainly by small floods and spots, and serves to focus attention on the crucifix and altar, leaving the peak of the nave in near-darkness. The continuous exterior base for the building is of beige brick, surmounted on each side of the nave by narrow bands of glazing immediately below the eave line. This arrangement provides sufficient light for the pews, but again, the natural illumination falls off as the roof climbs upward, contributing further to the total interior effect.












The rear (or east end) of the church is shown in the top picture: beige brick, vertical redwood boards, and fresh air intake grille. Next above, a view looking towards the rear of the nave, showing the choir loft over the entrance. The loft is supported by laminated wood beams and columns; its railing is composed of horizontally lapped redwood boards. Right, an interesting detail shot looking along the front wall toward the narthex porch and the brass church bell







All photos by Marc Neuhof

### Dynamic Balance and the Joy of Daylight

St. Thomas-in-the-Fields Episcopal Church
LOCATION: Gibsonia, Pennsylvania
ARCHITECT: John Pekruhn
FITTINGS: Janet deCoux and Eliza Miller
STRUCTURAL AND MECHANICAL ENGINEER: Robert Gibson
ELECTRICAL ENGINEER: Haydn Hargest
ACOUSTICAL CONSULTANT: Charles Williamson
CONTRACTOR: Uhl Construction Co.

The twin rows of boxed-in, triangular trusses that shelter the nave of this church—poised as they are on single columns and joined only by a long, delicate web of skylight—build up a visual effect of dynamic balance; dramatic but not "stunty." If the trusses had been joined in conventional fashion and the skylight not placed at their meeting, the effect would have (continued)






### St. Thomas-in-the-Fields

been lost, and the liveliness of the spatial impression missing. As it stands, this most interesting nave enclosure, together with the handling of its daylighting, create a rewarding space for worship. From the entrance point, the principal lines of the structure (and of the daylighting) lead one's eye to the reredos wall, the altar, and the Christus Rex, which become the visual focus of the interior.


Natural lighting is thoughtfully handled: the truss soffits are pitched in such a manner that a flood of basic daylight enters from the long lines of clerestory sash; the skylight gathers and adds the brilliant "punch" light from the vault of the open sky; the all-glass (but shaded) entrance wall at the rear adds a balancing secondary glow.


The notable liturgical furnishings—designed by two sculptresses who are members of the congregation—contribute a note of vitality to the interior. Janet deCoux, who was responsible for the interior arrangement of the church, designed the altar, which is carved from a block of black diorite; as well as the Christus Rex, of carved maple mounted on a painted cross. Eliza Miller designed the pulpit and lectern, both made of pierced black iron with enamel backing; and also the baptismal font, which consists of an enamel bowl, brass finial, and walnut base.


The church, which was designed to seat 200, is located on a 10-acre plot, yet to be landscaped. The nave is 40 ft wide, 80 ft long, and the skylight is 20 ft above the floor. Total cost of the building was \$130,000.



Since the building was carried forward under a limited budget, the required elements were organized into a simple plan shape; a scheme that seemed to offer the greatest possibility for economy. The nave is flanked on one side by 7 classrooms, on the other by a social hall, kitchen, sacristy, and study. Above: a view looking over the altar to the rear of the church








### St. Thomas-in-the-Fields

MATERIALS AND FINISHES: top surface of the triangular steel trusses is covered with 5-ply built-up roofing on 2-in. gypsum plank supported by open-web steel joists; the truss soffits are clad with %-in. T & G cedar boards; the floor is exposed aggregate concrete; exterior and interior walls are of common brick; interior partitions are of wood studs, plastered; entrance doors and sash are aluminum; interior doors are flush wood; the heating system is gas fired

A CONTINUATION OF THE ARCHITECTURAL RECORD AIRPORT SERIES BEGUN IN

MARCH AND APRIL 1960

All of the airports in this study are good examples of the methods currently being used by architects for solving the many problems of jet terminal building design. Some of these problems, such as passenger circulation, baggage handling, and the like are the same as they were for conventional aircraft. If there has been any change in these problems, it is one of magnification. Jets allow more people to be transported in less time than was possible before. Thus the numbers of people passing through airports are increasing rapidly. Their baggage is a greater problem, because there is more of it. Other problems are new and peculiar to jets and prop-jet aircraft. Among these, the most important to the architect are those brought about by increased noise, hazard from the blast, and jet fumes. An examination of the buildings in this study (and in the articles preceding it in the RECORD, in March and April 1960) will give some indication of the variety architects are giving to terminal designs. Though all of the examples shown seem to function effectively to a degree, the extreme variety would indicate that no one solution can be assumed correct. Further development seems to be on the way.



## AEROQUAY NO. 1, TORONTO INTERNATIONAL AIRPORT, MALTON, ONTARIO


This airport design is based on the principle of expansion by multiplication of terminal buildings, rather than addition to one large building. The volume of the air traffic at Toronto has been increasing at a very high rate. Studies indicate that it will continue to do so. The design for this new airport for Toronto is based on this assumption. After study, the architects decided that a plan for a single air terminal which could be built now, yet retain the extreme flexibility needed for future expansion would leave much to be desired. Therefore, they discarded the traditional concept of a single building in favor of a complete terminal servicing a specified number of aircraft, this to be supplemented by other similar buildings when the traffic warrants. The architects call these buildings aeroquays. By adopting this concept, the possibility has been created for considerable expansion, limited only by the area available and airport operational problems. With the present master plan, up to four aeroquays may be constructed. They will surround a central administration and control building.


Each aeroquay will contain areas for all of the airline operational functions concerned with passengers, baggage, and aircraft servicing. Separate buildings will house the power plant, air conditioning equipment, administration, airways and airport control. Each aeroquay is an island, reached by grade-separated roadways. Each island contains its own automobile and pedestrian circulation system. Each has its own multi-level parking area. Passenger walking distances are shorter than is usual; maximum flexibility of movement for aircraft has been achieved; ground vehicular traffic on the ramp is kept to a minimum; passengers are protected from danger and annoyance; access and parking operations are efficient; snow removal from roads and aprons is fast and economical.


John B. Parkin Associates, Architects and Engineers; John B. Parkin, Partner-in-Charge; Lloyd S. Laity, Senior Designer; E. R. Wilbee, Assoc. Traffic, Parking, and Handling; R. F. Marshall, Assoc., Structural Engineering; J. E. Mews, Assoc., Mechanical Engineering; Wilbur H. Smith Assoc., Traffic Consultants



As may be seen in the views above and the site plan, each aeroquay is basically a multi-story building, composed of a rectangular core structure surrounded by an annular ring. Automobiles and other types of ground transportation approach the center structure underground via a gradeseparated access driveway, then proceed up ramps to parking areas located, for the most part, on the upper floors. Elevators are provided in the center of the building for access to the passenger floors. The central structure houses, in addition to parking areas, various passenger and operational areas, including ticketing, baggage areas, concessions, customs and other government agencies, and airline operational areas. From here passengers may enter the annular ring which functions as a concourse, waiting area, and observation platform. Short fingers radiate out from the annular ring to the aircraft boarding stations. While these are one-story at present, provisions have been made for conversion to allow second level boarding







### Toronto

As may be seen in the plans, the annular ring structure has four levels. The central building will have ten stories. The number of stories may be modified, as required, to provide the amount of parking needed. Enplaning passengers enter the building in their automobiles on the ground level, and proceed to the enplaning temporary parking area on the second floor or directly up the ramp to the upper story parking areas. From here, they may use the five large elevators to reach the enplaning level of the building. Ticket offices and various concessions catering to their needs are located on this level. Deplaning passengers enter the building from the fingers on the apron level. They may go directly to the baggage rooms or to concessions. Temporary parking for deplaning passenger ground transportation and private automobiles is provided. Elevators are available for reaching the upper level parking areas. All passenger areas of the building are air conditioned and sealed for passenger comfort and for protection against the noise and fumes of the jets. The building structure will be steel frame.





## AIRPORT, SAN FRANCISCO, CALIFORNIA

San Francisco is the fifth ranking air hub in the United States. It is one of the country's fastest growing airports. The buildings shown here have been planned to meet the present needs efficiently and allow for foreseeable expansion. The existing air terminal building was completed in 1949. It has facilities for handling more than 3 million passengers annually. Its design was based on an estimated volume of this number of passengers in 1960. In actuality, the volume had passed the 3 million passenger mark before 1957. When it became apparent that the airport would grow much faster than had been anticipated, the city engaged the Becket organization to make a master plan of the airport. The present layout is the result.

The master plan developed by the architects is based on the concept of decentralization of operational and passenger activities. The method used is the provision of a number of complete terminals, each serving a specific number of aircraft and passengers. The terminals are grouped around a central multi-story parking facility. The buildings are interconnected with covered, enclosed walkways and a twolevel belt driveway running around the parking facility. Each of the new terminal buildings will contain approximately 300,000 sq ft of floor area. They will be constructed one at a time as the growth in traffic volume demands. When the terminals have been completed, in about ten years, the airport will have facilities for handling 60 jets simultaneously. The volume will be over 10,000 passengers per year. The design of the airport was predicated on the imminence of almost exclusive use of jet from this airport, expected increases in the size of the individual jet aircraft. as well as the large increase expected in the traffic volume.


Welton Becket and Associates, Architects and Engineers; Wilsey and Ham, Civil Engineers; John A. Blume & Assoc., Structural Engineers; Dudley Deane & Assoc., Mechanical & Electrical Engineers






### San Francisco

The new facilities at San Francisco are additions to the existing air terminal building shown at top, center in the site plan. In the first stage of the new program, one of the terminal buildings (shown on the opposite page) will be built, the other to follow when increases in traffic require it. The three-level central parking area is gained via the access roadways and ramps. From here, ramps and overpasses lead to the terminal buildings. Each of the terminal buildings will have complete facilities for passenger, baggage, and aircraft handling. The terminal buildings are essentially two level structures. Each will contain areas and facilities on the second floor for enplaning passenger check-in, ticketing, and related functions including boarding of aircraft. On the ground level, provisions are made for deplaning passengers, baggage claim and related operations. Movable bridges will be used for aircraft loading and unloading. These will operate from the fingers







## TERMINAL BUILDING, LOVE FIELD AIRPORT, DALLAS, TEXAS

After considerable study, the architects for the Dallas airport terminal decided to use a one-story scheme. This is somewhat out-of-the-ordinary for a large terminal today. The Dallas airport is large by any standards. It had to be designed for the needs of over 6,000,000 passengers and visitors a year. In passengers, air mail, and cargo carried each year, it is the largest in the Southwest, about eighth in size in the country. Because of this great volume, the problems of passenger movement through the terminal and airline operational problems are acute.


In most of the larger terminals now being designed and constructed, two-level circulation systems are being used. In these systems, passenger movements may be restricted to one level, or enplaning and deplaning operations may be carried out on separate levels. The architects for the Dallas air terminal designed a one-level scheme. This eliminated the need for passenger movement up and down on escalators or stairs. To provide for free vehicular travel on the ramp without crossing of such traffic with passenger circulation, each finger is ramped up on an easy incline and then down toward its far end. The ground level was graded slightly down at the point where the finger is highest. Thus, enough grade separation was produced for vehicles to pass under the fingers. In order to allow passengers to move freely across the elevated section of the fingers, two-way moving sidewalks were installed at these points. Baggage problems have been solved at Dallas by providing enplaning passengers with entrances directly connected with individual airline ticket offices and by placing the baggage claim area on the opposite side of the building. In this way, passengers get rid of their luggage immediately after entering the terminal and reclaim it just before departing.

Broad and Nelson and Jack Corgan, Associated Architects & Engineers; Zumwalt Vinther, Mechanical and Electrical Engineers; T. C. Bateson Construction Co., Contractor



Squire Haskins photos

The general layout of the Dallas airport is based on the principle that the best place for the terminal building is mid-field, between the runways. This reduces the distances aircraft must taxi on take-offs and landings and therefore speeds up operations. The necessity for aircraft to cross one runway to reach another was eliminated. The passenger terminal is essentially a one-story building with a mezzanine, and one story fingers and departure lounges. Additional stories placed over portions of the building contain operational and office areas. Mail and cargo operations are carried on in a separate building. Parking for 1750 automobiles is provided in front of the main building. This area is convenient and easily accessible from the passenger and public sections of the terminal. The control tower is located over the main concourse of the building. Above the ceiling of the lobby is an attic with catwalks for use of maintanance men. Thus, light fixtures, air conditioning distribution systems, electrical and communication systems may be repaired without disturbing operations or annoying the public



ARCHITECTURAL RECORD September 1960

Dallas Enplaning passengers may enter the terminal from ground transportation directly in front of the airline ticketing areas. Their baggage is checked here and moved to aircraft via conveyors and carts. The passengers then pass through the main concourse to the various fingers, cross the grade-separated portions of the fingers on moving sidewalks, and enter the passenger loading piers. Deplaning passengers follow this route in reverse through the main concourse, into the baggage claim area. Baggage reaches this point via carts and conveyors. After claiming their luggage, passengers may board ground transportation directly in front of baggage claim or proceed immediately to the public parking lot PASSENGER BRIDGE UNDER



Lens-Art


# TERMINAL BUILDING, DETROIT METROPOLITANWAYNE COUNTY AIRPORT, ROMULUS, MICHIGAN

This airport terminal building is a simple and straightforward solution to the operational and passenger problems of present-day airports. The design of the terminal is based on C.A.A. projections of a peak-hour load of 775 passengers for the present first-stage building. The facilities were designed for expansion to allow for an expected increase in peak-hour volume to 1550 passengers in 1968.

The first stage, now complete, consists of a three-story building, with a mezzanine between the second and third floors, and a partial basement. The mezzanine contains a dining room, observation areas, a large lounge, and a club room. The basement area is used for employe facilities, storage, and mechanical equipment rooms. Expansion will be accomplished by adding a third floor and extending the present building to the north. Eventually, the size of the building will be increased to almost double that of the present area.

The concept of the terminal and its auxiliary buildings involves the separation of passenger and operational functions from those of freight handling. Separate buildings are provided for cargo and air freight. The main terminal contains spaces for all other required functions. The third floor contains general administrative offices and a hotel with 36 rooms. Parking for passengers is provided for in front of the terminal between the driveways; employes park in a separate area north of the building. Passenger circulation is on two levels within the terminal; enplaning passenger functions are located on the second level, those for deplaning passengers on the ground floor. Fingers are single-level with departure lounges located on approximately 150-ft centers. Passenger areas are spacious and there is little cross-circulation.

Giffels and Rossetti, Architects-Engineers; Landrum & Brown, Airport Consultants; O. W. Burke Company, Contractor





Lens-Art photos






Above: view of the ground side of the terminal building, from the auto ramp at the second level. Shown are the pedestrian entry bridge and the ground level truck entrance. Left: two views of a departure lounge, showing its relation to the concourse and the seating arrangements. Below: master plan of the airport terminal and its auxiliary elements





### **Detroit-Wayne County**

As indicated in the plans, the passenger areas of the terminal building are located on the first and second levels. In addition, a lounge, dining room, and other auxiliary spaces are included on the mezzanine. Enplaning passengers reach the building in automobiles or other ground transportation via the auto ramp on the second level. Entry from the ramp is by a bridge across the first level roadway. Ticket counters are located directly in front of and to the left of the entrance doors. It seems appropriate that in this airport for the motor city, the first thing the passengers see upon entering are two automobile displays which flank the entrance. Concessions are removed from the direct line of passenger traffic, but are conveniently located. Passengers may move from ticketing directly to the moving stairs which connect with the fingers. Deplaning passengers enter the building from the fingers, turn right and enter the passenger baggage concourse. From here it is only a short distance to the exits on this level, where ground transportation is located







Lens-Art photos





### **Detroit-Wayne County**

Left, top: two views of the baggagehandling areas. The top view shows passenger claim areas, located on the ground floor. A spacious passenger concourse is provided. Individual baggage rooms may be closed-off from this area by overhead doors when necessary. The second view shows the conveyors used for transferring baggage between floors. Typical treatment of a private office and a portion of the main floor lobby and mezzanine are shown in the other views. The building structure is reinforced concrete frame on the first floor, structural steel frame above. Exterior walls are 4-in. concrete block (faced with brick or terra cotta) and aluminum-framed glass curtain walls. All of the walls are insulated with 2-in. glass fiber batts. Interior partitions are exposed concrete block in public areas, 2-in. solid plaster in private office areas

In recent years Italian architecture has been turning away from the esthetic established by the European modern movement towards a more experimental and more specifically Italian approach.

This new phase has provoked a number of uneasy critical comments, particularly in England, where some have expressed concern over what one English writer called "a drift from functional integrity."\*

Most Italian architects, however, do not consider that recent developments represent a drift away from the basic principles of modern architecture. On the contrary, they see them as an attempt to apply these principles to Italian practice in a more responsible manner.

Recent Work of

### THE BBPR STUDIO

On the following pages the RECORD presents an analysis of the recent work of a leading Italian architectural firm, the BBPR Studio. This group, which pioneered in establishing modern architecture in Italy, has also been a leader in the developments of the last few years.

Architects Belgiojoso, Peressutti, and Rogers (the fourth partner, Balfi, was killed in the war) summarize their architectural philosophy in these words:

"We have always regarded modern architecture as admitting of all kinds of solutions in keeping with the human quotient, as it is a method for controlling the imagination, not a rule with fixed forms.

"From the masters we have learned not to imitate past styles, but in designing a new organism we strive to put it into a 'sympathetic' relationship with its surroundings, whether natural or man-made.

"We believe that to be modern means to express in a present-day and authentic idiom the whole of experience; that is, to bring the whole of the past to life in our own history.


"Our work moves confidently towards this difficult goal."

Lodovico B. di Belgiojoso

Enrico Peressutti

Ernesto N. Rogers

187









### Recent Work - BBPR Studio


### A REDESIGNED MUSEUM FOR MILAN'S CASTELLO SFORZESCO

Neither museum design nor the remodeling of historic buildings has ever had much of a place in the canon of modern architecture. They were not the type of program that was likely to appeal to the theorists of an architectural revolution. Nevertheless, such problems do exist, particularly in Italy, a country rich in both historic buildings and museums.


When the BBPR Studio undertook the remodeling of the Museum at the Castello Sforzesco in Milan, they had to apply the principles of modern architecture to a situation where there were few precedents to guide them. The sensitive manner in which they preserved the original character of the building, and the undogmatic but uncompromisingly modern approach that they brought to its design, marked a turning point in Italian architecture; and ushered in a period of experimentation in the firm's own work that still continues at the present time.








Left: Ground floor plan. Above: Second floor plan. Top: Modern glazing installed in the original window embrasures





### Sforzesco Museum

In this building we see a pioneering architectural statement of the modern philosophy of museum design, which holds that it is preferable to display a few choice objects with care, rather than fill every available space with the entire resources of the collection



Recent Work-BBPR Studio

#### THE VELASCA TOWER IN MILAN


STRUCTURAL ENGINEER: Prof. Arturo Danusso
ASSISTANT: Franco Ordanini


Model photograph of an early study for the Torre Velasca, designed for construction in steel. Compare with executed building in reinforced concrete, above












TYPICAL OFFICE FLOOR

#### Velasca Tower, Milan


From the Sforzesco Museum, the BBPR firm went on to design the Torre Velasca in Milan, and few recent buildings have puzzled the critics more.


The project began as the steel-framed structure shown in the model photograph on the preceding page. A combination office tower and apartment house, the apartment floors were allowed to project slightly, expressing the fact that, with their services, they required a greater total floor area than the office space below. When this design went out for estimates, however, it was discovered that building conditions in Milan would make it 25 per cent cheaper to erect the building in reinforced concrete. The change of material necessitated modifications in the design, but the architects determined to keep the optimum floor plan sizes and make the resulting reinforced concrete structure strongly expressive of the forces involved.

It was fully in accord with modern movement theory to make the form of the building the direct expression of its dual function and to put the necessary structure to an esthetic use. In practice, however, the European modern movement is far more of a system of established forms than many people care to admit. As the architects moved away from the protection of this system, their esthetic necessarily became experimental; and there has been considerable controversy in evaluating the success of the experiment.



TYPICAL APARTMENT FLOOR






## Recent Work—BBPR Studio APARTMENTS AND OFFICES IN TURIN

ASSOCIATE ARCHITECT: Gian Franco Fasana STRUCTURAL ENGINEER: Prof. Giulio Pizzetti

ASSISTANT: Alvaro Redaelli

One of the major problems confronting modern Italian architecture is the need to design such traditional necessities as arcades and balconies. Both are an important part of Italian living patterns and neither was incorporated in the modern architectural esthetic that came to Italy from northern Europe. This combination office building and apartment house in Turin demonstrates the BBPR Studio's answer to this problem, achieved within the framework of the structural system first developed for the Torre Velasca.



Detail of one of the balconies shown in the photograph at left. Above right: The building framed by a traditional arcade across the street. Right: Top floor balconies









Recent Work-BBPR Studio

#### APARTMENTS ON THE VIA CAPPUCCIO IN MILAN

STRUCTURAL ENGINEER:

Aldo Favini

This apartment house, an addition to a seventeenth century structure that was damaged during the war, shows how the BBPR Studio interprets the problem of bringing a modern building into harmony with an older one through careful attention to materials and scale. Notice, however, the breaks in the floor slabs where the architects have varied the ceiling heights.



hotos courtesy Casabella, Casall, Fortunati, Fotogramma, Peressu rawings courtesy Casabella

## FIVE RESORT HOUSES






Nishan Bichajian

#### 1. Hamilton & Goody, Architects

Beach house for Mr. and Mrs. L. William Spear, Gloucester, Massachusetts. William M. Read, Contractor. Frank J. Heger, Structural Engineer. Haley & Aldrich, Soil Engineers.

This trim and relatively compact beach house is designed to accommodate a small army of people. The Spears have five children who range in age from two to ten years. Two bedrooms are converted into dormitories by bunks, one room for girls, one for boys, with total space for eight children. Bunk beds are also used in a bedroom planned to house summertime student help. Living, dining and kitchen areas are all opened into one big family space with a deck. A mud room adjoins the entrance, and serves for "bath house" and laundry.

The house is supported on 12 concrete piers bearing on pads 5 ft below the surface, guarding against tides and sand. The house won the 1960 Boston Arts Festival Architectural Award in the Residential Category.







#### 2. George T. Rockrise, Architect


Lodge for George T. Rockrise, Squaw Valley, California. William B. Gilbert and Associates, Consulting Structural Engineers. Squaw Valley Construction Company, Contractor.


Comfort and economy are extremely well provided for two families (the owners and guests) in this mountain lodge in the High Sierras. The building is exactly 32 by 32 ft square, built on a 4-ft module, and has three levels for lowest cost, greatest use of view, ease of heating and privacy. The main level has general living areas, plus a suite for the children, with bunk rooms, laundry, and compartmented bath. Above this are two adult bedrooms, bath, and a den-guest area on a balcony. The basement (as yet unfinished) contains a game room, toilet, heater room and storage; access is via outside stairs, inside trap door and ladder. Basement walls are concrete block. Stud framing is surfaced with cedar boards and batts on exterior, fir plywood and cedar inside. Roof is of laminated 2 by 4's on edge.



Ernest Braun







SECOND FLOOR

#### 3. J. & G. Daverman Co., Architects

Summer home for Mr. and Mrs. Herbert G. Daverman, near Holland, Michigan

This pleasant, practical and easy-to-keep lakeside summer home was planned for an architect, his wife, and their three teen-age children. It is situated on the east coast of Lake Michigan, two miles north of the Holland channel in a rather secluded area of drifting dunes. The crest of the site is 90 ft above the shore. All rooms face the view and have direct access to outdoor board walks and a stair to the beach. Three-foot overhangs and a cluster of trees to the northwest give protection from the sun.

The structure is post and beam, on a 4-ft module. The exterior is grey-stained plywood and stone. Interiors are of dry wall construction, with the exception of the sandstone fireplace. The lower level floors are vinyl tile over concrete on grade; on the main level, floors of kitchen and dining areas are surfaced with vinyl tile, and carpet is used in living room, master bedroom and bath. Heating is by forced-air, oil-fired plant.
















#### 4. Harold I. Nesland, Architect




House for Mr. and Mrs. Gordon H. Cheney, Seattle, Washington. Kane & Ervin, Engineers. Frank Haupt, Contractor.


A sweeping view of Puget Sound and the Olympic mountains dramatize the resort atmosphere of this waterfront house. The plan is a split-level one, with portions of the house raised above the ground to provide parking areas, sheltered patios, access to the beach for boats, beach activities, and boat storage. The entry is at road grade; at the same level are rooms for crafts, workshop, furnace and storage—stairs lead down to boat storage and beach.


Living areas are at a half level above the entry, and bedrooms are up another half level. Construction is post and beam, with cedar exterior. The carport roof is hung from the house by  $\frac{3}{4}$ -in. tie rods to avoid posts in a restricted parking and turn-around area. The entrance hall is two stories high, and is separated from the adjoining patio, and the master bedroom above by a plastic screen.











#### 5. Peter Blake and Julian Neski, Architects

Reach House for Miss Evaline Ness, Surf City, New Jersey


A structure strongly recalling traditional dock construction is used for this year-round beach house. Located behind a sand dune facing the Atlantic Ocean, the entire house is suspended within a network of six piles driven directly into the sand. Main rooms, with adjoining screened porches, are on the upper level to make the most of the ocean view and the breezes. The lower level is set back to afford a covered deck all around.

Girders are hung from the piles by steel brackets; beneath the lower level, 3 by 8 braces are bolted to each side of the piles. Walls are stud frame, with 1 by 4 diagonal bracing let-in.

The colors are fairly neutral, with bright accents: the piling is black creosote finish; beams and fascia are stained charcoal grey; decking is deep brown, and siding is natural weathered grey. The doors throughout the house are painted orange and yellow ochre.







## OFFICE BUILDINGS

RECENT EXAMPLES

One Hundred California St. Building San Francisco, California

Leader Federal Building Meruphis, Tennessee

Equitable Life Building, Pittsburgh, Permsylvania

Phoenix-Rheinrohr AG Building Dusseldorf, Germany

PLANNING OFFICE BUILDINGS
FOR AUTOMATION

IBM Datacenter, Time and Life Building, New York, N. Y.

Bank of America, One South Van Nes Building, San Francisco, California

BUILDING TYPES

TUDY 286



U photos by Roger Sturtevant

## HEADQUARTERS BUILDING COLUMNS FRAMED OUTSIDE

Headquarters, Bethlehem Steel Company One Hundred 'California Street Building

LOCATION: San Francisco, California


ARCHITECTS: Welton Becket and Associates

STRUCTURAL ENGINEERS: Hayes & Little and John A. Blume & Assoc.

MECHANICAL ENGINEERS: Dudley Deane & Assoc.

CONTRACTORS: Swinerton & Walberg Co.

By locating the exterior columns outside of the walls, the architects of this office building have found a way to free the curtain wall from the hard-to-detail joints between columns and wall. For added measure, the scheme used results in office floor areas free of all columns other than those in the interior. As usually required in California earthquake areas, the building structure has been designed to withstand seismic loads. More unusual are the instruments which have been placed within to record the effect on the building of any future tremors. The two accelerometers used will keep records of accelerations, while eight displacement gages measure building displacements during earthquakes and severe windstorms.




#### One Hundred California St.

The most immediate impression of this building when seen from the outside is that resulting from the strong verticals of the free-standing columns. Since these occur on only two sides of the building, there is no real appearance of verticality on the remaining sides. This creates an interesting change of pace as one walks around the site. To add to the illusion, the white marble on the sides of the columns shows from one direction, while from the other the strong black of the granite is visible, outlined by thin lines of marble. A great amount of importance attaches to this building visually, since most of the buildings in the surrounding area are considerably lower and much older.


As may be seen in the closeups of the building entrance, the setback from the street, the plaza, the lofty ceiling height of lobby, and the low platform on which the building sits result in an undeniable feeling of majesty and refinement in the overall effect.


The curtain wall, which sheathes the building, consists of a stainless steel frame into which alternating bands of black granite, gray granite, and gray-tinted glare reducing glass have been inserted.






The details on this page show the handling of the curtain wall in this building. Exterior columns are free-standing, allowing space for the walls to pass behind them. At each floor, the columns are tied back into the main structure with steel box girders, fireproofed with concrete. Wall panels are stainless steel and two shades of granite













ARCHITECTURAL RECORD September 1960

207



#### One Hundred California St.

The black granite and white marble of the exterior are also used for the interior lobby column covers. A second island similar to that shown at the left, is placed at the opposite end of the main lobby.

The two views at the bottom show the entrance lobby of the auditorium and the interior of the auditorium itself. This is used for company meetings, schools, and the like. The abstract mural is a needlepoint tapestry depicting important aspects of life in the Western states. Materials used in these spaces are beige carpeting and vinyl-covered walls and ceilings, natural walnut on the walls flanking the stage, a beige stage curtain, and crimson vinyl upholstery.


A walled garden court, located on the second floor is landscaped with trees, grass, rocks, and a fountain. The company library and executive dining rooms (opposite page) are located adjacent to the garden, as is the employe cafeteria. The dining areas have been simply handled, with subdued colors and materials, restrained furnishings. These areas are pleasant and inducive to quietude. Colors in the library are a bit more daring and perhaps somewhat out of character for this sort of space.






#### SECOND FLOOR

- 1. Library
- 2. Exec. Dining
- 3. Cafeteria
- 4. Serving Area
- 5. Kitchen
- 6. Office Area
- 7. Upper Lobby
- 8. Upper Auditorium





#### GROUND FLOOR

- 1. Main Lobby
- 2. Receptionist
- 3. Office Areas
- 4. Auditorium 5. Mail Room
- 6. Loading Dock
- 7. Receiving & Storage
- 8. Platform





#### One Hundred California St.


Working interior spaces of the building are handled in a straightforward, efficient manner. Most corridors are similar to that shown at right, top. Most have square recessed fixtures in the corridor proper and circular at the elevators. Some corridors are furnished with movable partitions, as shown. Nearly all of the office partitions are movable.

The office tower floors are much alike. A typical floor plan is shown. The module is 5 ft by 4 ft 6 in. Offices for district or department managers (below, right) are placed, for the most part, in the corners of the building. These usually have adjoining space for members of the manager's department. Semi-private offices are partitioned, as shown below, left, with movable walls of glass.

The structure of this building is fireproofed steel frame, with a lightweight concrete floor fill over steel decking. The frame was designed to resist wind loads, without resorting to lateral walls. All frame joints were designed with full continuity, using shop-driven rivets, shop welding, or high-strength bolts as needed. Steel box girders frame the free-standing columns into the building structure proper.














## SMALL OFFICE BUILDING FOR A DOWNTOWN BANK

Leader Federal Building

LOCATION: Memphis, Tennessee


ARCHITECT: Office of Walk C. Jones, Jr.

DRAWINGS: Francis Mah

STRUCTURAL ENGINEERS: Merrill and Mann

MECHANICAL AND ELECTRICAL ENGINEERS: Allen and Hoshall

CONTRACTOR: Dougherty-Liddell Construction Co.








Perspective of main banking area

212



#### Leader Federal Bank

Here is a small office building for a downtown site that preserves an appropriate scale and does not look like a fragment of a Manhattan skyscraper. Its success on this score is particularly significant because the project began as the far larger building shown in the preliminary study at right. The program was subsequently modified to comprise five stories instead of ten, and the design recast to conform to the new size.

In the original project the treatment of the office floors was based upon a strongly expressed system of modular alcoves. In the revised version these alcoves have been retained, but their prominence has been reduced and their arrangement regularized. The projecting alcoves make corresponding recesses for the windows, providing the building with a sun-control device which is an integral part of the architectural concept. (See section at left).

The structure is of welded steel with the upper floors cantilevered out 10 ft 6 in. on each side and 8 ft at the ends. The exterior walls of the upper floors are composed of 5 in. insulated pre-cast concrete panels with an exposed aggregate finish.

The accommodation consists of the ground floor banking area, a basement, and four floors of offices. Elevators, stairs and service areas are organized into a service tower which separates the bank building from an adjacent store and permits the main block to be treated virtually as a freestanding unit.




Preliminary design study for a ten story building, showing earlier arrangement of alcoves



Harold Corsini

#### PITTSBURGH OFFICE BUILDING HAS EXTERNAL SERVICE TOWER



Four Gateway Center Building

LOCATION: Pittsburgh, Pennsylvania

OWNER: Equitable Life Assurance Society

ARCHITECTS: Harrison and Abramovitz

ASSOCIATE ARCHITECTS: Schell and Deeter

STRUCTURAL ENGINEERS: Edwards and Hjorth

MECHANICAL AND ELECTRICAL ENGINEERS:

Meyer, Strong and Jones

GENERAL CONTRACTOR: George A. Fuller Co.

The latest addition to the office capacity of Pittsburgh's Golden Triangle development is this building at number Four Gateway Center, which provides 400,000 sq ft of rentable area at a cost of \$16,000,000.


A 22-story, free-standing tower

A 22-story, free-standing tower clad in glass and stainless steel, the building occupies a corner site and adjoins a landscaped plaza that forms the roof of a 750-car underground garage. (See site plan). A separate tower of irregular shape, containing elevators and most of the mechanical equipment and services, is joined to the building on the Stanwix St. side, so that the office space itself is virtually uninterrupted.


The windows are of green-tinted, heat-absorbing glass, and the spandrels are of charcoal gray structural glass units with a green tint. Mullions and muntins are of stainless steel. The mullions, of a specially designed section, project to give the facade a strong vertical emphasis.


The service tower is brought into harmony with the curtain walls of the main building by means of its stainless steel cladding. This cladding is made up of two sizes of faceted panels with a natural finish, alternated with narrow stainless steel strips of a charcoal gray finish. (See detail next page.) The result again is a strong vertical emphasis. In this way the external service tower is related to the main block, and becomes far less of a contrasting element than it would have appeared in a different material.












Cladding of the service tower is of faceted 16 gage stainless steel panels with a number 4 finish, alternating with charcoal gray 18 gage stainless steel strips which clip over the joints. The mullions are also of 16 gage stainless steel. Spandrels are of charcoal gray structural glass which has been given a green tint to match the daytime appearance of the heat-absorbing glass windows





#### GERMAN OFFICES WITH A VIEW

Offices for Phoenix-Rheinrohr AG

LOCATION: Dusseldorf, German Federal Republic


ARCHITECTS: Dr. Helmut Hentrich and Hubert Petschnigg

ASSOCIATES: Fritz Eller, Erich Moser and Robert Walter


This new administration building for Phoenix-Rheinrohr AG takes advantage of a commanding situation overlooking a park to provide an unusual amount of light and view for its office accommodation. No part of the office space is more than about 23 ft from the windows; and the floor plan is the result of the interaction of this requirement with the exigencies of the site and the disciplines of modular design. The outcome is a building of considerable subtlety, clearly articulated into three separate blocks, but bound together by its proportional relationships. In some ways this building is very American, with its stainless steel, glass and aluminum curtain walling, its total air conditioning, and its external window-washing devices. At the same time, its highly intellectualized organization gives it a purely European

The accommodation includes seventeen general office floors and two executive floors, with a large restaurant and kitchen on the 20th and 21st stories. The three top-most floors of the central block house the mechanical equipment, and there is an underground parking garage for 280 cars.














#### German Offices

At far left: The building seen from across the neighboring park. Interior photos show the way in which various types of accommodation all have ample natural light. Plans repay study, spaces are equally, but not symmetrically, disposed about both axes



Opposite page: Ground floor and site plan. The entrance and exit ramps for the underground parking are at far left

# Planning Office Buildings For Automation

One of the more startling developments in the increasingly complex world of the architect is the growing use of electronic data processing machines for the automation of business functions formerly performed by people. The main thing these machines have to recommend them is that they are able to perform such tedious, boring tasks as inventory control, payroll accounting, and myriads of similar jobs, with great speed and extreme accuracy. However, EDP systems make some demands, too. They are finicky in the extreme as to the environment they require in which to perform. They are heavy and space-consuming.

Some principles architects and engineers need to know in designing office buildings for these systems are contained in the pages following.

Many architects and engineers who design office buildings will no doubt inevitably be engaged by a client who expects to have a computer, or more correctly Electronic Data Processing (EDP), system installed in his building. While the needs for particular systems will ordinarily be highly individualized and complex, some general principles concerning the architectural and engineering aspects involved in planning a building for these machines can be set down. In this way, one who is faced with the design of a building which will house an EDP system may provide himself with some of the background he will need for the more detailed considerations he will be faced with later.

The use of computers for scientific or engineering calculations is well known. The use of EDP systems for the automation of ordinary business operations such as inventory controls, bank operations, clerical functions, and the like is newer and perhaps not so familiar. Yet, business installations outnumber scientific or calculating computers by more than two to one. All predictions point toward rapid growth in the use of EDP in offices and the application of the principles to ever-widening fields.

EDP systems are highly demanding of the architect and his consultants. The machines refuse to function under conditions of high humidity and high or low temperature which employes might put up with. The installations are heavy and place concentrated loads on building floors. Large areas are required for the placement of many of the systems, and for the maintenance and servicing of the machines. Electric power with low variations in voltage and frequency must be furnished to the systems. Many of the systems require a raised or double floor to accommodate the large number of cables interconnecting the machines. Because of the nature of the problems involved in the design of office building spaces for EDP installations, an examination of some of their more important aspects should be of value.

The architect working on an office building which will contain an EDP system will naturally turn to the companies that produce them and to consultants who specialize in the field for detailed answers to the specific design problems. However, an examination of some of the more general and important aspects of planning should give him some background for later and more detailed study.

#### What is an


#### **Electronic Data Processing System?**

The National Office Management Association defines a computer as "a device capable of accepting information, applying prescribed processes to the information, and supplying the results of these processes . . . from internally-stored instructions, as opposed to calculators on which the sequences are impressed manually from tape, or from cards."


This is to say that computers are devices which may receive their original instructions from tape or cards, but which also store required information within themselves. Of late, the experts in the field have tended to use the word "computer" to specifically describe devices which perform problem-solving calculations but to employ "Electronic Data Processing System" (EDP) or more simply, Data Processor, to describe the general type of the devices.

The material in this article was developed from data supplied by the Data Processing Division, International Business Machines Corporation, White Plains, N. Y., and Air Research Associates, New York, N. Y.






SCHEMATIC LAYOUT: TAPE/DISK STORAGE EDP



SCHEMATIC LAYOUT: TAPE EDP SYSTEM



SCHEMATIC LAYOUT: CARD EDP SYSTEM

These schematic floor plans give some indication of the units which might be used to make up three different Electronic Data Processing systems, all based on the IBM 7070 series of machines. In practice, numerous variations of the above are possible for different purposes and problems. The plans shown are not intended to be typical, but only as examples of some of the principles involved

#### How Does EDP Work?

In the simplest terms, an EDP system is composed of four major parts: Input, Storage (Memory), Processing, and Output. In practice, the input will ordinarily be in the form of instructions sent to the machine by a person operating a keyboard, from punch cards, or from punched paper tape. The newer and more sophisticated high-speed systems often employ magnetic tape inputs. The storage or memory units are all magnetic devices. They include drums, disks, tape, and a system of magnetic cores. Most EDP systems have employed vacuum tubes in their processing units, but newer machines utilize transistors almost exclusively. The term "solid state machines" comes from the basic characteristics of transistors. Output components are similar to the input devices. Results may be fed to keyboards, punch cards, punched paper tape, or magnetic tape. In addition, it is possible to feed the output information to high speed printers.

#### Schedules and Timing

It is imperative that planning for an EDP installation should begin very early. Programming of the operations the machines are to perform often takes a year or more, before the actual components of the system can be selected. A year or more will usually be required between the time the system layout is approved and delivery of the equipment. Architectural and engineering considerations concerned with the building itself require a certain amount of time. The total number of months needed from the time of the decision to install an EDP system will, of course, vary with the individual problems. But, in all cases, the complete process will be spread over quite a long period. It is imperative that adequate time be allowed.

#### General Requirements

The first consideration in the planning of an EDP system is the provision of adequate space of the particular kind required. Proper and adequate power must be provided. Air conditioning requirements must be determined (often six times as much as for a normal office will be needed). Space must be provided for housing the air conditioning equipment. Ceilings must be high enough to allow machine installations and, more often than not, a hung ceiling and raised floor will be necessary. The floors must be designed for the high loads to be placed upon them.

Work flow to other areas is highly important in order to obtain the utmost efficiency. Flexibility and expansion problems are acute, since EDP has a way of outmoding itself very quickly. Also, experience shows that many companies begin with systems performing limited functions but soon discover other operations that lend themselves to automation.

#### Space Planning

The areas required for EDP installations vary considerably. For example, one of IBM's more limited capacity systems, the RAMAC 305 requires about 370 sq ft, while the same company's big 705 III system may take up 3,500 sq ft. Actual space requirements for a given in-

stallation can be finally determined only by a layout of the work flow and of the machines themselves. In addition to the space for the system proper, auxiliary areas are needed for air conditioning equipment, testing, storage, and the like. Space is often required for printer form stands, card files, work tables, desks. Storage must usually be provided for permanent master document files, EDP cards (or in newer machines, magnetic tapes). These areas should be carefully located to minimize unnecessary travel time. A bulk storage room is usually required for the storage of spare filters, transformers, and other large parts.

#### Floor Strength and Construction

The units which compose an EDP system are heavy. Point loads on the floor may often run as high as 1,000 pounds. Even when the loads can be distributed, it is usually necessary to design the floors for 150 psf loadings, or more. As EDP installations become more common, it may be feasible to construct some buildings with all of their floors stressed for the loads of these systems. In most cases, it probably will not be economical to do so. In any case, EDP system locations will require close study and selection, followed by design for the loadings to be encountered.

Currently, the preferred method of solving the load distribution problem is by the provision of a secondary floor raised over the building floor slab. An installation of this type may have other important advantages: interconnecting power cables and receptacles may be concealed, yet remain easily accessible, the space between the floors may be utilized for housing air conditioning ducts or plenums, future changes in the layout may be effected with a minimum of lost time and expense, machines may be added easily.

While a secondary floor with raceways may be employed, a free access type, allowing complete directional freedom, is preferred. This type of floor is composed of square or rectangular panels, supported at their edges on a structural grid, and raised to the required height on pedestals of metal or other material.

#### Air Conditioning

Electronic Data Processing Systems require very close control of air temperature, humidity, and dust. If any of these is not held within certain prescribed limits, the machines cannot perform. Thus, the provision of adequate air conditioning is necessary. If the cooling of an office space fails, its occupants might continue to do their work, but EDP cannot. Because of this, the recommended, and usual, solution is the provision of a separate air conditioning system serving the EDP system alone. This system will be required to operate on the cooling cycle all year round.

In many cases, the preferred location for the EDP air conditioning system is in a room adjacent to the Data Processing machines themselves. However, if lines must be run to a cooling tower many stories away on the roof, this may prove too costly. In some cases, the tower might be located on a ledge or setback roof. Those who have had considerable experience in the design of EDP installations recommend installation of as much standby equipment as possible. Since EDP rental or purchase

costs are so high, any time when the system is inoperative can be financially disastrous. It will often prove more feasible to minimize shutdowns through the use of standby equipment than to risk costly delays.

There is considerable variation in the air conditioning requirements of various EDP systems. For example, the IBM Ramac 305 dissipates heat approximately equivalent to five tons of air conditioning while the same company's 705 III system heat dissipation equals about 33 tons. The new IBM 7070 requires about 11 tons of air conditioning. When this machine is in operation, the temperature must be maintained in the 65 to 90 degree F. range, and the humidity betwen 20 and 80 per cent. When inoperative, power off, the limits are 50 to 110 degrees F. and 0 to 80 per cent RH. High efficiency filters are required for use with these machines. If a mechanical filter is used, it must be rated at a minimum of 20 per cent efficiency by the Bureau of Standards discoloration test using atmospheric dust. Electrostatic plate type filters must be rated at 85-90 per cent efficiency by the same test. Special filtration will be necessary if the installation is exposed to corrosive gases, salt air, or unusually severe dust conditions.

Companies producing EDP systems recommend the installation of temperature and humidity recording instruments. Through the use of the records provided by these instruments, it will be easier to insure that the air conditioning system is operating continuously with the required efficiency. In this way, correct functioning of the Electronic Data Processing System itself may be more nearly assured.

#### **Acoustical Treatment**


Many of the units in an EDP system produce considerable noise. The worst offenders are such components as the card machines, printers, and blowers. For the comfort of the system operators, acoustical treatment of the area is desirable. The acoustical problems in an area containing an EDP installation are similar to those in other moderately noisy office building areas and may be solved by the usual methods. However, attention should be paid to the vibrations set up by the machines. Floor and wall construction should be capable of retarding the transmission of the vibrations of the machines to other areas of the building.

#### Illumination


A minimum average general illumination of 40 ft-candle measured 30 in. above the floor is recommended by systems manufacturers for all machine areas. Low levels of illumination are required for easy observation of various console and signal lights. Therefore, direct sunlight should be avoided. In larger installations, general lighting should be zoned, so that portions of the lighting may be turned on or off as required.

#### Vibration

An EDP installation ordinarily cannot be made in an area that is subject to large amounts of vibration. In general, the machines can withstand a sustained vibration up to 0.25G (G=gravitational acceleration). Intermittent vibrations somewhat greater than this can be withstood, if







In cases where a double floor system is used for an EDP system, the wiring for individual units is brought up from the chase through an opening formed by removing one or more floor panels (top view). The middle view (a unit with its wiring installed) shows how an additional panel may be removed for servicing or maintenance, while the bottom view shows machines in place, one ready for internal servicing

their frequency is less than 25 cycles per second. In more extreme cases, steps for overcoming the problems may be recommended by the manufacturers.

#### **Electrical Power**

Data Processing systems place heavy loads on the electrical system of an office building. The system requirements for circuit flexibility, the need for power source dependability, and safety requirements further complicate electrical design. Exact specifications vary considerably for various installations. However, a look at the requirements for one system, the IBM 7070 might serve as an indication of the general needs. The 7070 system operates on a 208 or 230 volt, 3 phase, 60 cycle supply, and requires approximately 37 KVA. The source voltage may have a total variation of  $\pm$  10 per cent of the rated voltage including transient and steady state. Frequency must be within  $\pm \frac{1}{2}$  cycle. Both 60 cycle and 400 cycle power are distributed within the system, the 400 cycle being produced by a convertor contained in the EDP installation. Line to line voltage and frequency tolerances within the system are the same as the power source tolerances. Separate feeders from the main distribution panel of the building are most often used. However, if the building power cannot be maintained within the tolerances, a separate transformer or motor alternator may be necessary. If a transformer is used, it should be fed from the highest primary source available. The Data Processing system feeder should feed no loads other than those of the system. The distribution panel for the processing system should be located in the EDP area. Ordinarily, all units of the system are designed for cable entry from the floor or from under the floor beneath each machine.

#### Lightning Protection

Manufacturers recommend that lightning protection be installed for the secondary power sources of the systems in cases where the utility company provides lightning protectors on the primary, where primary power is supplied by an overhead power service, or where the area is subject to electrical storms or other power surges.

#### Tape Storage

The use of magnetic tape for feeding and receiving information from EDP systems is rapidly becoming more commonplace. Tape must be protected from dust, and from extremes of humidity and temperature. Under the usual conditions of frequent use, acetate base tapes should be stored at a temperature of 65-90 degrees F., 40-60 per cent relative humidity. If exposed to temperatures outside this range (from 40 to 120 degrees F.) for more than four hours, tape should be hermetically scaled in dust proof containers, and subsequently reconditioned in the atmosphere of use for a length of time equal to the time spent outside the use atmosphere. Other tapes (polyester base, and the like) can withstand temperatures of 40-120 degrees F. and 0-80 per cent RH.

When not in use, tapes should be stored in dust proof containers in a vertical position. Tapes must not be placed in contact with magnetic materials or subjected to magnetic fields of greater than 50 oersteds intensity.





Richard H. Althoff

IBM Datacenter

LOCATION:

Time and Life Building, New York

ARCHITECTS:

Harrison & Abramovitz & Harris

STRUCTURAL ENGINEERS:

Edwards & Hjorth

MECHANICAL ENGINEERS:


Syska & Hennessy, Inc.

DATACENTER ENGINEERING AND INTERIOR DESIGN:

Air Research Associates

CONTRACTORS:

George A. Fuller Company and John Lowry, Inc.



#### DATA PROCESSING MADE AVAILABLE TO ALL

The Datacenter, shown on these pages and in the closeups on page 223, is one of a number IBM has established in various parts of the country. Their purpose is to make Data Processing available to businesses needing these services, but which do not require complete installations of their own.

The Center was designed to perform almost any process its customers might require, within the limitations of the systems installed. As newer systems are developed or users come up with newer problems, the Center may easily be converted to meet the changing demands.

The entire machine area of the Center has a raised floor, composed of 18-in. by 18-in. cast aluminum panels supported at the corners on pedestals and brackets. The floor panels are covered with ½-in. vinyl tile. For the most part, movable partitions are used within the EDP area. These are set on top of the raised floor and attached to the ceiling. All have dense mineral fiber cores, for sound absorption. The air conditioning system is separate from that of the rest of the building. Cool air is introduced under the raised floor, and enters the rooms through perimeter floor diffusers. Return is accomplished through the hung ceiling, without ducts.







Roger Sturtevant

#### SERVICE CENTER FOR THE WORLD'S LARGEST BANK

Bank of America,

One South Van Ness Avenue Building

LOCATION: San Francisco, Calif.

ARCHITECTS: Wurster, Bernardi & Emmons

PROJECT ARCHITECTS: Don Stover

and George Kennaday

STRUCTURAL ENGINEERS:


L. H. and B. L. Nishkian

MECHANICAL ENGINEERS: Gayner Engineers

BUILDERS: Swinerton & Walberg

PROJECT COORDINATION:

Continental Service Company



(C)

#### PLANNING FOR MODERN BANKING PROCEDURES

by Donn Emmons\*

The Bank of America's new building at One South Van, Ness Avenue, San Francisco, now nearing completion, was designed for two kinds of banking procedures. One is the normal method, using familiar office machines such as tabulators, comptometers, typewriters and so forth, operated directly by persons; the other, although gradually becoming normal for certain functions in banking, is still revolutionary enough in its use of electronic processing machines to involve some unfamiliar planning requirements.

There is an unavoidable paradox in designing such a building. Although the over-all building program was real and tangible, the detailed building program in regard to certain areas had to be based on unknowns. The operations of some departments, for instance, are now handled on ordinary office equipment; but there is no doubt in any one's mind that electronic equipment will eventually be developed which will be applicable to many of these operations. But what size, shape, weight and mechanical demands these machines of the future will have is presently unknown and unpredictable. Space needs for such departments, and to some extent their structural and mechanical needs, are therefore difficult if not sometimes impossible to define exactly.

#### Flexibility is Essential

In a program such as this, one factor was inevitably predominant: the need for providing areas which could be used with complete flexibility. This meant not only large, relatively open spaces and services of all kinds, but provision for easy addition of other services or adaptation of services to new needs. Developments in the field of electronics are so continuous and so rapid that provision for future possible equipment has to be basic to the architectural solution. It is realistic to expect that progress in the design of electronic equipment could obviate many of the services now essential to its operation.

One aspect of the building program for One South Van Ness was always certain: large floor areas would be needed. The site at Market and South Van Ness Streets met this requirement and provided an imposing location for the building as well. The importance of large floor areas in a building such as this cannot be over-emphasized, especially in connection with the departments in which electronic machines are used. Expansion of such departments is efficient and economic only if it can be done horizontally. Thus an ERMA (electronic recording machine accounting) system, with a capacity for handling a quarter of a million accounts, can grow machine by machine as the need arises, each new machine being placed in line with its predecessors. The ERMA installation at One South Van Ness, like the other electronic departments there, has plenty of room-60,000 sq ftin which to grow.

In this building-eight stories high for the time being, but designed to take an additional five floors-three floors have been specifically designed for electronic ma-

BAS'M'T A. Secondary Riser Shaft E. E.R.M.A. (Electronic Recording Machine Account-B. Primary Riser Shaft Primary Air Supply & Exing) F. Electronic Data Processing D. Three Infinite-Access Floors The section above shows the location of the air condition-


8th

6th

5th 4th


3rd

ing for the data processing area. The third, fourth, and fifth floors of the building are depressed 12 in. to form a space for wiring and air conditioning ducts for the EDP areas. Air conditioning equipment is located on the sixth



SUPPLY DUCTS SUPPLY DUCTS

The double floor construction and hung ceilings used are shown in this detail. Air conditioning ducts supplying the EDP machines are contained in the space above the hung ceilings. Cool air is supplied directly into the top of each machine from this space, return air carried off within the floor space



The cycle of air conditioning for the data processing machines is shown in the diagram. Cool air is supplied to each floor through the central riser shaft, enters through the top of the data processing machines and is exhausted into the floor space from the bottom of each into the infinite-access floor space

227

<sup>\*</sup>Partner-in-charge, Wurster, Bernardi and Emmons, Architects

chines such as ERMAs and Data Processors. These are the third, fourth and fifth floors. The other five floors are of conventional design and will be used for typical banking administrative functions. The three special floors also include some typical administrative functions; these have been located on the building's perimeter to take advantage of the floor-to-ceiling windows. On these floors the departments which consist largely of machines are located in the interior areas.

This simple and direct solution confined the quite considerable amount of special services—electrical loads amount to as much as 600 kw per floor—needed for the machines within one area on each floor, freeing the remaining areas for other functions.

#### Double Floor Construction

The building is of reinforced concrete frame construction, with typical connections for the slab floors at exterior walls. But on the third, fourth and fifth floors, at varying distances (typically, nine feet) from the exterior walls, there is a large depressed area 12 in. deep, which forms a plenum for the mechanical services needed for the electronic machines. Cables for electric wiring, air exhaust lines from the machines and other services run in this space.

Floor panels over this area are supported on steel pedestals set on the concrete slab at intervals of 2 ft and 2 ft 6 in. This finished floor is set level with the slab at the outside wall (the pedestals are adjustable) and with the curbing around columns. All floor panels in this "infinite access" area are, of course, removable for access to wires and ducts. The machines rest directly on the finished floor; their weight is transmitted via the pedestals to the slab below which is designed, as are all slabs through the seventh floor, for a 250 psf live load. The eighth floor, and the five future floors above it, conform to the San Francisco code requirement of 150 psf.

#### Air Supply to Computers

Since electronic machines are very much more sensitive to temperature and humidity than are human beings, tolerating only a three-degree range, atmospheric control is of extreme importance on the floors where the machines are located. This is effected by providing special air handling units (fans, filters, exchange coils) for the third and fifth floors (located on the third and sixth floors) for more exact temperature and humidity control and for further filtering of the air that goes directly to the machines. Lines for this supply run above the hung ceiling; exhaust lines take off from the under side of the machines and run in the plenum formed by the double floor. Thermostats in each machine area control conditions; mixing of hot and cold air to meet requirements is done at the distribution point for each area.

This special equipment is, of course, in addition to the central air conditioning system located on the sixth floor, in the physical center of the building. (Basement, ground and mezzanine floors are serviced from a separate system in the basement; another mechanical floor will be added later when the upper five floors are added.) The critical air conditioning needs of the machines required that the air conditioning equipment be located as close as possible to the machines; the sixth floor location was an economical as well as a practical solution to this requirement. Cooled air is sent into a centrally located

#### One South Van Ness Building





toulin Studios

The illustrations show the installation of the raised floor in the data processing areas of the building. At the top may be seen the adjustable-height steel pedestals which will carry the metal lateral and longitudinal support members. In the other view, the support members have been placed and the floor panels are being laid

shaft from which it is fed at each floor into the ducts that run in the space above the ceiling. The return cycle from the seventh and eighth floors is separate from that of the floors below.

The hung ceiling stops short of the exterior walls and forms a cove which provides for the air returns. These run to the riser shafts and thence to the sixth floor mechanical room. On the sixth floor louvers on all three sides of the building supply from an exhaust to the outside.

#### **Architectural Implications**

All in all, the architectural implications of electronic machine installations, as we have experienced them in designing the One South Van Ness Building, might be summed up in the fact that although the large floor areas which these machines require may necessarily be unusual in detail, the building as a whole is really a conventional envelope in which to contain them. Flexibility as a controlling principle of design, is not new in either commercial or industrial buildings; essential as it is here, its demands are familiar ones. What is unfamiliar is, again, the detail; in particular here, the detail of the specific machine's requirements which are largely mechanical and electrical.

### Architectural Engineering

#### Building Components a New Department

A not-so-quiet revolution is taking place in materials and equipment for building. Even when life was simpler, keeping abreast of new developments was no easy chore. But now, with pressures to further mechanize assembly of buildings, to control the indoor environment, to provide for more flexibility in interiors, to reduce maintenance and to cut costs, this problem has become serious indeed. Such matters have always been a concern of the AE section, but to serve better this area of interest, Architectural Record is adding a new department: Buildding COMPONENTS: Application and Specification of Materials and Equipment. Each month it will feature a technical article by a specialist in the field involved plus the comprehensive reporting available in our regular Product Reports and Office Literature sections. Leading off the new department in this issue is "Aluminum Finishes" by J. H. Goodyear, which covers in detail the various methods for achieving texture, color and gloss, together with the characteristics and architectural applications of available alloys.

### The Meaning of Materials

Frank Lloyd Wright wrote a series of articles on "The Meaning of Materials" for ARCHITECTURAL RECORD in 1928 in which he said, "To know intimately the nature of materials is essential to knowing how to use the tools available, to make use of those materials sensibly or artfully." Today the scientist can manipulate molecules to produce materials of wierd and wonderful characteristics to endure the rigors of outer space. So knowing materials, and first of all the needs, is not only a problem but an opportunity for architects and engineers. The pace is now so rapid that the architect may yet have that ideal building material (dubbed "gleepsite" by architectural students) which will withstand all weather, be a perfect thermal and sound barrier, and span miles in a micro-thin sheet.

#### Plastics and Fire Safety

Present building codes would permit more plastics to be used than are going into buildings, according to a study on fire safety aspects of plastics just completed by the Southwest Research Institute. Some of the conclusions of the study, which was made for the Manufacturing Chemists Association, Inc. are: 1) many building officials lack an understanding of the nature of plastics, and, conversely many people in the plastics industry are unfamiliar with pertinent elements of codes and code administration; 2) many of the fire safety standards in codes are based on arbitrary definitions of fire hazards; 3) the noncombustibility and fire-resistance requirements are major factors limiting use.

### Sound and Seating

Anthropologically, we are a bigger people than we were a century ago, and this, indirectly, has caused some surprises in the acoustics of recently built concert halls. The halls have been less reverberant than was predicted by classical formula. Until recently, scientists assumed that the lowering of reverberation time due to the absorption of sound by the audience was directly proportional to the number of people in it. No account was taken of how widely spaced the seats were. (Today seats are farther apart for comfort's sake, and aisles are wider for safety.) Dr. Leo Beranek of Bolt, Beranek and Newman, Inc. has shown in the June issue of The Journal of the Acoustical Society of America that reverberation time is not related to the number of people, but rather to the area that the seats and aisles occupy. As an example of what could happen, the reverberation time for the Royal Festival Hall in London turned out 33 per cent less than was anticipated, resulting in a "crisper" sound than designed for.

### This Month's AE Section

SUSPENSION STRUCTURES, p. 230.

TECHNOLOGY IN ARCHITECTURE, p. 238.

BUILDING COMPONENTS—"Aluminum Finishes" (Includes Time-Saver Standards) p. 247. PRODUCT REPORTS, p. 253. LITERATURE, p. 254.

### SUSPENSION STRUCTURES

by Seymour Howard, Architect, Associate Professor, Pratt Institute

While suspension structures date back to the rope bridge, the principle has seldom been applied to buildings. In single-story structures, where it is most applicable, the hung roof must handle uplift of wind, unbalanced loads such as snow, and, most particularly, the ravages of vibration (flutter). The nature of these forces and methods of stabilizing structures against them are discussed here. The sketches are by the author.

Of the various methods of spanning a space, suspension systems have a special appeal to the imagination because of their potential efficiency in the use of material and the long spans possible. Steel, aluminum or fiber can be used to their maximum advantage in the form of cable or rope. All the loads can be carried in direct tension; there need be no reduction in the allowable stress on account of the danger of buckling. The drawing of steel into wire form increases the proportional limit to stresses in the order of 160,000 psi, instead of 30 to 40,000 psi for structural steel, and the breaking stress to over 220,000 psi\*. What economy of material and lightness this seems to promise!

Why, then, apart from the familiar suspension bridge, are so few permanent structures of this type actually built?

The answers to this question constitute the limitations of suspension systems. New buildings will be successfully designed and constructed using tension as the principal type of stress if these limitations are understood and transcended.

#### MULTI-STORY SYSTEMS Cables for vertical supports

One of the suspension systems which crops up perennially in architectural projects is shown in Fig. 1. (As far as I know it has never been used in

a completed building.) A series of floors are supported by tension cables which are fastened to an overhead truss; a design like this by, Amincio Williams of the Argentine received considerable publicity in the late 1930's.


Paul Chelazzi's "Suspen-Arch" system for multi-story buildings is essentially the same, with the substitution of several "Suspen-Arches" at various levels instead of the single truss at the top (see Fig. 2). The principal advantage claimed for this type of construction is that the cross sectional area of vertical elements is reduced to a minimum, and that, as a result, the plan provides maximum flexibility in floor layout.

#### The Limitations are:

- 1. Although the area of the tension cables is small, the addition of necessary fireproofing around them must not be forgotten.
- 2. The spacing of vertical supports is determined by the floor framing system. Therefore the limitations on the layout of offices is essentially the same as if the floor were supported on columns. Neither a column nor a hanger is a welcome obstruction in the middle of a room.
- 3. Considering the building as a whole, vertical loads must travel a path about three times as far to get to the ground as in normal columnar design. (Any system with trusses or other main transverse supports at intermediate levels will reduce this distance somewhat.)
- 4. Wind forces must be resisted entirely by the central compression shaft. With conventional columnar



French Pavilion, Zagreb, Yugoslavia, 1935. Single layer of cables; 110-ft diameter, sag/diameter ratio, 1/11. Roof is 14-ga sheet steel hung from steel compression ring. Bernard Lafaille, Engineer



Municipal Stadium, Montevideo, Uruguay, 1957. Single layer of cables; 308-ft diameter, sag/diameter ratio, 1/11. Roof is precast slabs with prestressed grouted joints. Mondino, Viera and Miller, Architects; The Preload Co., Inc., roof consultants


framing, on the other hand, the stiffnesses of all of the columns can help resist horizontal forces.

- 5. The tendency of floors to swing horizontally can be eliminated by correct fastenings to the compression shaft. These must permit relative vertical movement, because the central shaft will shorten under loading while the cables will lengthen.
- 6. Although methods could be devised to precast the floors on the ground and then raise them by the cables to their final position, the compression shafts and trusses would have to be constructed first. This would be an extra expense as compared with conventional columnar design.

#### Cables for horizontal supports

These would essentially be adaptations of the single-story systems described below. Not much has yet been done, although Lev Zetlin has been studying some with a 200-ft

<sup>\*</sup> The Modulus of Elasticity (E) for a single wire (29 million psi) is not changed by wire-drawing, but the effective E when the wires are twisted into cable form goes down to 24 million psi for galvanized bridge strand and to 20 million psi for the more flexible galvanized bridge rope. This reduction does not occur in the main cables of suspension bridges, which are spun in place with the wires parallel.



Municipal Auditorium, Utica, N. Y., 1960. Double layer of cables; 240-ft diameter, sag-diameter ratio, 1/12. Prestressed cables hung between concrete compression ring and steel tension ring. Gehron & Seltzer, Architects; Frank Delle Cese, Associated Architect; Lev Zetlin, Structural Engineer



David S. Ingalls Hockey Rink, Yale University, 1958. Concrete spine supports steel cables which are covered by 1 5/8-in. wood planking. Concrete side walls, lyre-shaped in plan, serve as anchorages. Extra guy wires were used to stabilize the spine against unsymmetrical wind and snow loads. Eero Saarinen and Associates, Architects; Douglas Orr, Associated. Severud-Elstad-Krueger, Structural Engineers



Marie Thumas Pavilion, Brussels Fair, 1958. Steel cables, trussed steel masts, plastic roofing. Plan area 121 by 174 ft. Bottom sketch shows principal supports, guys and boundary cables. Guys are anchored at different levels because of sloping site. Baucher, Blondel, Filippone, Architects; Rene Sarger, Structural Engineer, Batellier, Assistant




clear span, using his double, prestressed cable system, described later in this article.


#### SINGLE-STORY SYSTEMS The hanging roof

If there is one general category for classifying the limitations of hanging roofs, it is MOVEMENT. Under this broad heading can be grouped most of the problems which can be foreseen.

#### Non-destructive movements

1. Changes in shape due to moving loads. One of the advantages of tension structures is the simplicity with which one can visualize the shape of the tension elements under a load. A perfectly flexible cable or string will take a different shape for every variation in loading; this is the familiar "funicular curve" or "string polygon." Two extreme cases are shown in Fig. 3. On the left is the catenary curve, formed by a cable





hanging over frictionless pulleys under the influence of its own weight; the weight of the vertical portion is exactly equal to the tension at the supports and the lower end just touches the directrix of the catenary. At right is a cable fastened at each end, and supporting a moving load; cable weight is neglected. Since the length of the cable is fixed, the moving load describes an ellipse with the end fastenings as foci.

The net or membrane in three dimensions corresponds to the cable in two, and gives the picture of a surface which resists forces only by direct tensile stresses. Anyone who has seen acrobats jumping on a circus net or trampoline can understand what is involved.

2. Changes in shape due to unsymetrical loading, such as snow, over only a portion of the roof are essentially the same as those due to moving loads. In both cases, the greater the live load/dead load ratio, the greater the movement.

Prestressing can be used with the same general effect as an increase in the dead load.

3. Changes in shape due to wind loads. On a single circular cable, a steady wind will act like a statical horizontal load, as in Fig. 4. On a roof surface it will act principally as an upward force (suction), unless the slope is over about 30°. Some means of resisting this must be provided: secondary tie-down cables curving upward (see Fig. 5), tie-down guy wires, an excess of dead weight.

The magnitude of the wind force is not the serious aspect of this prob-

lem. See below for the potentially destructive dynamic effects.

4. Temperature changes must be considered. These can be provided for by hinges which permit rotation as cable lengths change, etc., as in Fig. 6. Particular care is required with structures which are partly outdoors and partly indoors.

Potentially destructive movements VIBRATION. Flapping, rippling, fluttering and galloping.

Every mass has its own natural period of vibration with its fundamental and higher modes. The period depends on the density of the mass, on its geometrical distribution or shape and on the magnitude of the stresses set up by its own weight and other permanent forces acting on it. The most familiar example is

a stretched wire, whose musical note depends on material, length and tension (see Fig. 7).

The number of half-waves formed by the vibrating wire is always a whole number; therefore one of the clues to controlling vibration is an irregular spacing of framing members, ties and supports. In a piano, for example, the hammers strike the strings at the seventh points in order to avoid the seventh harmonic.

When an external pulsating force is applied to such a mass, like a cable, it will be set in motion. This motion can be represented by an infinite number of superimposed modes of vibration. If one of these modes coincides with the natural frequency or fundamental mode of the mass, resonance will ensue. The amplitude or deflection will be increased and the effect of the pulsating force may also be increased. This process may continue until the structure is destroyed.

#### Types of exciting forces

The general idea of resonant vibration is a familiar one. How may it take place? The possible causes of vibration include:

- 1. Wind. This is the most usual and the principal danger to suspended structures (see below).
- 2. Movement of vehicles and the operation of reciprocating and rotating machinery on the structure or on the ground nearby.
- 3. Sound. Examples: Thin glasses shattered by a musical note; teeth "set on edge"; the vibration of a church interior with the low notes of the organ; pneumatic machinery.
- 4. Friction may cause squeaks and chattering if part of structure moves due to temperature changes, racking by the wind, etc.

WIND. The flapping of simple suspended elements like a flag, a sail or a canvas awning is very familiar, but how does the wind really act to cause a rhythmic force? A few examples, taken from J. P. DenHartog's "Mechanical Vibrations" (4th Edition, 1956, McGraw-Hill) will help to clarify this:

1. Kármán vortices. If a steady wind blows against a cylinder or other obstruction, the wake is made up of a vortex street (see Fig. 9). The shedding of these vortices on the leeward side causes forces to act on the cylinder at right angles to the direction of the wind, first from one

side and then from the other. The period or frequency: f = 0.22  $\frac{V}{D}$ 

(V is velocity; D is diameter).

This is evidently the cause of the high-pitched hum heard from power lines when a strong wind blows and the cause of fatigue failure when resonance occurs. It is also the cause of vibration failures which often occur in steel industrial smokestacks with winds of about 30 mph. Springs and small shock absorber type dampers have been developed to prevent these failures.

A Kármán vortex about 39-ft long was the cause of the famous Tacoma Bridge collapse, which occurred under a steady 42-mph wind. The deck twisted about 45° from the horizontal in both directions until it broke (see Fig. 10). The deck was rebuilt, using a box section instead of the original H section, thus increasing the resistance to torsion a hundredfold. The new section was made up of open trusses on the sides and an openwork deck to prevent the formation of large eddies or significant pressure differences between the upper and lower surfaces (see Fig. 11).

2. Dynamically Unstable Shapes. The force of the wind on a prismatic shape is usually not in line with the direction of the wind. In analyzing its effect, the force is divided into two components: drag and lift, parallel and perpendicular to the direction of the wind, as shown in Fig. 12. The magnitude of these will vary with changes in the angle of attack and with the section. Thus a cylinder will have no lift, while an oblong


shape will. Some shapes are found to be unstable; this means that if the wind blows at certain angles, the lift force causes them to wobble. A rectangular section is unstable if it is held more or less across the wind as in Fig. 12, a half-cylinder even more so. This effect can be felt by dragging a flat board through water.


The dynamic stability of a given shape can be determined only by experiment. If suspension roof structures are to find more general use, experiments will have to be performed to determine the dynamic stability of various surfaces.

An example of this instability is the galloping transmission line. When a power wire becomes covered with sleet, it loses its symmetrical circular shape and becomes elongated, changing from a stable to an unstable section (see Fig. 13). The wind can now lift it, and a wire of 300-ft span rises about 10 ft, until the stretch of the wire pulls it down again. The frequency is very slow, on the order of once a minute; the wire will gallop up and down for many hours, as long as the wind blows steadily and the sleet remains on the wire. Similar action occurs with a sail turned parallel to the direction of the wind.

#### DAMPING

A structure or part of a structure which has been set in vibration by a single force will not continue to vibrate forever. Even tuning forks or piano strings will gradually stop due to air resistance and internal friction In a structure it is usually necessary





to eliminate vibration completely or to have it damped as quickly as possible.

If a damping force can be provided which acts in the opposite direction to that in which the structure is moving when vibration starts, and if that force is proportional to the velocity of the structure (the faster it moves, the greater the damping force), vibration can be prevented or greatly diminished. This is often called viscous damping because a small plunger in a dashpot filled with viscous liquid will provide this type of resisting force. This is similar to the action of the cylinder of a door closer.

A spring alone is not sufficient for viscous damping. Although it may change the period of vibration and prevent or reduce the transmission of vibration from one part of a structure to another, its resisting force does not increase proportionally to

the velocity but only proportionally to the displacement. In other words, the further down the structure is pushed on the spring, the greater the force of the spring pushing it up; but the resisting force of the spring does not increase any more or any less if the structure moves down against it quickly or slowly. Also, during its motion in one direction. the spring stores up energy which is released back into the structure as the spring moves in the opposite direction. With viscous damping on the other hand, the energy is dissipated within the "dashpot".

The diagrams of Fig. 8 show graphically the effect of damping. The abscissas measure the relationship:


 $\frac{\omega}{\omega_n}$  OR  $\frac{\text{period (freq.) of exciting force}}{\text{natural frequency of structure}}$  The period of the exciting force may be the period of the external force (such as machinery) or the period of

vibration of the self-excited force (such as the Kármán vortex street or the changing lift pattern of an airfoil surface).

The ordinates measure the relationship:

 $\frac{x_o}{x_{stat}}OR$  amplitude of vibration due to exciting force amplitude of deflection due to a statical force of same magni-

The curves plot the effect of various degrees of damping, from none to perfect. Thus, curve A, with no damping  $(c/c_{\circ}=0)$ , shows that the amplitude or deflection goes to infinity at resonance; i.e. the structure would be destroyed. For curve B, with a damping of  $\frac{1}{8}$  of critical  $(c/c_{\circ}=0.125)$ , the amplitude at resonance is four times as great as the statical deflection. For curve C,  $c/c_{\circ}=0.20$ ; curve D,  $c/c_{\circ}=0.50$ . With curve E, showing critical or perfect damping  $(c/c_{\circ}=1.0)$ , the



amplitude is always less than the statical deflection, showing that the damping has no effect if the exciting force is applied very, very slowly, but an ever increasing effect as the period of the exciting force increases.

#### EXAMPLES OF SUSPENSION STRUCTURES

Apart from the suspension bridge, there is to date no generally accepted body of "good practice". Relatively few buildings have been built. The field is new; experiments and patents are many. Pioneers include such engineers as: Fred Severud and Lev Zetlin in the U.S.; Frei Otto in Germany; Bodiansky, LeRicolais, Bernard Laffaille and René Sarger in France.

#### Principal elements

- 1. Compression. Towers, masts.
- 2. Tension. Main cables and hanger members.

- 3. Stiffening. For holding down against wind up-lift, for preventing vibration, for maintaining shape under unsymmetrical loading. May be trusses, diagonal tension stays, guy wires, secondary cables with a curvature upward (these may be prestressed) and the dead weight of the structure itself.
- 4. Anchorage. For vertical components, may be the ground (bedrock), the weight of concrete deadmen or the dead weight of part of the structure such as side walls. For horizontal components, may be bedrock, the resistance to sliding of concrete deadmen, or part of the structure such as a floor, deck or a circumferential ring.

The most promising principles for roof surfaces seem to be:

- 1. Use two families of cables, one curved downward (concave) and one curved upward (convex).
  - 2. Prestress both families of ca-

bles, so that they will always be in tension and never go slack, no matter what the loading. This will require anchorages or edge supports able to withstand forces at least three times as great as if not prestressed. Force instead of mass is being used to prevent flutter but a good deal of mass reappears in the anchorages.

If followed correctly for every part of a roof surface, these principles will ensure a "rigid" tensile membrane which can carry any vibrations in loading by corresponding variations in the tensile stresses in the surface. They may not by themselves prevent vibration, however. For this further study is required.


Some examples embodying these principles are shown in Figs. 15 through 18.

#### The Prestressed Double Dome or "Bicycle Wheel" Roof

This roof (Fig. 14) was developed by the engineer Lev Zetlin of New York for the Municipal Auditorium of Utica, N. Y., designed by Gehron and Seltzer, architects, completed this year. (See ARCHITECTURAL RE-CORD, August, 1959.)

Its main characteristics are: two sets of cables, one curved upward, one downward, both prestressed. This was done by jacking them apart and inserting the pipe spreaders. The compression ring is under a constant radial horizontal load of about 300 kips per pair of cables, which generates a compressive force of about 3500 kips in the ring. The vertical dead load is only about 8 kips per pair of cables or about 13 lb per sq ft (not including the compression ring). The prestressing enables both sets of cables to share in supporting the dead and live loads. Note how the use of intermediate spreaders enables the cables to be attached to the compression ring at relatively steep angles. The cables can thus carry greater vertical forces for a given total tension.

As vertical loads increase, the tension in the upper family of cables will diminish while that in the lower family will increase. As vertical loads decrease due to wind suction. the reverse will occur. As long as the initial prestressing force is not completely cancelled out, neither family will go slack and the horizontal pull on the compression ring will be constant.



The greatest advantage of this system is its action as a giant shock absorber. The two sets of cables are of different cross-section, carry different initial tensions and are fastened together by spreaders which are spaced unequally. No matter how the tensions in the two families of cables may vary, their frequencies and wave lengths will differ. Because they are connected by the spreaders, the upper family thus damps any vibration which might start in the lower cables and vice versa. The damping is perfect, corresponding to curve E in Fig. 8.

Although this example shows a 240 ft span, spans up to 1800 ft are possible and would give greater economy per sq ft.

Certain features such as the intermediate spreaders and the use of large prestressing forces are patented (application Serial No. 653,129, April 16, 1957).

#### Roofs of Negative Curvature

While in the double dome or bicycle wheel roof every point is tied to two systems of cables with opposing curvature, two "surfaces" are needed to accomplish this.

The negative or anticlastic surfaces offer another possibility. Their basic characteristics are shown in Figs. 15 through 18.

Fig. 15 shows a straight-edged surface, with the high points marked A and the low B. The framework necessary to support the surface is indicated in Fig. 16; the struts at A are necessary for the stability of the structure as a whole, the two points of support at B being insufficient unless they were built in as moment connections.

From the edges hang the principal cables, curved downward, which we can call family "a". Hanging under its own weight, each cable will describe a catenary curve. By them-

selves these cables would be very unstable, moving under the slightest applied load. A second set of cables is therefore added on top to stabilize them and to resist uplift forces due to the wind. These are all curved upward; call them family "b". The points of intersection of the cables all lie on a surface of negative curvature. (Only if all the "a" family cables follow the shape of identical parabolas and if all the "b" family cables follow the shape of identical parabolas would the surface be a true hyperbolic parabola.)

In order to resist the considerable bending set up in the edge beams, structures have been built with the edges curved into arch form so as to resist the pull of the cables by compression alone. Fig. 17 shows this design, which is familiar from the North Carolina State Fair Pavilion (William Dietrich, Architect; Matthew Nowicki, Consultant; SeverudElstad-Krueger, Structural Engineers), and which is also familiar from Frei Otto's work in Germany. Note that the edge arches need some vertical support from mullions to assure the stability of the entire structure. In simple hanging roofs of this kind the "b" family of cables is only moderately prestressed and flutter must be prevented by the addition of guy wires attached at critical points and coming off more or less perpendicular to the surface.

The next step is to provide so much prestress in the "b" cables, thus also prestressing the "a" cables (or vice versa), that the surface will be much more resistant to any changes in loading and will act like a rigid membrane.

How to prestress the cables is the difficulty. One solution has been patented by René Sarger and the C.E.T.A.C. (patent No. 1,156,041, Paris, 20 August 1956) and used by him for the French pavilion at the Brussels Fair and other structures. It consists in lowering the points A by pulling down on the edge beam. The inner chord of the edge beam remains in the same vertical plane but is now curved in this plane along the line BA, as shown in Fig. 18. The surface remains approximately that of a hyperbolic paraboloid, but not exactly the same one as before. The weight of the side walls plus footing anchorages at the bottom of the mullions are used to hold the edge down.

It is important to distinguish the action of the various roof shapes which follow the hyperbolic paraboloid:

1. The thin-shell surface, acting as a membrane under uniform vertical loads. Tensile forces follow the lines corresponding to the "a" family and compression forces follow the "b" family. The magnitude of these membrane forces is the same at every point and the compression and tensile forces cancel each other out at the edge. This leaves only a shearing force of the same magnitude, which the edge can support as a relatively slender column.

2. The hanging roof, not prestressed. Under uniform vertical loading no forces can be carried by the "b" family. The relatively large horizontal forces needed to support the ends of the cables of the "a" family require the edges to be designed as beams, supported at A and B. These horizontal forces will vary considerably with changes in snow and wind loads.

3. The prestressed suspension roof. In order to prestress both families of cables, at least three times as large horizontal reactive forces must be permanently provided by the edges. But, for any variation in loading on the roof due to snow or wind, the prestressed surface will now act similarly to the thin-shell roof, up to the point where the "compressive" force set up in the "b" family cancels out the initial tension.

Weights. Prestressed suspension roofs have been built in this shape and also as conoids (as at the Brussels Fair) with remarkably light dead loads, on the order of 3 lb per sq ft for cables and planking for spans of over 200 ft in both directions. However these light loads were achieved only at the cost of very heavy edge beams and vertical supports which brought the average weight up to about 40 psf.

It would appear therefore that suspension systems for roofs will be most suitable and economical when the edge anchorages do not have to be constructed for that purpose alone but can be provided by some elements of structure which are already necessary for other reasons. These might be stadium seats hanging over their bases, the lean-to shops and maintenance areas of a hanger, floors surrounding a central hall or along two ends of a hall, such as one might find in a museum (see Fig. 19).

#### REFERENCES:

Das Hangende Dach, Dr. Ing. Frei Otto, Bauwelt Verlag, Berlin 1954

Mechanical Vibrations, J. P. Den Hartog, 4th Ed., McGraw-Hill 1956

Articles by Rene Sarger in Etudes et Realisations, January 1959 and in Acier, April 1959

Communications from Lev Zetlin (see also ARCHITECTURAL RECORD, Aug. 1959)

Lectures by Lev Zetlin on "Aerodynamics of Structures" at Cornell, Columbia, New York University and Pratt


Lecture by Fred Severud at Pratt Institute. December 1958

Tables and Data from John A. Roebling's Sons Corp., Trenton 2, N. J.

A.S.C.E. Papers:


1709: "Wind Forces on Structures: Fundamental Considerations" by G. B. Woodruff and J. J. Kozak

1718: "Wind Forces on Structures: Structures Subject to Oscillation" by F. B. Farquharson



#### TECHNOLOGY IN ARCHITECTURE:

### A Contribution — and a Challenge



by Mario G. Salvadori\*

In the midst of the uproar created by the architect's current-and vocal-examination of the challenge presented by a burgeoning building technology, and his reappraisal of his own proper role in meeting that challenge, Professor Salvadori here strikes a note calculated to bring out the harmonies inherent in the hubbub. He fully recognizes science's contributions to, and impact on, architecture. Yet he sees for the architect not a new role but a recasting of the oldest rule of all: that of the master-builder. It is no more necessary for the architect of today to be able to design a mechanical system than it was for the builder of yesterday to be able to carve a gargoyle. What is needed, now as then, is for the architect to comprehend the building requirements, to communicate those requirements to the specialists who work with him, and to direct their skills toward a goal that only he can see in all its aspects. To Professor Salvadori, technology is far from a threat. For those who can grasp its true implications, it represents a unique opportunity to reinstate the timeless definition of architecture as not alone the art but also the science of building.

Modern man faces today a technological culture that-actively or passively-pervades his whole life, influencing his daily chores, his economy, his politics, his future. As a result, the architect, who combines a necessary and vital interest in the psychology and the physiology, the sociology and the economy of his fellow human beings with his wish to plan and build not only the private room, the home and the office, but also the town and the region (if not as yet, perhaps, the entire world in which modern man is active), feels more directly than almost any other professional the impact of technology.

#### The Role of Technology

Since the United States seems to be recognized today as one of the leading nations in the fields of both architecture and technology, it is of interest to find out what the relationships between the two are in this country, both from the viewpoint of what has been achieved so far and of what may be achieved in the future. Certainly the influence of the collaborating engineer on architecture is deeply and often healthily felt. Moreover, this influence is increasing daily because of the essentially technological character of today's most important architectural problems.

Many of these problems emphasize, by their very nature, the importance of the structure, and cannot be solved without the intimate, early and continued collaboration of the structural engineer. It is he who must decide what is feasible and what appears an impossible dream; it is he who must establish the structural system through which the architect's concept will be materialized.

#### The Engineer's Contribution: New Materials and Structures

In this country, wood has been the classical material for small buildings, while steel, for a long time, has had a practical monopoly on large structures. Little that is really new has been developed in the field of extruded steel sections, but steel is now playing an important role in another form—the cable, which today allows the economic construction of large tensile structures whose design often requires the collaboration of the aerodynamicist as well as the structural engineer to investigate and minimize the problems of vibration and flutter.

Aluminum too is gaining popularity in a variety of structural applications that go from bridges to the new curtain wall, an economical and rapidly assembled facade element which is one of the more striking esthetic solutions suggested to architecture by building technology, and which is actually changing the face of many an American avenue.

Nevertheless, it is reinforced concrete that has, under the impact of a variety of economic factors, most successfully entered during the last few years many fields formerly monopolized by other materials. Continuity of structural behavior and freedom of form allow the creation of concrete structures that bear little

Professor of Civil Engineering and Architecture, Columbia University. This article is based on material prepared for international broadcast by the Voice of America as one of a series of lectures on American architecture.

resemblance to the architectural types of the past, and architects have been more than eager to adopt reinforced concrete in the solution of their problems.

#### The Engineer's Contribution: New Construction Techniques

Although it is only during the last half-century that the American architect and engineer have thus competed with their colleagues abroad in the use of new materials and in the development of new structural concepts, the American builder has for at least a century been at the forefront in field of construction. Indeed a new era in construction opened up when the engineer put at the disposal of the architect entirely new methods of assembly for many types of buildings.

In concrete construction, to take only one example, precast-prestressed elements put together with tremendous reductions in form costs have already become a solution typical of repetitive structures. The concrete thin shell has been adopted by so many architects in the last ten years that innumerable shell structures now dot our landscape.

In this field as in many others, European examples were at first followed, but by now new and exciting "native" forms have been developed for particular types of roofs. And here too building know-how (inspired perhaps by a high ratio of labor to material costs) has led to the ingenious solution of special construction problems.

Shells have been poured on shaped earth mounds; concrete pneumatically applied to nylon balloons has allowed the inexpensive construction of one-family houses; cantilevered folded plates suspended from, and post-tensioned by, steel cables have offered an economical answer to the airplane hangar problem.

#### The Engineer's Contribution: New Mechanical-Electrical Services

Although the influence of the engineer on architecture was limited to such structural solutions until a relatively recent date, one of the great revolutions in architecture was produced by the evolution of new services, for which the mechanical and the electrical engineers were entirely responsible.

For example, the vertical development of the tall building and, in particular, of the skyscraper would have been inconceivable without the simultaneous development of improved means of vertical communication. (Automation has now given us elevators safely usable in public buildings one hundred stories high, in which the operation of the single cabin is in the hands of the passenger, and in which the synchronization and the optimalization of vertical traffic is governed by a master station.)

Another recent achievement of mechanical and electrical engineering is the development of air conditioning systems so reliable that climate's role in the daily life of the population is minimized. The function of the window has been reduced to that of allowing daylight to enter a closed space. And in situations in which it is felt that daylight is not essential, or may even be detrimental, windows have been abolished altogether. Both light and air are supplied by artificial means, thus creating a completely new type of environment for people to work in.

#### Is Technology Enough?

This is not the place or the time to discuss whether such achievements are to be considered desirable or not. The essential point is that our technology has reached such perfection as to make these results possible, economical, and acceptable to large masses of the population. Purely technological triumphs are changing the daily life of the United States citizen at an accelerated rate.

One may wonder if this intrusion of engineering in the field of architecture is a positive contribution in all of its aspects, or if sometimes it may not endanger the free development of modern architecture. In this connection, we may mention the opinion advanced by some outstanding engineer-architects to the effect that structure is the all-important ingredient of architecture, and that if one could only make sure that a structure is entirely correct, the architecture it supports would necessarily be good architecture. In other words, some engineers feel that good architecture is a natural by-product of correct engineering.

This is indeed a dangerous, and at least in one man's opinion, an erroneous theory. While no one could challenge the fact that good architecture cannot be obtained unless its structure is properly considered and designed, it is hard to see that the opposite is true. Correct structure must be considered a *necessary* condition of good architecture, but is not a sufficient condition of it.

As a corollary to this truth, it seems illogical to fear that the engineer will ever supplant the architect in his profession. Such fear has been expressed in recent times by some outstanding American architects, and represents the fear of the humanist confronted by the increasing power of the specialist in our culture.

But if architecture is to maintain its character of an encompassing art and science, if the whole man is to be its field of interest, it is hard to believe that the engineer may be feared. The engineer, by training and natural tendency, is used to dealing with inanimate matter rather than with human beings, to using the purely logical and rigid approach of the scientist, rather than the intuitive and fluid approach of the artist.

#### The Engineer's Challenge

All the same, one must recognize the fact that today some of the best known builders are engineers and not architects, and that their instinctive love of beauty makes their structures extremely beautiful. There is no doubt that the influence of such engineers is bound to be felt and that wherever the architect puts himself in a subordinate position because of his lack of interest, training and knowledge in technology, the exceptionally endowed engineer will take over. The best man always did and always will win, whether he has the correct label or not.

Thus the architect in the United States must fear the intrusion of the exceptionally endowed engineer, just as the structural engineer may fear the intrusion of the exceptional architect with a deep interest in structures.

One may, at least, consider the new freedoms created by our advanced technology as real dangers to the achievements of the architect. Art is sublimated by limitations of its own choice and by the unrelenting search for truth within the confines of these limitations. For centuries the themes and the solutions available to the architect have been essentially the same, so that the evolution of architecture, although occurring in spurts, has been altogether smooth

and continuous. All of a sudden incredible problems and unexpected methods of solution have become available. How can we be amazed if our country has developed, together with a lively interest in architecture, an almost chaotic situation?

Too many possibilities have been opened up too suddenly, and the American architect finds himself so free as to be, at times, lost. The question often asked by the architect of the engineer is: "Can this structure be built?", while it should properly be: "Should this structure be built?" With the range of materials available today and with the technological knowledge at our disposal, almost anything can be built. This unlimited freedom is bound to produce, at times, poor results.

#### The Architect's Answer: Better Communication

One could ask whether the situation briefly outlined above has parallels outside the United States. The answer is, of course, that in our times basic situations in the professions are common to the whole world, but that specific aspects of the same problem may appear in different form in different parts of the world.

It must be emphasized in this connection that the training of the architect in the United States is not as technologically and scientifically thorough as it is in other nations. Thus, the architect finds himself at a disadvantage in discussing technical problems with his collaborating engineers for lack of a common language. On the other hand, the training of the civil, mechanical, and electrical engineer does not take into account the needs of the architect. No engineer has, because of his training, an insight into the problems of architecture, and only a few individuals are capable of understanding the demands made on them by the archi-

Since the difference in knowledge between a civil engineer and an architect in the field of structures is less accentuated in Europe than in the United States, it will be found that the discourse between the architect and the engineer occurs with less difficulty in Europe and that more architects will make decisions directly on structure there than here,

Actually, there are examples in Europe of men who are at the same time architects, engineers and contractors. For them difficulty of communication is non-existent because the architectural problems are unified by a single personality. Is this automatically conducive to better architecture?

It is, if the communication between the professions is so poor as to give an advantage to those who have no communication problems, even though these individuals may lack complete knowledge in the separate fields of architecture, engineering, and construction. It will not be conducive to better solutions if the group of independent, outstanding professionals is capable of thorough communication.

Possibly the worst solutions are obtained when a totally superior architect, without a solid technological background, cows the engineer into accepting all his ideas, or when the outstanding engineer, almost totally ignorant in non-technological fields, cows the architect into an acceptance of his own tenets. This is the origin of the purely utilitarian architecture of some of our modern cities, as well as of some cities abroad, and of the Beaux Arts esthetics still in use in numerous architectural offices the world over.

### The Architect's Answer: Productive Collaboration

More and more the demands of society require solutions obtainable only through the collaboration of small and efficient groups of experts in adjoining fields. An electronic computer or an airplane is such a complicated organism that no one of its creators is capable of understanding all of its parts.

Similarly architecture today has become too complex a science for any single person to hope to encompass the whole of it. Modern architecture is rapidly becoming a group activity, and, perhaps, this is the essential reason why the United States has excelled in it: the tradition of collaboration is deep in our culture and we have developed modes of collaboration in which the members of the group maintain their identity and their intellectual freedom.

This country has some of the largest architectural firms in the world, with offices in which as many as 200 architects and engineers work on difficult problems. One would expect a loss of personality and, possibly, a lowering of standards in such large

offices, unless one knew that the organization of these offices is not on the basis of one large group, but on the basis of a large number of relatively small groups, each one with the entire responsibility of a given problem, but ready to merge into larger groups whenever the occasion or the necessity for such collaboration arises.

Moreover, the highly specialized field of engineering is ready to serve the architectural offices in the United States by means of temporary collaborations in particular fields. Our economy permits the establishment of specialized groups interested in designing only bridges, or only office buildings, or only factories, or only hotels, and this specialization is bound to produce a better kind of product. This is why a certain excellence in technological details is one of the primary characteristics of our architecture. Our roofs do not leak, our plumbing works almost without failure, our elevators do not break down.

#### Taking Stock: New Horizons Ahead

One may consider this a byproduct of our high standards of living, and no one can doubt that our standards are both the result and the cause of our technological and architectural superiority. But comparing our achievements with those of other countries as technologically developed as ours, one cannot deny that technology alone could not have produced such results.

Our architecture is the final product of many currents and many influences. We have adopted as our own some of the greatest architects in the world, who came to us from other countries. We have perfected technological ideas originated in our own factories or imported from Europe. We have reached a level of architectural achievement of which we may be proud, not because it is ours, but because it is the result of our efforts and of the best efforts of everybody else.

The staunch individualist, the ivory tower artist who does not recognize his debt to predecessors and contemporaries, may be dejected at the thought of a civilization based upon group activity, but those who can grasp the meaning and the essence of collaboration will be elated at the thought of the new horizons open to our culture.



ALSO AVAILABLE

### INN - A - WAL

Counter Flow Unit For Use in Heater Room Gas-fired Norman Schoolroom Heating and Ventilating Systems are installed quickly at low cost . . . and there's plenty of latitude for future economy in school expansion! Each Norman forced warm-air system supplies heat rapidly when it is needed . . . blends fresh outdoor air and recirculated room air to cool and ventilate the schoolroom . . . and distributes tempered air evenly along and out from the exposed walls. Expensive boiler rooms, stacks, pipe tunnels, boilers and control panels are eliminated right from the start. As the school grows, additional Norman Systems can be added.

> Write Today for New 1960 Comprehensive Manual See folder in 1960 Sweets Arch. File 31h/No






J. FURNACE ENCLOSURE 2. RETURN AIR GRILLE
3. UTIL-1-DUCT® BOOKSHELF 4. AIR DIFFUSER PRODUCTS CO. • 1152 Chesapeake Ave. Columbus 12, Ohio



Although equipment is densely located in room, complete floor accessibility is still available because of floating floors' smaller module.

## floating floors provide infinite access in IBM Eastern Region Datacenter



Unusual conditions can be met with floating floors. Cable cutouts can be located at any place required. The raised edges prevent casters from dropping into cable opening when moving machines.

The new IBM Eastern Region Datacenter, located in the Time and Life Building, New York, N. Y., rests on flexible floating floors. This unique raised floor opens like a book. It offers instant accessibility plus strength. Thick, pure vinyl tile panels are supported by adjustable pedestals with locking-type heads. floating floors are available without protective lip edges, or with metal or plastic lip edges to suit installation needs. Plastic lip edges are available in any color. Write today for Bulletin.

#### CONSULTING ENGINEERS:

Air Research Associates Mechanical and Electrical Space Planning and Interior Design

#### CONTRACTORS:

George A. Fuller Company and John Lowry, Inc.

### floating floors inc

22 EAST 42ND STREET . NEW YORK CITY 17 . YUKON 6-9050


COPYRIGHT AND REGISTRATION APPLIED FOR ON THE NAME "FLOATING FLOORS"



**GENERATION AFTER GENERATION** of architects have seen Koppers coal tar pitch roofs last 25, 30, even 40 years. The reasons for this long life are the complete waterproofness of coal tar and its unique ability to heal small cracks. Coal tar pitch also resists... but your Koppers roofing specialist can give you the full story.



KOPPERS . TAR PRODUCTS DIVISION . PITTSBURGH 19, PA.



### from HONEYLITE\* Luminous Ceilings

Short-term obsolescence and costly replacement are eliminated with a HONEYLITE Luminous Ceiling because only HONEYLITE provides the trouble-free durability and permanence of light, strong aluminum honeycomb. With HONEYLITE overhead, the Reynolds Metals Company's new Great Lakes Region Headquarters is assured of shadow-free, glare-free lighting for many years to come.

HONEYLITE's aluminum, open-cell construction is responsible for its unique lighting performance and installation advantages. Completely fire-proof, HONEYLITE is listed by Underwriters' Laboratories, Inc. with a Flame Spread rating of Zero, a Smoke-Developed rating of Negligible. HONEYLITE is further listed by UL for

installation under fire-sprinkling systems, permitting sprinkler, heating, air-conditioning and ventilating units to be concealed and integrated without loss of performance. Inherently non-static, HONEYLITE is dust resistant . . . requires only occasional cleaning at a maintenance cost less than that required by an equivalent floor area.

A wide range of HONEYLITE cell sizes, cut-off angles and finishes offers complete lighting flexibility for new construction and remodeling. For further information on HONEYLITE, today's most advanced luminous ceiling system, see the HONEYLITE Catalog in Sweet's Architectural File or write Dept. 9-G

\*Trademark of Hexcel Products Inc.



Executive Offices: 2332 Fourth Street, Berkeley, Calif.

Sales Offices: Long Island City, N.Y.; Chicago, III.; Fort Worth, Texas.; Inglewood, Calif.

Available in Canada through Curtis Lighting, Ltd., Toronto, Ontario

6758.

244

#### Look at the amazing things Alcoa Industrial Foil is doing!



Luminous, uninterrupted span heightens the striking, modern decor. The recently remodeled offices of Lockheed Aircraft Corporation at Marietta, Georgia, are under the world's most modern ceiling—Hexcel Honeylite®, made from ALCOA® Aluminum Foil only .004 in. thick. Foil honeycomb conceals overhead pipes, ducts and sprinkler heads. What a change, say old hands.



Soft, glare-free, shadow-free light bathes every nook and cranny—diffused by millions of ½-in. hexagonal cells. Installation was simple and inexpensive. For one thing, aluminum honeycomb weighs only 3 ounces a square foot. But more, the panels are framed in aluminum and supported by a system of aluminum T-rails... which means little maintenance, no deterioration, new appearance indefinitely.

### Aluminum Honeycomb Ceiling brings tranquility and shadow-free light to Lockheed Office

ALCOA does not make foil honeycomb, but we will be happy to send names of manufacturers who do. Our product is aluminum foil, the versatile material that forms, twists, colors, combines with other materials, weaves into cloth . . . cuts costs and improves techniques in hundreds of industrial applications. Have you taken a close look at ALCOA Foil recently?

For more information, write today to Aluminum Com-PANY OF AMERICA, INDUSTRIAL FOIL DIVISION, 1680-J Alcoa Building, Pittsburgh 19, Pa.





IF THE NEW FLOOR DISCOLORS,

### WHOSE REPUTATION WILL SUFFER?

Stop floor problems before they begin by specifying a floor maintenance program!

The new floor is beautiful. Everybody's happy. Happy, that is, until the floor begins to change color. The culprit? Improper maintenance. But how hard it is to convince others of this! When a new floor begins to look old, poor maintenance habits are usually the last to be blamed. "Should this type of floor have been specified in the first place?" ... "Was the floor laid correctly?" ... and countless other thoughts may be running through their heads.

This is why Huntington suggests you prevent future floor problems by specifying a simple and correct floor maintenance program before construction begins. Our representative, the Man Behind the Huntington Drum, will be happy to assist you, at no obligation. His experience and wide range of laboratory-tested products will come in mighty handy. You'll find his name, address and telephone number on the back of our insert in Sweet's Catalog, 13m/Hu, or write us.



Please send the following:

- ☐ Your folder with complete floor maintenance specifications and descriptions of Huntington floor care products
- ☐ The new Huntington Gym Floor Manual
- Have your representative contact me.

Your out this coupon and attach it to




Where research leads to better products... HUNTINGTON




HUNTINGTON 🗫 LABORATORIES • HUNTINGTON, INDIANA • Philadelphia 35, Pennsylvania • In Canada: Toronto 2, Ontario

### **ALUMINUM FINISHES**

by J. H. Goodyear, Consultant for Metal Finishing



Booth for spraying an epoxy color coating on sunshade blades



Tanks for cleaning, etching and anodizing aluminum louvers

Aluminum as a building material offers the architect exceptional design versatility. First, it has a unique combination of physical properties: light weight, strength and resistance to atmospheric corrosion. Second, it is available in large sheets of good workability and an almost unlimited variety of extrusions. Third, it can be specified in practically any type of finish.

Finishing procedures allow such a wide range of texture, color and gloss that the most exacting esthetic requirements can be satisfied, but many architects and designers haven't had the opportunity to obtain the basic information concerning these many variations. Even if they have had such an opportunity, they have often become confused, and justifi-

ably so, by the nomenclature of the various processes and the properties that can be expected from them.

In order to realize the potential of aluminum and its finishes, two basic factors must be understood: (1) the material, with its variations in shape and alloy, and (2) the finishes, including pretreatment, the principal coating and the supplementary treatments.

#### MATERIAL

Basically, there are three standard forms of aluminum used in architectural components—sheets, extrusions and castings. Usually the form or forms used are based on the economy of fabrication, properties needed or effect desired. A discussion of the factors influencing the selection of

these forms is beyond the scope of this article, but it is possible to describe the available alloys for each. Unfortunately the alloy of the aluminum shape to be used and its influence on the final appearance are often overlooked.

In many cases it is just as important to specify the type of alloy as to specify the color. Table 1 (page 249) lists the alloys normally used in architectural components, their relative properties and applications. While there may appear to be duplication, actually each alloy has certain characteristics which may influence whether or not it is more useful than another. Some of these characteristics are of minor importance in architectural application, so only the pertinent alloys are listed in the

table. Many of the alloys on the list are presented in two different conditions, i.e., normal and anodizing quality. All the alloys listed can be anodized, but where optimum in clarity and surface uniformity is required, those listed as anodizing quality should be used. Also, these alloys, along with Anoclad 10, should be used where color anodizing (with the exception of gray) is to be the final finish. If a dark gray finish is desired, then RF-40, Anoclad 20, or No. 5 sheet should be used. Both 3003 and 5005 are considered general purpose sheets and usually can be interchanged. The yield strengths of 5005 and 5050 in the full-hard condition differ by only about 10 per cent. Therefore, the properties of 5005 generally apply to alloys 3003 and 5050 as well.

When the application calls for extrusions, the problem of proper alloy selection is not as difficult. The general purpose alloy is 6063. If the application is critical from a strength standpoint, then the 25 per cent higher yield strength of 6061 may be necessary. The only other alloy that must be remembered is 4043 for gray anodized coatings.

In castings for spandrel panels, 43 is the general purpose alloy and, after anodizing, is a color match with 4043 sheet and extrusions. Casting alloy 214 is used where a color match, after anodizing, is required with a 6063 extrusion and/or normal building sheet.

#### FINISHES

There are six primary types of finishes, and combinations of them, used in architectural work: 1) mill-finish, 2) mechanical finishes, 3) chemical finishes, 4) anodized coatings, 5) paints and coatings, 6) porcelain enamels.

#### Mill Finish

This is the most familiar and is, as the name suggests, the finish of the raw material as it comes directly from the mill. It might be expected that such a finish would be uniform; however, there tends to be considerable variation from one batch to the next for several reasons. First, the degree of brightness is influenced by the amount of rolling or working of the sheet or, in the case of extrusions, the temperature of extruding, the

speed, condition of die, and so forth. Second, it is influenced by the linearity of the metal resulting from the rolling or extruding operation. The appearance of mill finish and many of the subsequent finishes is also influenced by whether the material is viewed parallel or perpendicular to the work direction.

It has been proven by tests of thousands of mill-finish samples, under all types of atmospheric conditions, that aluminum has a high resistance to weathering. As the material weathers, however, there is a change in the surface color and gloss. Weathering produces a tenacious light gray patina. Along with this discoloration there is also a loss of metallic sheen. The appearance of weathered aluminum is not unattractive, and such weathering greatly reduces the variations in the surface mentioned previously.

The rate of discoloration is dependent upon the atmospheric environment, proceeding very slowly in clean atmospheres away from seacoast. Weathering in industrial areas is accompanied by the accumulation of carbonaceous materials, and under these conditions the surface takes on a dirty and streaked appearance unless cleaned occasionally. Fortunately, the normal weathering products do not stain adjacent materials because of their tenacity. It should be noted that a rough pitting type of oxide does form on those areas which are protected, such as the eaves of a roof. This is caused by atmospheric dirt setting up a pitting type of corrosion, unless washed away by rain. Condensation at these locations also has a detrimental effect.

#### Mechanical Finishes

These finishes can provide variations in sheen and texture. The surface can be polished to a high reflective mirror finish, or abraded to a dull satin sheen by abrasives and wire brushes. Combinations of bright and satin can give very interesting high lights. Dull satin sheen can also be achieved with sand or grit blasting. In sand blasting, the degree of roughness can be controlled by the particle size or abrasive used. Variations on the same panel from dark grays to satin whites can be obtained by blasting the surface at random, followed by chemical finishing. Another mechanical process is the embossing or pressing of the metal to various surface contours. The pattern may be small in scale or, on the other hand, have larger configurations to break up the flatness of the surface and add rigidity to the sheet. Texturing can also be obtained by perforation.

The weathering characteristics of mechanical finishes without any subsequent top coat for protection are similar to those of aluminum with a mill finish. In fact, the weathering will often be more severe, since the rough surface will have a tendency to accumulate atmospheric dirt and accelerate corrosion.

#### **Chemical Finishes**

Probably the most popular method of changing the surface condition from metallic shine to satin sheen is by chemical treatment. The use of chemicals to etch the surface can be regulated to a certain extent to give various degrees of roughness and sheen. Generally this type of controlled pitting is accomplished with alkalies together wih various additives, but there are also various acids and combinations that can be used. The cost of obtaining satin finishes chemically is considerably less than by mechanical means. Again, this finish has the same weathering characteristics as bare aluminum, unless protected with a subsequent coating.

Recently, several conversion-type chemical coatings have been made available for architectural use. One that has been used only sparingly is Alrok. Developed by the Aluminum Company of America it was designed primarily as a paint base, but the coating itself, which has a light gray to yellow green color, has been used architecturally. Its main features are reduction of glare, increased corrosion protection over bare aluminum and addition of color to the surface. (The color sometimes may be mottled.)

Another chemical coating used in architectural components is known as "Architectural Alodine." This coating can produce surfaces which range in color from clear to various shades of green. If properly applied, "Architectural Alodizing" is uniform and, visually, gives a low reflectivity but there is reportedly no reduction in its reflectivity of radiant heat. The cost of this coating and other so-



#### ALUMINUM FINISHES: 1

by J. H. Goodyear, Consultant for Metal Finishing

#### TABLE 1: SHEET ALLOYS

	SHEET ALI	LOYS			
Alloy Designation	Applications	General Properties & Finish Characteristics			
1100	Panels, flashing	Low strength sheet with superior formability, good anodizing and corrosion characteristics			
1100 (anodizing quality)	Same	Specially processed for superior anodizing characteristics			
3003	Panels, duct work, gutters, flash- ing, general purpose alloy	Medium strength sheet with good formability; may show some struc- tural streaking in anodizing and etching			
3003 (anodizing quality)	Same	Specially processed for superior anodizing characteristics			
Alclad 3004	Roofing, siding	Not normally anodized—high corrosion resistance and higher strength than 3003			
5005	Panels, duct work, gutters, flash- ing, general purpose alloy	Properties similar to 3003—better anodizing characteristics and corosion resistance than 3003			
5050	Panels facia, mullions, spandrels, sun shades	Good strength with good formability, good corrosion resistance; of the better anodizing alloys			
5052	Same	High strength; good corrosion resistance, especially in salt atmo sphere; good anodizing characteristics with thinner coatings			
6061	Panels, facia, mullions, spandrels, sun shades, rolled structural shapes	High strength; good corrosion resistance and anodizing characteristic			
RF (Reynolds) 50 Anoclad 10	Reflectors, panels, covers	Low strength, excellent finishing characteristics			
RF—40 (Reynolds) Anoclad 20 (Alcóa) #5 Architectural sheet (Kaiser & Olin)	Panels, spandrels, mullion covers, sun shades, facia	Medium strength, anodizes with gray color or darkens other anodizin colors; good corrosion resistance			
Alumilite 31 32 33 41 42 43	Panels, spandrels, mullion covers, etc.	Specially processed alloys for superior anodizing properties			
X8013 (Kaiser)	Panels, spandrels, covers, etc.	Special alloy which turns gold on anodizing			
	EXTRUSION	N ALLOYS			
6061	Structural members	High strength with good anodizing characteristics; good corrosion resistance			
6062	Same	Similar to 6061 with better extrusion characteristics			
6063 Mullions, window members		Good strength and extrusion characteristics; good anodizing propertie			
Anoclad 10 (Alcoa)	Mullions, window members, etc.	Specialty material for good anodizing; good strength			
Anoclad 20 (Alcoa)	Same	Specialty material for gray anodized coatings			
	CASTING	ALLOY5			
43	Spandrels, hardware, etc.	Low strength; gray coatings when anodized			
214	Same	Fair strength; clear coatings when anodized			
356	Same	Good strength; dark gray coatings when anodized			

TABLE 2: ALLOY COLOR MATCH (Note: With 30 Minutes Anodized Coating)

Alloy	Good Match	Excellent Match		
1100	5005			
4043		43 (Casting)		
5005	1100, 5050, 5052,	6061 (sheet)		
	A214 (Casting)	6061 (extrusion)		
		6063 (extrusion)		
5050	5005, 5052, 6061, 6061 (extrusion),			
	6063 (extrusion), A214 (casting)			
5052	5005, 5050, 6061, 6061 (extrusion),			
	6063 (extrusion), A214 (casting)			
6061	5050, 5052,	5005, 6061 (extrusion)		
	6063 (extrusion), A214 (casting)			
6063 (extrusion)	5050, 5052, 6061, 6061 (extrusion), A214 (casting)	5005		

#### **ALUMINUM FINISHES: 2**

by J. H. Goodyear, Consultant for Metal Finishing

TABLE 3: DESIGNATION OF FINISHES

Olin & Kaiser	Alcan	Alcoa	NAAMM	Appearance	How Obtained	
NF	NAF		NA-O	Natural	Mill-finish	
C1	CE	RT	NA-5	Satin texture	Caustic etch	
CC1	СС			Natural to straw, gray and	Chemical conversion coatings	
AI	AN*	204		Clear	Anodic coating (Sulphuric type) .0004-in thick	
A2	AN*	215		Clear	Anodic coating (Sulphuric type) .0008-in. thick	
API	AP2, 3 & 4			(As specified)	Paints, lacquers and enamels	
AP2	AP5			(As specified)	Porcelain enamel	
S				(As specified)	Any finish not specified	
MI	ME4		NA-1	Lustrous	Mechanical polish with 320 grit	
M2	ME5	Al	NA-2	Mirror	Mechanical polish and buffing	
M3	ME1	E	NA-3	Coarse satin finish	Mechanical finish giving parallel scratch lin 120 to 140 grit	
M4	ME2	D	NA-4	Medium satin finish	As above; 140 to 180 grit	
M.5	ME3	CI	NA-5	Fine satin finish	As above; 180 to 220 grit	
M6	ME6	C2	NA-6	Hand rubbed	Mechanical finish; stainless steel wool ;	
M7		К	NA-7	Matte finish	Stainless steel wire brush; wire diamete .0095 in.	
M8			NA-8	Fine satin finish for uneven surfaces	Mechanical finish; Vonnegut wheel #220 gri	
M9		G4	NA-9	Matte finish; gray appearance after anodizing	Sandblast, 16-20 mesh	
M10	ME7	G3	NA-10	Rough texture	Sandblast; 40 to 50 mesh	
M11	ME8	G2	NA-11	Fine texture	Sandblast, 100 to 200 mesh	
M12			NA-12	Textured	Shot blast; appearance varies with size a shot	

NAAMM (National Association of Architectural Metal Manufacturers) designations are tentative pended recommended designations of the Aluminum Association. (See also Metal Curtain Wall Manual published by NAAMM.)

TABLE 3A: Reynolds Metals Designation This system is based on a 4 digit designation. The digit significance is as follows:

1st Digit— Application	2nd Digit— Color	3rd Digit— Preliminary Finish	4th Digit—Special Processing Information
3xxx-Architectural Interior	x0xx-Clear (gray in Silicon alloys)	xx0x-Mill finish	
4xxx-Architectural Exterior	x1xx-Blue	xx1x-Chemically Brightened	
5xxx-Automotive	x2xx-Green	xx2x-Buffed	
6xxx-Appliance	x3xx—Yellow	xx3x-Belt sanded	
	x4xx—Red	xx4x-Sand blasted	
	x5xx-Gold	xx5x—Satin finished	
	x6xx-Black	xx6x-Caustic etch	
	x7xx-Brown	xx7x—Buff and Chemically bright-	
	x8xx-Unused	xx8x—Reylite	
		xx9x-Unused	

called conversion coatings is relatively low when compared to the anodic coatings suitable for architectural application. Their main disadvantage is low abrasion resistance.

Another type of finish not to be overlooked is chemical brightening. This is done by treating the aluminum surface with certain chemicals, usually acid. The brilliancy will not be retained unless it is protected by a subsequent coating.

#### **Anodized Finishes**

What is meant by "subsequent coating?" One of the more popular of these is obtained by anodic processing, also known as anodizing, Alumiliting (Alcoa), and various other proprietory trade names. Basically, the process consists of making the piece to be finished the anode in an electrochemical reaction. Various electrolytes can be used, but sulfuric acid is employed for most architectural applications. Briefly, what happens in this process is the build-up of an artificial oxide many times thicker than that produced by nature. This oxide is inherently a corrosion-resistant film, transparent in nature. These coatings alone add nothing to the aluminum in the way of texture or color. Their function is to cover the pretreatments and to act as a type of chemical bond for subsequent treatments. There are exceptions to this rule in that those alloys which have a specific element added may produce a colored anodic oxide. The high-silicon alloys such as 4043 produce a dark gray coating.

Other beneficial properties of anodic coatings include enhanced corrosion resistance and retention of the original appearance with minimum maintenance. Also the anodic surface is quite hard and thus gives resistance to abrasion and erosion.

One of the gravest errors that can be made in anodic coatings for architectural purposes is to use insufficient thickness. Under no circumstance should this coating be less than .004-in. thick, and in an atmosphere contaminated with salt or industrial fumes, it should be increased to .008 in.

Unfortunately, thick coatings may pose a problem. While it is basically true that these coatings are transparent, they tend to be tinted by the elements in the aluminum alloys. Just as the high-silicon alloys such as 4043 tend to give dark gray coatings, so the other additive elements in the various alloys produce a similar effect, but to a lesser degree. Since this effect increases with the thickness of the architectural coatings. care must be taken in selecting alloys, particularly those that will be adjacent to each other in a structure. Table 2 (page 250) gives a list of matching alloys. This table is based on the following effect of alloy content on the tinting of anodized coatings: the 1xxx series gives clear coatings due to its purity; the 3xxx series shows slight yellowing due to manganese; the 4xxx series varies from light gray to black, depending upon the amount of silicon present; the 5xxx series shows slight gray tones; and the 6xxx series very light gray tones.

It is impossible to predict the exact increase in corrosion resistance of anodizing over unprotected metal, since corrosion activity depends upon the environment, but it can be said that the life of the original appearance will be greatly increased.

Colored Anodic Coatings. The anodic coating is very porous in the unsealed condition. This property allows the coloring of the coating with certain pigments and dyes which are sealed in place by the use of boiling water, metallic salt solutions or various other means. When properly applied, with the right preliminary treatment, the resulting coatings have beautiful porcelain-like colors.

In the early years there was considerable difficulty with the permanency of the colors. This fading and streaking was due to various factors. First of all, the light-fastness of the dyes used in early color anodizing was inadequate and untested in the field. Secondly, the applicator was not aware of the necessity for very rigid controls during the various stages of the process. Color anodizing at its best is a very difficult process and has many variables. Finally, the actual technology of processing was still in the inception stage.


In the last ten years, however, new dyes have come into existence, and the processor has learned why it is necessary for him to control every variable precisely. Whether or not sufficient developments have been made is still in question. There appears to be agreement that the dark gray coating produced by high silicon alloys and the golds produced by the use of ferric ammonium oxalate have good longevity. Some of the major aluminum companies and manufacturers of the dyes feel that they now have five to 10 colors which will meet the requirements of permanency required in a monumental building. In any case, an architect who is considering color anodizing should get reliable advice.


A new anodizing process developed by Kaiser Aluminum & Chemical Corporation, known as Kalcolor, develops its color from the alloying materials used in the base metal, similar to the dark grays produced by high silicon alloys. While inherently this method restricts the hues available it should give excellent color fastness. Such colors are appreciable only when the coatings are quite thick, so the corrosion resistance and endurance under outdoor exposure should be quite good. Cost factors in the picture are the thickness of coating required, and the care necessary in production to assure uniform dispersion of the alloying element.


#### Paints and Coatings

It might be said that by far the most important technological developments are the new organic coatings introduced in the last 10 years. To cover all the organics and their variations is beyond the scope of this article, but the architect should be familiar with certain types.

The class of organic used to the greatest extent in the architectural field is probably the clear protective coatings. Two types are most prevalent—the methacrylics and the halfsecond butyrates. These coatings are non-yellowing lacquers which were developed primarily to provide temporary protection to mill finish and chemically-finished components. They are applied to windows, louvers, etc., to prevent pitting, discoloration and staining from mortar, as well as to give protection from damage during shipping and erection. These coatings have proven in the field that they are more than temporary coatings and have histories of five- to 10-year lives. The retention of the lacquers on the surface greatly aids self-cleaning and protects against oxidation and dis-







coloration. The lacquers have good adhesion and, if properly applied, will not peel or spall. All surfaces which are mill-finished, etched, mechanically finished or anodized should be protected with a similar lacquer coating with a thickness of at least .0006 in. Care should be taken to select a lacquer which will not yellow when exposed to sunlight.

Of the opaque coatings, the alkyds have been used to greatest extent in the past. They have good adhesion, flexibility, hardness and color retention. They were the dominant coating for many years, mainly because none better were available. Yet they have their shortcomings. The life of these organics is less than that required for most architectural uses. To give the exact anticipated life is impossible because of the environment and other factors, but it is generally agreed that somewhere in the neighborhood of eight to 12 years is the anticipated life.

The alkyds are now being replaced in many applications with some of the newer developments such as the vinyls, acrylics and epoxies. These are the coatings of the future. This may appear to be ambiguous as far as the vinyls are concerned because they have been in existence for quite a few years, but it is only lately that formulations have been developed that bring out their full potential.

It has been said that the most outstanding development in the organic field is the introduction of epoxy resins. These resins formulated into coatings have shown very intriguing properties. There is no question as to their ability to withstand almost all known reagents. They are almost completely impervious to moisture. Unfortunately, the scientific evaluation of the newer epoxy formulations is based on two to three years of longevity and short-time accelerated tests. Even so, when these results are compared to those available from other types of organics, the epoxies are outstanding.

Formulations first developed with epoxies showed bad chalking characteristics. Many formulations have been developed in the last few years to reduce this to minimum. One manufacturer has reported that the chalking characteristic of a newly developed formulation is superior to that

of alkyds. It is believed that these organics will have at least twice the longevity of the alkyds.

#### Porcelain Enamel Coatings

There is no doubt that porcelain enamel is a quality coating. Its durability is outstanding when applied on aluminum. It resists impact and corrosion, and increases the rigidity of the sheet as much as 60 per cent. Sheets so coated may be cut and shaped without fear of progressive spalling along cut edges. And because of the ceramic nature of porcelain enamel, permanency and selfcleaning properties are outstanding. At present, the cost of this coating is higher than some of the ones mentioned earlier, and because the coating must be fired at high temperatures, certain processing difficulties are encountered as well as the deterioration of the physical properties of certain alloys. However, it is likely these difficulties will soon be mitigated.

#### DESIGNATIONS

Because of the many variables and complexity of the finishing of aluminum, the designation of coatings becomes correspondingly complex. It is further complicated by the fact that a standard system has not yet been established in the industry. Table 3 gives the present designations as used by five of the major aluminum producers in the United States and Canada. It should be noted that, with the exception of Reynolds, each operation has a specific symbol. But since several different operations may be performed to obtain a specific finish, several of the symbols may be grouped. As an example, suppose we take the designation of Aluminum Company of America-204 A1 R1. This symbol would then be translated as mechanically polished, caustic etched, and anodized for 30 min-

It can be seen how complicated and exacting the science of aluminum finishing can be. This is especially true if the architect is not familiar with the many possibilities and variables. It has been aptly said, "The surface treatment can be manipulated in so many ways that aluminum becomes the metal with a thousand faces".

#### Roofing Roller Controls Membrane Thickness

A new pressure-fed roller is said to increase efficiency of application and control of coating thickness when used to apply roofing systems based on fluid coatings of Du Pont's neoprene and *Hypalon*, synthetic rubbers which cure to form elastic membranes permanently adhered to the roof deck.

The Levelcoater roller delivers the elastomeric material by air pressure to a specially designed rotary roof mop at a rate controlled by the operator via a valve on the applicator handle. The application equipment also includes an air-operated, piston type drum pump with a capacity of 21/4 gallons per minute. Designed to fit through the bung of a standard 55gallon drum, the pump is powered by a 20-cubic foot air compressor. A 100-ft neoprene air hose and fifty feet of solvent-resistant fluid hose are supplied with the unit, as are two rotary roof mops in 6- and 18-in. sizes.

All parts of the applicator are light-weight and non-sparking. Since the device gives a closed system from shipping container to working surface, it eliminates air contact which might cause webbing before application. Aeroil Products Co., Inc., Wesley St., South Hackensack, N. J.





#### Fiberglass-Resin Coating Resists Corrosion

Fiberglas Flake, a spray coating that provides a corrosion-resistant surface for metals, wood and concrete, has been developed concurrently with a special De Vilbiss spray gun unit for applying it.

A homogeneous mixture of Fiberglas flakes, resin, fillers, accelerator and pigment (if desired), the coating has shown virtually no deterioration in accelerated weathering tests, and equally good results in laboratory tests. The flake reinforcement of the resin is said to increase impact resistance and hold shrinkage to a minimum, thereby improving the adhesive properties of the coating. In addition, crawling or sagging of the coating is eliminated by the high shear force between the layers of flake and resin. The problem of pinholes found with some types of protective spray coatings now on the market is minimized by the isolation of voids with many layers of flake glass, and by rolling the coating after spraying to give the desired smoothness and orient the flakes.

When a pigment is specified, the coating combines protection and decoration in a single application: a 20 mil thickness is roughly equivalent to 50 coats of paint.

This combination is expected to make the coating highly useful as a liner for concrete flooring, as a water sealant for concrete block and slab walls, and as an exterior coating for steel, as well as for those applications where corrosion is a major problem. Owens-Corning Fiberglas Corp., 717 Fifth Ave., New York 22, N. Y. or De Vilbiss Co., 300 Phillips Ave., Toledo 1, Ohio

#### Sprayed Epoxied-Vinyl Forms Versatile Protective Coating

Plastics to solve protective coating problems are said to have taken a long step forward with an epoxied-vinyl membrane film that is especially adaptable as a water-vapor barrier above or below ground.

Sprayed on surfaces in a two-part system consisting of primer and coating, REN-Coat results in a durable elastic film which protects against the effects of weather, corrosion, moisture and water, hard impact, temperature change (between -65 and 150F), chemical attack and aging. Because it is nonporous, the coating can be easily washed with mild detergents and warm water.

Three basic types of coatings, designated RC-961, RC-971 and RC-981, are applied over an all-purpose primer, RC-950, whose molecules bond the film so tenaciously to the substrate that structural movements will

leave the adhesion between coating and surface undisturbed. Rapid surface curing protects the film while the curing cycle is completed (within seven or eight days without further treatment).


REN-Coat, which comes in numerous color combinations or to match existing surfaces and natural wood materials, is usually applied in 6 to 10 mil thicknesses, but applications up to 40 mils thick are possible on ferrous and non-ferrous metals, masonry, concrete, wood and other types of materials. Extensive field and laboratory tests have shown that each mil equals about one year of wear.

The Ren-Coat system was developed by the R. L. Stevenson Co. of Seattle about six years ago and has undergone use-testing since then. Its versatility is demonstrated in the photograph (right) which shows ap-

plication of the membrane to plywood, sheet metal, cement block and wide gage chicken wire. Ren Plastics, Inc., Dept. RP-66, 5422 S. Cedar Rd., Lansing 9, Mich.

more products on page 258





CENTURY THEATRE LIGHTING contains authoritative information on all types of stage lighting and lighting control systems, including the latest electronic types. Documentary articles on lighting, and comparative charts on the performance of different types of instruments, are supplemented by complete lighting layouts for ten different types of performance areas, ranging from the simple lecture platform to school stages to a large outdoor amphitheater. Architectural details show the requirements for installing stage lighting instruments in wall and ceiling slots, booths, and so forth. 101 pp. Century Lighting, Inc., 521 West 43rd St., New York 36, N. Y.

#### **Electric Console Unit Heaters**

Describes, and gives data on performance, selection and application, dimensions, and operation Chromalox Console Unit heaters. Specifications are also included. Bulletin F21100, 8 pp. Edwin L. Wiegand Co., Pittsburgh 8, Pa.

#### **Commercial Aluminum Windows**

(A.I.A. 16-E) File folder contains full-, half- and quarter-size details, and specifications, on Alenco line of commercial aluminum windows. Albritton Engineering Corp., P. O. Box 31, Bryan, Tex.

#### General Bathroom Products

Describes and illustrates bathroom medicine cabinets and chrome accessories. General Bathroom Products Corp., 1056 N. Wood St., Chicago 22,

#### **Facts and Counsel**

. . . on Elevator Planning outlines the advantages of professional counsel in planning for elevators, escalators or other vertical transportation, and discusses the role of the consultant firm from initial analysis to final check-out. 12 pp. Charles W. Lerch & Associates, Elevator Consulting Engineers, Board of Trade Bldg., Chicago 4, Ill.

#### **Natco Structural Clay Products**

(A.I.A. 10-A-B) Describes and illustrates complete line of glazed and unglazed tile and brick for interior and exterior applications in a variety of industrial, commercial and residential installations. Catalog No. S-60, 24 pp. Natco Corp., 327 Fifth Ave., Pittsburgh 22, Pa.\*

#### **Fact Book**

. . . of Commercial Electric Kitchen Equipment lists and describes in detail (electrical specifications, performance and price) twenty-one major categories of equipment, including ranges, ovens, coffee makers, steam cookers, refrigeration equipment, waste disposals, and others. 84 pp., \$1. Food Service Magazine, 2132 Fordem Ave., Madison, Wis.

#### **Unistrut Metal Framing**

. . . Construction and Maintenance Handbook (A.I.A. 14-G) gives application and installation information, specifications, and methods of attaching mechanical and electrical equipment to structures using Unistrut metal framing. Engineering and performance data, and a basic introduction to the Unistrut system are also included. Catalog No. 710, 36 pp. Unistrut Products Co., 933 W. Washington Blvd., Chicago 7, Ill.\*

#### Metal Flooring and Stair Tread

(A.I.A. 14-A-1) Gives plate and panel sizes; tables of safe loads; and design, specification and installation data on steel and aluminum flooring and stair tread. Solid and open types in a number of patterns and openings, including material with slipresistant surface, are covered. Technical Bulletin 50-9, 12 pp. Joseph T. Ryerson & Son, Inc., Box 8000-A, Chicago 80, Ill.\*

**Limestone Specifications and Details** (A.I.A. 8-B-2) Illustrates various finishes and installations of Indiana limestone; and gives physical characteristics, product and setting specifications, detail drawings, charts on load bearing requirements of limestone lintels and on heights of regular and modular brick courses, and anchor and support details. 28 pp. Indiana Limestone Co., Inc., Bedford, Ind.

#### Finpipe Radiation

(A.I.A. 30-C-41) Describes, illustrates, and gives technical and selection data on the Sunnywall Type N fin-pipe radiation system for forced hot water or steam radiation heating of commercial, institutional and industrial buildings. 24 pp. Crane Co., 836 S. Michigan Ave., Chicago 5, 111.\*

#### What You Should Know

. . . About Interior and Exterior Weatherstripping discusses weatherstripping against drafts, noise, dust, leaks and light; and describes the various types of weatherstrip materials and their use. 14 pp. Pemko Mfg. Co., Emeryville, Calif.

#### Fluorescent Lamp Ballasts

Buyer's Guide ATC-110 provides up-to-date information on Kool-Koil ballasts, Advanguard thermally protected ballasts, and SHO, VHO and Powergroove ballasts. Advance Transformer Co., 2950 N. Western Ave., Chicago 18, Ill.

\*Additional product information in Sweet's Architectural File

more literature on page 258



# American plastic louver diffusers equipped in Panelaire luminaires.



Anilable in ....

55°-45°-42° SHIELDING

LOUVERS IN WHITE ALSO AVAILABLE IN PASTEL COLORS, PINK -GREEN -YELLOW-BLUE AND LOW BRIGHTNESS.

Special sizes, cuts, shapes or grooves can be supplied to meet your particular requirements.

Only the exclusive process of the American Louver Company is covered by these patents: USA Pat. No. 2,566,817 Canadian Pat. No. 484,346 USA Pat. No. 2,507,455 Canadian Pat. No. 497,047



NEW HOME OF AMERICAN LOUVER

provide – shadowless easy seeing illumination – improves efficiency – lessens fatigue for accurate speedy work...

Lighting Products suspended lighting Panelaire luminaires equipped with AMERICAN PLASTIC 45° x 45° shielding louver diffusers, installed in the engineering department of the Commonwealth Edison Co. Technical Center, Maywood, Illinois.

The system provides 150 footcandles (maintained) of high level illumination, with the utmost in visual comfort of soft, smooth blend-in diffused light on the working plane.

American louvers are impervious to discoloration from years of exposure to fluorescent light. They provide extra toughness and flexibility, high resistance to abnormal abuse, and lighter weight for easy maintenance.

American louvers is our one and most important product – Designed, developed, manufactured and patented by the American Louver Company.

american louver company

5308 NORTH ELSTON AVENUE . CHICAGO 30, ILL.

### Silaneal Prevents This



#### Assure Lasting Beauty For Your Designs-Specify Silaneal When You Specify Brick

Why take chances with efflorescence and other discolorations that mar the beauty of your buildings? Make it a practice to specify Silaneal® protection when you specify brick. Applied by the brick manufacturer, Silaneal makes brick water repellent. Thus, dirt is rain-washed away rather than being absorbed . . . and efflorescence is minimized.

#### Which brick should have Silaneal?

Any brick with a suction rate above 20 grams should have all surfaces treated with Silaneal for improved laying properties, better bond strength and minimum water penetration. Brick having a suction below 20 grams should be treated on the exposed faces but not on the bedding surfaces. See suggested Architectural Specification on the opposite page.

#### Speeds Construction

Brick with Silaneal treated bedding surfaces need no wetting before lay-up. Mortar joints stay workable longer. Completed walls brush clean quickly.

### Write for this helpful information

- 1. Silaneal Bulletin, AIA File No. 3F.
- 2. Full color descriptive movie.
- List of manufacturers offering Silaneal treated brick.

Address Dept. 0809.



**Dow Corning** 

### ...keeps these buildings beautiful!



Bruning Building: Mt. Prospect, Illinois.



211 N. Ervay Building: Dallas, Texas.



Carlton Motel: Dallas, Texas



Residence: Saginaw, Michigan.

#### Suggested Specification for Silaneal

From Dow Corning Bulletin AIA File No. 3F.

"Brick having suction above 20 grams per minute (per 30 sq. in. of bedding surface) shall be treated at the brick plant with Silaneal® (manufactured by Dow Corning Corporation). The Silaneal concentration shall be adjusted until the brick pass the following test:

Allow bricks to air-dry 24 hours after treatment. Weigh the brick and place bedding-side-down in 1/8-inch of water. Remove after 60 seconds and weigh again. The average increase in weight shall lie between 1/3 and 2/3 gram per square inch of surface tested (between 10 and 20 grams for a nominal  $4\times8$  brick having a bedding surface of 30 square inches).

Brick having suction below 20 grams, but which may have a tendency toward efflorescence or other staining, shall be sprayed with Silaneal® on the face and two ends only. Treatment concentration shall be of sufficient strength to control efflorescence and staining."

NOTE: There are several brick manufacturers who produce brick having low suction which already perform similar to a Silaneal treated brick. Little improvement in efflorescence control and reduction in dirt pickup could be accomplished by treating this type of brick with Silaneal. Silaneal treatment would not improve the laying properties of this type of brick.

#### CORPORATION MIDLAND, MICHIGAN

branches: ATLANTA BOSTON CHICAGO CLEVELAND DALLAS LOS ANGELES NEW YORK WASHINGTON. D. C.

#### Product Reports

continued from page 253

#### Ceramic Tile Adhesive

Miracle MA-200 Golden Stripe ceramic tile adhesive combines all the best features of rubber, resin and latex-type tile adhesives in one product. Tile can be applied to the wet adhesive up to approximately three hours after spreading, depending on temperature and humidity. There is also more coverage—up to 70 sq ft per gallon as compared to the usual 50 sq ft coverage of ordinary tile adhesives. MA-200 will bond to any hard, dry surface, is non-flammable and is formulated so there is no slippage. Miracle Adhesives Corp., 205 Pettit Ave., Bellmore, N. Y.



#### Flexible Curtain Wall System

Series 400, a curtain wall system for high-rise structures, is simply erected in independent mullions and one-story units consisting of sash and panel frame. Although light weight, Series 400 is fabricated from substantial aluminum extrusions. These standard sections are designed for weather-tight seal and provide for expansion and contraction. They also meet the requirements for resistance to air infiltration and weathering, and can be installed largely from the inside. Albro Metal Products Corp., 944 Longfellow Ave., New York 59, N. Y.




#### Elliptical Fluorescent Fixture

A new lighting fixture holds U-lamps made by bending standard 8-ft lamps into 4-ft U-lamps and 6-ft lamps into 3-ft U-lamps, both of which give off as much light as the straight lamps. Snapping two U-lamps into the  $8\frac{1}{2}$ -by 12- by 4-in. fixture creates a 6- or 8-ft long ellipse. A socket with snapin contacts on the base pin gives excellent electrical contact, and cantilevers the tubes so that they are suspended from the fixture without sag. The fixture itself can be easily attached to all types of raceway channels or to standard 4-in. boxes, resulting in a substantial reduction in installation cost. Other advantages are ease of replacement of ballasts,

fixtures and lamps, and ease of shipping and handling due to the reduced size of both fixture and lamps. Although the system was designed to produce evenly distributed, highlevel light in conjunction with luminous ceilings, the fixtures and Ulamps could also be used in large areas such as warehouses, supermarkets and industrial plants, where bare fixtures are normally used. Transolite Corp., Dept. A14, 515 Madison Ave., New York 22, N. Y.

more products on page 262



#### CONSTRUCTION DETAILS

for LCN Floor Type Door Closer, Shown on Opposite Page The LCN Series 2-4-6 Closer's Main Points:

- 1. Full rack-and-pinion, two-speed control of the door
- 2. Mechanism concealed; lever arm disappears under door
- Door hung on regular butts, its weight carried independently of closer
- Closer easily adjusted or serviced without taking door down
- Installed with or without threshold; may be flush with threshold or with floor
- 6. Used with wood or metal doors and frames

Complete Catalog on Request—No Obligation or See Sweet's 1960, Sec. 18e/La

LCN CLOSERS, INC., PRINCETON, ILLINOIS

Canada: Lift Lock Hardware Industries, Ltd., Peterborough, Ontario




### MODERN DOOR CONTROL BY LCN - CLOSER CONCEALED IN FLOOR

FIFTH AVENUE & UNION BRANCH, THE NATIONAL BANK OF COMMERCE OF SEATTLE, WASHINGTON

LCN CLOSERS, INC., PRINCETON, ILLINOIS

Construction Details on Opposite Page


### for outstanding design in the CONVENTIONAL ...



# specify the <u>one</u> reliable, complete source.....

Whether you want the best in CONVENTIONAL air diffusion equipment
... or the SUPERB in extruded aluminum ... you can get it at TITUS! For Titus has
just made air conditioning history. Never before has anyone ... anywhere offered
such a large, complete line of quality grilles, registers and diffusers. You really benefit when
you specify from ONE RELIABLE, COMPLETE SOURCE. One source means one
responsibility ... faster, accurate delivery of orders. And Titus' large, complete
line eliminates any need to compromise in product selection. You can select the exact
outlet to fit the job ... YOUR GUARANTEE OF THE MOST EFFICIENT AIR DIFFUSION.
Titus extruded aluminum diffusers are made of the very finest aluminum extrusions
from Titus' own extrusion presses. Titus also custom makes extruded aluminum diffusers,
grilles and louvers to fit any specification. For full details, write:
Titus Custom Design Engineering Dep't, or contact your nearest Titus representative.

### ... or the UNUSUAL in fabulous aluminum



#### FREE LITERATURE ... MAIL COUPON

TITUS MFG. CORP., WATERLOO, IOWA

Please send the following:

- Catalog on Titus Round, Half-Round and Square Ceiling Diffusers
- ☐ Catalog on Titus Series TMD Diffusers
- ☐ Catalog on Titus Series 200 Grilles
- Catalog on Titus Supply Grilles & Registers

Portfolio	of	literature	on	Titus	<b>EAGle-Line</b>	extruded
aluminum diffusers						

NAME

COMPANY

ADDRESS CITY STATE

#### TOP-AWARD WINNING SCHOOL



#### .. selects Halsey Taylor fixtures

In the Ninth Annual Competition for Better School Design, conducted by OVERVIEW, a national educational publication, this Texas Elementary School was selected as one of the top award winners. The jury commented: "Appropriate architectural forms, facilities well located and organized."

Of course, Halsey Taylor water coolers and freeze-proof outdoor fixtures were specified. The Halsey Taylor line, embracing low-level, free-standing and the new Wall-Tite and Wall-Mount coolers, as well as cafeteria types and fountains, gives the architect or builder a wide choice.

The Halsey W. Taylor Co., Warren, Ohio





This new "All-Climate" type has special all-weather features and proves superior for freeze-proof installations outdoors.



Halsey Taylor coolers are designed to meet the highest hygienic standards and are ideally suited to installations in public buildings. The new Wall-Tite and Wall-Mount series provides the added feature of tight-to-the-wall fit with no exposed fittings and ease of maintenance.



ASK FOR LATEST CATALOG, OR SEE SWEET'S OR THE YELLOW PAGES

#### Product Reports



#### Liquid Spray Foam Insulation

Urethane, a synthetic resin, is testproven to cut installation time in half over present insulation methods. Sprayed as a liquid, the urethane foams to 30 times its original volume. Spraying is done with a paint-type gun with two liquid components, a polyether resin and a semi-prepolymer. The foam has a K factor of 0.15 at 75 degrees F. and a two-inch layer equals or betters three inches of conventional insulation materials. Advantages include: insulation seal devoid of seams, soundproofing characteristics and high moisture vapor quality. Once set, the urethane is permanently bonded in place, will not shrink and is not damaged by mildew, mold or age. Dayton Industrial Products Co., 2001 Janice Ave., Melrose Park, Ill.



#### **Heat-Insulated Copper Tubing**

Thermotube, a new heat-insulated copper tubing, has a factory-extruded polyvinyl-chloride jacket which virtually eliminates on-site labor costs. The inner profile of the jacket consists of star-shaped serrations whose tips rest on the tubing, leaving longitudinal air channels that act as insulation. The light-weight insulating jacket can be used continuously at temperatures up to 212F; provides unlimited resistance to cold; will not support combustion; and can be furnished in colors for simple colorcoding of multiple-line installations. Columbia Technical Corp., 61-02 Thirty-first Ave., Woodside 77, N. Y. more products on page 274



Impact and fire resistance are twin features of this Polished Misco wire glass installation in the Walt Disney Elementary School, Tullytown, Pa. Architect: John

# The New Look in ...

### SCHOOL DAYLIGHTING

The versatility of Mississippi glass provides the solution to virtually every daylighting problem, including light diffusion and direction, heat absorption, and safety with decoration. And translucent Mississippi glass reduces contrast that results in costly visual errors ... keeps interiors more comfortable. Occupants see better, feel better, work better. Available at your quality glass distributor in a wide variety of patterns and surface finishes for every daylighting need.



Mo. General Contractor: Whitworth Engineering Company, St. Louis, Mo. Glazing Contractor: Comfort Distributing Company, St. Louis, Mo.



Maximum light distribution at low cost is achieved by 1/8" Pentecor glass, glazed in vertical sidewall sash in Clopton High School, Clarksville, Mo. Architect: Kenneth E. Wischmeyer, St. Louis, Mo. Glazing Contractor: Rainbow Glass Company.




### MISSISSIPPI GLASS COMPANY

88 Angelica St. • St. Louis 7, Mo.


NEW YORK . CHICAGO . FULLERTON, CALIFORNIA

Figured glass promotes truly functional architecture adapted to present day needs ... offers utility, beauty and variety unmatched by any other glazing medium. Specify Mississippi.




### COOLITE

Available in 1/8", 1/4" plain and 1/4" wired, in Luxlite and Hammered patterns. May be glare reduced on either or both surfaces.




#### PENTECOR

Available in thicknesses of 1/8" and 7/32". Very popular for lighting fixtures and luminaires. Untreated or glare reduced on one or both sides.



#### MAGNALITE A

Furnished in thickness of 7/32" only. A highly diffusing and very brilliant patterned glass. No special surface treatment available.



#### MAGNALITE B

Furnished in thickness of 7/32" plain and 1/4" Misco wire. Particularly effective for partitions at eve level. No special surface treatment available.



PATTERN ACTUAL

## MISSISSIPP

Angelica St.

NEW YORK . CHICAGO . FULLERTON, CALIFORNIA

#### **NEW CATALOG**

Contains pattern descriptions, light distribution charts, transmission data. Send for your free copy today.




PATTERN

### TWO-WAY TRAFFIC through ONE INTERIOR DOOR


with



### **DUO-CHECK** door closers



### ALWAYS RETURNS to exact closed position — gently, quietly without FLIP-FLAP




Firmly and easily installed in the floor, Duo-checks are completely concealed, have no exposed hinges, arms or mechanisms.

With the spring power always under hydraulic check, a RIX-SON Duo-check offers the safest control for a double acting door . . . never a violent opening swing . . . never a violent closing swing. Ideal for doors where persons pass through carrying loaded trays or carts. Widely used on hospital supply or utility room doors and kitchen doors in institutions, restaurants and homes. Available with 90° hold-open to hold door at right or left swing or both.

For single acting interior doors, RIXSON UNI-CHECKS offer the same desirable features of permanent, concealed installation and Rixson dependable door control.


See Sweets File 18e/Ri or write for complete details

THE OSCAR C. RIXSON COMPANY • 9100 west belmont avenue • franklin park, illinois CANADIAN PLANT: 43 racine rd. (rexdale p.o.) toronto, canada



NEW ALCOA AL-SHADE





### Alcoa presents: a new, low-cost aluminum solar shade and decorative grille

Use this striking new Alcoa\* Al-Shade to reface older buildings, as an overlay for walls, for vision screens in lobbies, terraces, gardens and swimming pool areas, as an accent motif for decorative effects, and as solar screens for major buildings.

Alcoa Al-Shade in the "Shad-O-Wheel" pattern is light, strong and corrosion resistant. It comes in Alcoa Alumalure® finishes-all 11 colors. It's priced on a reasonable square foot basis, shipped ready to assemble and erect, complete with color-matched fasteners. For full information, call your nearest Alcoa sales office, or write: Aluminum Company of America, 1823-J Alcoa Building, Pittsburgh 19, Pa. World-wide sales through Alcoa International, Inc., 230 Park Ave., New York 17, N.Y.


For exciting drama watch "Alcoa Presents" every Tuesday, ABC-TV, and "Alcoa Theatre" alternate Mondays, NBC-TV

Alcoa Al-Shade, "Shad-O-Wheel" pattern, is available in three types of assembly:

- 1. A unit consisting of front and back mating circles. Over-all thickness 4 in. Alcoa Alumalure finish on both sides.
- 2. One circle, with a back cover plate of the same configuration. Over-all thickness 2-9/16 in. Color on both sides.
- 3. Two mating back-up plates assembled back to back. Over-all thickness 1-1/8 in Both sides in color.







### \$40,000,000 PROJECT MAINTAINS EVEN, ECONOMICAL HOT WATER HEATING WITH SARCOTHERM CONTROL SYSTEM

The Sarcotherm Weather Compensated heating control system installed at the new Lindenwood Cooperative Garden Apartments in Queens, New York, assures its residents even, reliable heat regardless of outdoor temperature. The engineer, William Dusenbury, worked out with Sarcotherm specialists a system that provides for continuous, modulated hot water flow. This system also handles night setback and morning pickup automatically, requiring no supervision.

An outdoor bulb, sensitive to change in outdoor temperature, controls a 3-way mixing valve, which regulates the temperature of the hot water supply to the system, in accordance with outdoor temperature changes. For example, at an outside temperature of

0°F., heating water is delivered at 200°F. An outdoor temperature of 65°F. sets the water control for 110°F. When the outside temperature exceeds 65°F., the Sarcotherm BA-4C High Limit Pump Control shuts off the heating system automatically. The PBA-2 program panel, especially designed by Sarcotherm engineers for apartment control, provides automatic heat programming. Comfortable, even heating is maintained in all 41 zones in the group of apartments.


The entire installation of the control system was supervised by Sarcotherm Controls, Inc.

Write for Sarcotherm Technical Literature. Please specify steam or hot water.

1792



SARCOTHERM CONTROLS, INC., AN AFFILIATE OF SARCO COMPANY, INC., 635 MADISON AVENUE, NEW YORK 22, N. Y. PLANT. BETHLEHEM, PA.



### Herringbone

Versatile pattern that can be in-stalled in various bonds to effect a wide range of over-all patterns.



contemporary star forms. May be used as over-all motif or as deco-rative inserts.



Louver

Especially suited for feature stripes and panels, instal-led vertically or horizontally, run-ning or stack bond



Stark Sculptured Structural Tile is a new addition to Stark's complete line of structural Glazed Tile. This new wall concept is a perfect combination of all the well-known qualities of Structural Glazed Tile and a series of versatile sculptured designs.

This unique product offers opportunities to create easy to clean walls with depth and dimension in an almost unlimited range of patterns and colors.

Unusual, custom walls are now within the range of every building budget . . . no other product offers ALL these essentials: initial economy, beauty, texture and pattern, permanent ceramic glazed finish, durability and low maintenance.

Write today for complete information or contact your local Stark Ceramics Distributor.

Classic Highly effective for large wall areas particularly in institutional or monumental type architecture.



Maximum Utility—This new fitting (Catalog No. 17203), designed to be used for office phones with the maximum pushbutton requirements, handles four Western Electric Terminal Blocks plus a signal buzzer.

Finest Appearance—The clean, simple lines of the brushedaluminum fitting case are right in step with today's architectural styling. The tapered shape and low silhouette make the fitting very inconspicuous. It can be placed snugly against the side of a floor-flush desk or can be fitted under a leg desk with room to spare. Dimensions: 6" long, 4" wide, 3" high.

Firm Installation—The fitting employs the same basic method of firm coupling to the duct insert as do all Spang electrical raceway fittings. Once it's installed, it stays flush with the floor—won't wobble or twist from its correct position.

Easy to Work With—Unitized design of top housing saves installation time, speeds changes of circuits when needed. When top housing is removed, all wiring is exposed for easy access.

Complete SPANG Line—The new telephone service fitting joins the Spang family of fine electrical raceway fittings for communication and power distribution systems that offers architects, engineers and electrical contractors the finest fittings you can buy. Remember, when appearance counts most, Spang electrical raceway fittings are your best choice.


P.S. If you'd like more information, write Spang.




### THE NATIONAL SUPPLY COMPANY

Two Gateway Center, Pittsburgh 22, Pennsylvania Subsidiary of Armco Steel Corporation





Carefully measure out 1 cu. ft. of damp, loose sand (80 lbs.) and ½ bag of hydrated lime (8½ lbs.) and ½ bag of portland cement (15½ lbs.). Also carefully measure out the same amount of sand and ½ bag of Brixment (23½ lbs.).



Mix each batch with sufficient water for good workable morter, then place each batch into a 1 cu. ft. box (using "collars" on the boxes, if necessary to contain the mortar). Brixment yields 5% to 15% more mortar than cement and lime.

# **BRIXMENT** produces greater mortar YIELD!

Because of its greater plasticity, Brixment will carry more sand than a 50-50 cement-lime mixture, and make strong, workable mortar.

But even if the same amount of sand is used in both batches, Brixment will yield 5% to 15% more mortar —and be much more plastic than the 50-50 cement-and-lime mixture.

But maximum yield is only *one* of the characteristics in mortar necessary to produce top-quality masonry *at lowest cost*. Several others are listed below—and *no other mortar combines ALL these* 

characteristics to such a high degree as Brixment mortar. It is this combination of advantages that makes Brixment superior to any mixture of portland cement and lime—and which also accounts for the fact that Brixment has been the leading masonry cement for over 40 years.

Louisville Cement Company, Louisville 2, Ky.

### BRIXMENT MORTAR ALSO COMBINES THESE 8 OTHER ESSENTIAL CHARACTERISTICS



PLASTICITY



WATER RETENTION



BOND



STRENGTH




LOW EFFLORESCENCE



IMPERMEABILITY



DURABILITY



**SOUNDNESS** 

<sup>\*</sup>The graduation of sand used in mortar has considerable effect on yield. This computation is the result of 131 field tests of Brixment with various sands, against a 50-50 cement-and-lime mix, over a period of four years.

# Suntile helps you create

### IN WALL TILE

### New Setfast\* Mounted Stock Pattern Insets

(in 41/4 x 41/4, 41/4 x 6, 6 x 6 and 41/4 x 81/2" tiles)

### add interest to any wall

Here's a group of new contemporary design patterns in ceramic wall tile that should excite the imagination of every creative designer.

Each of these new basic pattern insets can be secured in wall tiles of any standard size and in a wide variety of colors that will harmonize with or accent your basic background color. What's more, because these units are "Setfast"\* mounted they can be installed easier and faster.

Set within a background field of any of Suntile's palette of 35 standard colors, they enable you to create a wide variety of interesting wall treatments. Only a few of the many design possibilities offered by these basic patterns are shown here.

For guaranteed installation by skilled craftsmen, call your Authorized Suntile Dealer. His name is listed in the "Yellow Pages" of your phone book. For folder showing the complete selection of our new stock pattern insets, write to Dept S-AR.



Pattern No. 44-B




Pattern No. 64-B



Pattern No. 64-C

Pattern No. 44-C



Pattern No. 84-B

• Patent #2,887,867 - other patents pending



### Suntile's Patented\* SETFAST MOUNTING -simplifies tile setting-saves time and money

SETFAST is the patented development of The Cambridge Tile Co. It has proved itself in thousands of installations to be the easiest, fastest and most economical method of installing wall tile or floor tile. Goes right over existing walls. Can be used with approved adhesives or self-curing mortar in thin-set installations. All tiles are perfectly spaced at the factory. No paper to soak off, no mess to clean. Because it's installed face up, errors are avoided, tile setter can inspect his work as he goes along.



# Counter Shutters

With Interlocking Slats of Extruded Aluminum

Endlock Safety Endlock

Extruded Aluminum Slat

Or mount between jambs

Slide Bolt Lifting Handle

Ideal for counter openings and "pass doors" of all kinds. Interlocking-slat curtain of extruded aluminum, or roll-formed of steel or other metals.

Bracket Stop

Slide Bolt Lock

A flexible strip at the bottom of the curtain provides a cushioned seal between the closed shutter and the counter.

Kinnear's new "Midget" straight-profile counter shutter slat combines extra eye appeal with space-saving, coilingupward action. No usable space is wasted in the interior, exterior, or overhead.

Kinnear Metal Rolling Counter Shutters are built to fit each individual opening, in any practical size.

KINNEAR
ROLLING DOORS
Saving Ways in Doorways

### The KINNEAR Mfg. Co.


Cylinder Lock

1860-80 Fields Ave., Columbus 16, Ohio 1742 Yosemite Ave., San Francisco 24, Calif. Offices and Agents in All Principal Cities

### Product Reports

#### Plastic Waste and Drainage Pipe

Because of its resistance to bacteria, acids and corrosives, polyethylene plastic is inherently suitable for waste and drainage piping systems. Its principal drawback, the lack of an economical joining method, has now been removed by the development of Polyfusion, a heat-fusion technique that uses Prest-O-Lite (Linde Company) air-acetylene torches and specially designed sockets to fuse sections of plastic pipe and fittings into one homogeneous piece. Thus ease of installation has been added to the relatively low cost and other advantages of polyethylene plastic pipe. The pipe has limitations in process systems where temperature, pressure, and chemical fluids are involved, but can be used for virtually all types of low pressure waste and drainage systems. It is presently manufactured in diameters from 1/2 in. to 6 in. American Vulcathene Div., Nalge Co., Inc., Rochester, N.Y.



#### Hermetic Heat Pump

A new hermetic heat pump, in two sizes, has heating capacities of 22,000 Btuh and 38,000 Btuh and cooling rates of 23,000 Btuh and 35,000 Btuh. A special control feature involves four-mercury bulb, automatic changeover, heating-cooling thermostat. Three of the bulbs have heat anticipation coils to control heating, cooling and auxiliary electric heat cycles. The fourth keeps the heat pump reversing valve in either heating or cooling position as long as required. Air for both outdoor and indoor coils is pulled through the coil, turned 180 degrees, and discharged in the opposite direction of entry. This permits installation of the unit with only the face of the outdoor coil exposed. Lennox Industries, Inc., Marshalltown, Iowa

more products on page 282




New imaginative approaches to residential design open up to the architect through the use of modern shell roofs of concrete. Angular folded plate, barrels, curving hyperbolic paraboloids—all permit a departure from conventional roof lines that insures good design and efficiency. Concrete shells have shown remarkable results in beauty, economy and spanning ability. Progress in form fabrication and construction is making the concrete shell roof even more practical. Today, this versatile material truly can be called "living concrete," for it shapes readily to fresh, imaginative design and the needs of modern living.

For the newest in homes . . .

LIVING CONCRETE

#### PORTLAND CEMENT ASSOCIATION

. . . A national organization to improve and extend the uses of concrete



# Unique Roebling-Designed Tensioning System used to Erect Suspended Roof Cables of Utica Civic Auditorium

The new Utica Memorial Auditorium at Utica, New York introduces two new principles to the field of suspended roof construction: A double layer of hung cables and a new method for tensioning the cables, devised by John A. Roebling's Sons Corporation, Trenton 2, New Jersey.

Though it is designed in the simplest of all suspension building forms, the double layer cable principle is an exciting departure; each layer being tensioned to a different value.

Aside from furnishing the 72 pairs of cables for the structure, Roebling's role included erection by means of a unique method. Sleeves were accurately placed in the outer concrete compression ring by the General Contractor and after the concrete had cured, an accurate survey was made of the location of all cable connec-


tions in the outer concrete ring. The roof cables were prestretched and accurately measured under theoretical dead load stress at the Roebling plant. Thus, the necessity of excessive adjustment on the end connectors and additional adjusting costs at the site were eliminated.

In the finished structure, the two center tension rings are 20 ft. apart vertically. Both these rings were erected on scaffolding to a calculated predetermined erection elevation. The strands were then erected and set to their theoretical final adjustment at the outer concrete ring (approximately 2%-3% of their final tension). The scaffolding was then removed from under the center rings after which hydraulic jacks were used to progressively jack apart the upper and lower rings to a distance of 20 ft. This uni-

formly increased the tension on the 72 upper and the 72 lower roof cables. Vertical stanchions between the upper and lower cables were then installed, further increasing the tension in the cables to that required by the engineers.

Here is an example of Roebling service above and beyond furnishing top quality prestretched galvanized bridge strand. It is a service based on full familiarity and long experience in designing and erecting suspension systems of all kinds. This collective knowledge and background is yours for the asking. We welcome inquiries of any nature bearing on suspended roofs or the suspension principle.

Branch Offices in Principal Cities
John A. Roebling's Sons Division
The Colorado Fuel and Iron Corporation





COMPLETE HOME ENTERTAINMENT..."In the wall, off the floor, out of the way!" Here the magic of Color TV is combined with the finest pushbutton Radio-"Viotrols"® High Fidelity Sterso. 4-speed record changer slides out

for easy loading . . . plays all records. Stereo AM-FM Tuner, visual Stereo Balance Control, 2-in-1 supercharged chassis with 58 watts of power. Shown is Model BK-2 with DK-109 Panoramic Sound 3-speaker units.

(SRCA Trade Mark for Record Players)



**Baw "MURAL TV"...** Front-ventilated Model DK-103. The custom TV look plus the convenience of "Wireless Wizard" remote control. Superb performance—25% brighter picture...3-speaker Panoramic Sound. Rearventilated model available.



"MURAL TV"... Like 2 sets in one, build in the magic of Color TV and get superb 8 & W reception too. Simplified color-quick tuning (new wire-less remote control available), mirror-sharp picture, 3-speaker Panoramio Sound, adaptable for steree. Above: The DK-107 Frame for rear ventilation. Front-ventilation design also available.

Year's best new idea for selling homes...

# "MURALTV" and STEREO BUILT-INS BY RCA VICTOR CONVERT LOOKERS INTO BUYERS

Many successful tract developers are now selling from model homes with RCA Victor "Mural TV" and Stereo Built-ins. The same is true with smaller builders of custom homes.

It is significant that most of these builders are installing *Color TV*, alone or in combination with stereo. Why? Most home buyers feel that Color TV

is the coming thing, yet many hesitate to buy right now. But when you show it built into a home they can afford, the bars are down and they "have to have it." It's the extra value that wins over competition.

RCA Victor Built-in units are engineered for the top performance and dependability that the public expects

> RCA Sales Corporation Box 1226—A 20 Philadelphia 5, Pa.


City & State\_

from RCA Victor. They are available in a complete line of fashion-leading styles... expressly designed for simple installation into walls, permanent room dividers, or in cabinets and closets.

Experienced RCA Victor sales engineers are ready to discuss plans, models and costs with you. Send coupon today!



Built-in "Mural TV" a		
Name	Title	
Company		
Street		



### SYLVANIA'S SYLVA-CELL SYSTEM

Sylvania's Sylva-Cell Lighting System often provides an installation with more than just superb lighting. Because of the versatility and attractiveness of this extended area lighting system, its use as a design element can contribute completeness and uniformity to the overall environment.

At West Penn Power Company's new Jefferson District Headquarters, Sylva-Cell gives soft, comfortable illumination to general areas, private offices and other individual rooms—with lighting levels of 200 foot candles or more.

At the same time it adds to the general effect by tying together and complementing the other design elements.

The flexible Sylva-Cell System—based on a 2' x 4' module—offers shieldings of plastic or aluminum louvers

or Circlgrid, a new shielding with a refreshing, luminous circular pattern.

With its simplicity of installation and low-maintenance characteristics, Sylva-Cell can answer a wide variety of commercial and industrial lighting problems.

Look into the advantages of Sylva-Cell when your requirements call for high quality lighting plus a versatile design element to help create a comfortable, attractive atmosphere.

Complete details will gladly be sent on request.

SYLVANIA LIGHTING PRODUCTS

A Division of SYLVANIA ELECTRIC PRODUCTS INC. One 48th Street, Wheeling, W. Va.

SYLVANIA

Subsidiary of GENERAL TELEPHONE & ELECTRONICS



### THE GREATEST THING SINCE GLASS . . .



### THE RIMCO "VUEVENT"

Rolling off the assembly line right now is the all new Rimco "Vuevent" Wood Window Unit.

This addition to the Rimco line of quality window units is just what the name implies . . . view sash joined with a ventilating sash . . . all in a single jamb unit with new narrow meeting rails. This allows you to use more glass at substantially less than the basic component cost of separate stacking units. There's installation savings, too, because there's just one unit to set and trim out.

The ventilating lower sash is available in a choice of three underscreen operators: Standard push-bar, Deluxe Lever-Lock or Custom rotary gear. Anodized aluminum weatherstripping gives complete year 'round protection. Decorator gold-tone aluminum screen frame features non-glare wire. There are eight unit sizes from which to choose - all available with either insulating glass or regular glazing with Insulating Panel.

And like all Rimco Wood Window Units, the "Vuevent" is protected with deep-penetrating Woodlife preservative applied by the Dri-Vac controlled process.

"VUEVENT" WINDOW

ROCK ISLAND MILLWORK COMPANY

FACTORY DIVISION Rock Island, Illinois


DESIGNED AND ENGINEERED BY ROCK ISLAND MILLWORK COMPANY ( HELPING BUILD AMERICA FOR OVER 90 YEARS





### P-B COMPONENTS LOWER THE PRICE

-enable more people to buy homes



7' wide and up to 20' long save the builder 15% of his building costs!

1. They are precision-engineered of finest materials in the plant of your nearby building materials distributor-and delivered to your site. You save many unnecessary handling, storage and rehandling costs. You share in maximum volume discounts.

You will prefer to build with P-B Components-once you understand 4 basic facts:

2. At least 200 field-hours are saved-17 working days -- saving you a minimum of \$600. You also save your overhead on the parts, while they are being manufactured in the distributor's shop—a matter of at least \$400.

3. Every single component is custom-built to your specifications, to fit your plan. There are no arbitrary "unit" sizes.

4. P-B Components are BIG. It takes four men only 11 seconds longer to put an 8' x 14' component in place—than to position a 4' x 8' "baby panel". But you have completed 31/2 times as many square feet! With big components, the average house is enclosed in one day - and you finish out in 3 to 4 weeks. Exterior and interior walls, ceilings and gables are ready for painting, papering or other decoration. Floor panels are covered with 25/32" factory-finished oak flooring (which you protect with Sisalkraft paper until owner occupies.) Roofs have "Homasote sheathing already appliedwith all joints flashed.

A house built with P-B Components is a quality house, quiet throughout-free from drafts, dampness, mildew, cracking and bathroom noises. It is cooler in Summer and more economical to heat in Winter.

You get your customer in fast-sell him at a lower figure-make a greater profit.

FOR A HOME OF ANY TYPE OR SIZE!

To save money in conventional buildingsend us your blueprints for a free Cost-Reduction Analysis. They will be returned with an engineering report on the savings you can make with Homasote Materials. Homasote Board-and-Batten and Grooved Vertical Siding construction are lower in cost than anything else you can use currently for exterior walls.



Write or wire today for fully-illustrated 8-page brochure giving the complete details. Kindly address Department J-11.


TRENTON 3. NEW JERSEY

Homasote of Canada, Ltd. • 224 Merton Street • Toronto 7, Ontario



## Murray V-Bak Quarry Tile

### For the Finest Dairy Floors



IOHNSON AND IOHNSON CHICAGO ILLINOIS APCHITECTS AND ENGINEERS - BOSA MOSAIC AND THE CO. LO.

Beautiful and durable Murray Floor Tile is guaranteed under normal useage to outwear the structure in which it is installed! It is uniform throughout in color and texture. No surfacing material is applied before firing . . . so there is no surface to wear off. Among the features which prompted the use of Murray Quarry Tile in the new Sealtest Dairy Plant in Louisville, are these: 1. Safety, 2. Durability, 3. Non-Absorbent, 4. Economical Maintenance, 5. Beauty. For the complete facts on Murray V-Bak Quarry Tile, contact your nearby Murray Sales representative or distributor.



TILE COMPANY INC. LEWISPORT, KY.

DIVISION OF AMERICAN OLEAN TILE COMPANY



# NDERFLOOR

375 PARK AVENUE... towering 38 stories above New York's Park Avenue is the world's first bronze skyscraper. Luminous ceilings transform it into a tower of light at night. This outstanding building is equipped with every modern electrical feature-for comfort, convenience and efficiency-including 50 miles of underfloor duct by Orangeburg. As in 375 Park Avenue, non-metallic underfloor duct by Orangeburg has been selected since 1921 for

many of the country's leading buildings because of its safety, flexibility and low-installed cost. ■ To learn how an Orangeburg Underfloor Duct System keeps a building electrically modern for its lifetime, write for Catalog 201.



Orangeburg Manufacturing Co., Division of The HIMMOTE Company, Manufacturer's of America's Broadest Line of Building Products

### Product Reports



### Ceiling Height Doors

Simpson Seven Eleven ceiling height doors eliminate air trap which is present with standard-sized doors. They allow heating and cooling units to operate more efficiently, eliminate possibility of the area above the door cracking, and add a distinctive decor to the home. Simpson Logging Co., 2301 N. Columbia Blvd., Portland 17, Oregon.





#### Portable Cafeteria System

The Aerohot MP is said to meet the two essentials of portable food service equipment: compactness and versatility. It consists of three basic units-food warmer, cold pan unit and food conveyor-which can be purchased individually or in any combination and can be assembled into a 15- to 20-ft cafeteria counter in three minutes. As shown above, the cover of the food warmer hooks into place between the hot food unit and the cold pan section, forming a work surface; the cover of the cold pan section slides over and is supported on collapsible legs, forming a second work surface; and the food conveyor slides between the other two portable sections. When unassembled, the units store easily in a small space. Duke Mfg. Co., 2305 N. Broadway, St. Louis 6, Mo.

more products on page 290


Engineering laboratories at the new Convair (Astronautics) plant, San Diego. All exterior aluminum is protected against atmospheric staining and oxidation with a clear, colorless coating of Butyrate lacquer.



# WEATHER-RESISTANT

## BUTYRATE LACQUERS

# PRESERVE THE NATURAL BEAUTY OF ALUMINUM



The finest lacquers for aluminum are made with

Eastman BUTYRATE

SALES OFFICES: Eastman Chemical Products, Inc., Kingsport, Tennessee; Atlanta; Boston; Chicago; Cincinnati; Cleveland; Detroit; Greensboro, North Carolina; Houston; Kansas City, Missouri; New York City; Philadelphia; St. Louis. West Coast: Wilson & Geo. Meyer & Company, San Francisce; Los Angeles; Portland; Salt Lake City; Seattle.

Factory-applied coatings of Butyrate lacquer provide long term protection for outdoor aluminum.

Clear and colorless, Butyrate lacquers won't yellow, even under prolonged exposure to sunlight. They withstand oxidation and discoloring... have high strength and flexibility...and are little affected by salt spray or temperature change.

Aluminum surfaces, when protected with Butyrate lacquers, require little in the way of cleaning and maintenance. Usually, the action of rain alone will keep the finish clean and attractive.

This combination of features plus resistance to mortar and plaster staining makes Butyrate lacquers especially advantageous for use on outdoor architectural aluminum...siding, spandrels, curtain walls.

Your client's interests are well served when you specify a protective coating of Butyrate lacquer on all exterior aluminum surfaces. Butyrate lacquers can be easily applied in the aluminum fabricator's plant and are available from lacquer manufacturers in all parts of the country.

An informative 15-minute, 16mm. sound color film has been produced especially for viewing by those who design in or specify aluminum for outdoor applications. Would you like to see it? See below.

Butyrate lacquer, applied immediately after fabrication, protects the aluminum-framed sections, manufactured by Metalco, Inc., of Emeryville, California, from mortar staining and abrasion during erection and from weathering afterward.

#### ARCHITECTS! ENGINEERS!

Take these steps to get the complete story on preserving exterior aluminum surfaces.

- Send for Eastman's catalog on Butyrate lacquers for aluminum. It tells you how these lacquers are effectively preserving architectural aluminum surfaces in all sections of the country.
- 2. Check Sweet's Industrial Construction File, Sweet's Architectural File, or see 15-M of the A. I. A. Alphabetical Filing System for specification details.
- Send for sound color film. Please indicate the date you are planning to show the film and an alternate date.



#### Red Bank Junior High School, Chattanooga, Tennessee, Architect: Bianculli & Palm, Contractor: L. A. Warlick Contracting Company

### In Concrete Slabs, VOIDS Make Longer Spans Practical and Economical

Used in all types of buildings, voided flat concrete slabs combine economy of construction with great design flexibility. By forming voids which displace non-working concrete, Sonovoid Fibre Tubes permit the use of longer span flat slabs without excessive weight.

Such flat concrete slabs mean greater freedom in locating partitions, greater ease of cantilevering, and reduced building cubage. And, since dropped ceilings are unnecessary, finish surfaces can be applied directly to the concrete soffit. For contractors, flat slabs form faster and easier, and voids in the slab save concrete and reinforcing steel. Lightweight, easy handling Sonovoid Fibre Tubes are especially designed to form such voids quickly and economically.


Plan cost-saving voids in concrete floor, roof, and lift slabs, bridge decks, and precast members . . . and when you do, specify Sonoco Sonovoid Fibre Tubes. Available 2.25" to 36.9" O.D. in standard 18' lengths or as required. Can be sawed—end closures available.

See our catalog in Sweet's

For full information, slab design tables, and prices, write

SONOCO
Construction Products 5116

SONOCO PRODUCTS COMPANY, NARTSVILLE, S. C. . La Puente, Calif. . Fremont, Calif. . Montclair, N. J. . Akron, Indiana . Longriew, Texas . Atlanta, Ga . Brantford, Ont . Mexico, D. F.



The Sinko Manufacturing and Tool Company produces a colorful selection of plastic louvers ideal for all types of commercial establishments. Sinko THIN-CELL louvers molded from Evenglo polystyrene come in a complete range of whites and pastels . . . molded-in for permanent beauty. A Sinko plastic louver transmits shadow-free, glare-free light into every corner of the room . . . it's the finest in softly-diffused illumination. Evenglo polystyrene is a versatile Koppers plastic that can be molded in any size, shape, or color. Evenglo is durable . . . economical. When you build or remodel, specify fixtures made from Evenglo. For more information on Evenglo polystyrene, or for a list of manufacturers using Evenglo, write to Koppers Company, Inc., Plastics Division, Dept. AR-90, Pittsburgh 19, Pennsylvania. Offices in Principal Cities • In Canada: Dominion Anilines and Chemicals Ltd., Toronto, Ontario.

KOPPERS PLASTICS TOPPES



### another first from Bilt-Well by Caradco

### The Super Three

...one basic double-hung removable window in three price ranges



Super-hold

double-hung unit

with ingenious sash holding device

Designed with the builder in mind. One basic window in three models. Each has its own major selling feature. Engineered right and priced right for every home you build. All far surpass FHA minimum standards for weather tightness to provide maximum fuel savings. Easy to install. Save labor costs. Make the homes you build more readily salable.

#### Look at all these BILT-WELL features:

- 1. Unitized sill construction.
- 2. Patented BILT-WELL jamb liner of 8 mil anodized aluminum.
- 3. Anodized aluminum weather stripping.
- 4. New jamb adjuster that eliminates blocking.
- 5. Top quality Ponderosa pine, water-repellent treated frames.
- 6. Standardized for all types of construction.

Manufactured by CARADCO, Inc. Dubuque, Iowa



For

Ultimate Design Flexibility Specify

BILT-WELL

### Super-therm

double-hung unit

with double insulating glass




Super-lift

double-hung unit

with flat overhead balance

# "Permanent, Low Cost COPPER ARMORED SISALKRAFT is Easy to Apply,"

Say Masonry Contractors



This quality flashing material is pure electrodeposit copper laminated to tough kraft paper and reinforced with steel-like fibres. For little additional cost it provides all the benefits of much heavier copper. To quote a contractor: "This flashing fits in better than other competitive types of flashing with our steel framework and masonry construction."

Available at sheet metal supply houses and building material dealers in weights of 1,2 and 3 oz. of pure copper per sq. ft. Write our Main Office in Attleboro, Mass., for samples, complete data and suggested specifications.

reinforced paper, foil and plastics for construction, industrial packaging and agriculture.

**COPPER ARMORED SISALKRAFT,** now shipped in cartons for better handling and protection —

... is absolutely waterproof and permanent as pure copper with permanence rating of zero ... is flexible, free of pin holes, can be cut, bent

...for use on all concealed flashing, termite shields, electrostatic shielding




SISALKRAFT

### AMERICAN SISALKRAFT CORPORATION

Chicago 6 • New York 17 • San Francisco 5 In Canada: Murray-Brantford Ltd., Montreal





If students were never noisy, any kind of steel panels would be ideal for school ceilings. Steel offers long-span design. It can be painted any color . . . or economically washed. And steel panels never crack, warp, or burn. But, because students are noisy, Fenestra pioneered an acoustical steel ceiling panel.

This steel acoustical panel costs less to install. It is a perforated modular unit backed up by a patented, pre-formed, arched glass-fiber sound attenuation pad. It performs as many as five different building material functions: acoustical correction, insulation and roofing support, integral lighting, long-span structure, and finished flat ceiling. It spans up to 34', eliminates the need for bar joists.

Costs less to maintain. It can be washed or painted. Nothing to become loose or fall off.

And in years to come, Fenestra acoustical steel paneling will still retain its original appearance.

Fenestra has been a pioneer in this better kind of sound conditioning for over 30 years. Can our research and engineering service help you? Call your local Fenestra representative (he's in the Yellow Pages); see Sweet's File 2c/Fe; or write: Fenestra Incorporated, Dept. AR-07, 2252 E. Grand Boulevard, Detroit 11, Michigan.



Long-span acoustical "D" steel ceiling panels provide highly efficient noise absorption at all sound frequencies.

PRODUCTS FOR THE NEW AGE IN ARCHITECTURE

Fenestra

INCORPORATED

Steel and aluminum curtainwall systems

Steel and aluminum residential windows

Engineered windows for industrial, institutional and monumental buildings

Hollow metal doors


Light gauge steel structural systems for floors, roofs, walls, and electrified floors



### Product Reports



Stainless-Clad Welded Steel Tubing Welded carbon steel tubing clad in stainless steel is now available in diameters up to 31/2-in. OD, with composite wall thicknesses up to 1/4 in., at a cost considerably below that of stainless steel tubing. The Type 302 stainless steel cladding is mechanically bonded to the carbon steel tubes and polished to a fine surface finish. The tubing, which comes in lots of 2500 ft or more, meets wear and appearance requirements for both structural and ornamental applications. Standard Tube Co., 24400 Plymouth Rd., Detroit 39, Mich.




**Epoxy-Fiberglass Wall Covering** 

Armobond, a fiberglass-reinforced epoxy coating, produces a continuous tile-like protective surface when applied to wood, metal, plastics, all types of masonry, wallboard and particle board. It is waterproof, resistant to abrasion and chemical corrosion, and economical: about one-half the cost of tile and one-third the cost of vitrified block. The coating is applied by rolling on a clear epoxy, letting it dry to a tacky state, and laying on a layer of fiberglass, over which another coat of epoxy is applied. Successive layers of epoxy and fiberglass may be built up, depending on the required thickness. The epoxy, which can be supplied in any specified color, may also be used alone. Deerfield Coatings, Inc., South Deerfield, Mass.

Now there's one just right for any installation...

FRANK ADAM

Feeder Panelboards



BRANCHES



KSF HINGED TYPE

Fusible switch, 30 to 600 amps.—250-v. AC or DC; 2 and 3 poles, single and double throw.



S-A-W TYPE

Quick-make, quick-break fusible switch, 30 to 600 amps.—250-v. AC or DC; 600-v. AC, 2 and 3 poles.



CIRCUIT BREAKER TYPE.

Automatic protection, 15 to 800 amps.— 250-v. AC or DC; 600-v. AC, 2 and 3 poles.

See our catalog in SWEETS

Your preference—with or without doors!

From Frank Adam's complete line of feeder panelboards you can specify those that perfectly meet the needs of any project, small or large.

"Add-On" feature provides space for the easy and economical addition of future branches as required by merely installing enclosures with temporary blank space covers.

Many other exclusive engineering innovations that guarantee more dependable safety and efficient performance have made this Frank Adam competitively-priced equipment first choice among architects and engineers who insist on getting the quality they specify.



usduct + panelhoards + switchboards + service equipment + safety switches + load centers • Quikhete

#### ATTACH TO LETTERHEAD-

Send the following Frank Adam Bulletins for our AIA File:

Distribution Panelboards

Lighting Panelboards


Name

Title.....

Mail to Frank Adam Electric Co., P. O. Box 357, Main P. O., St. Louis 66, Mo.







1150 Lake Shore Drive Apartments Architects: Hausner & Macsai Painting Contractor: J. M. Eckert Co. Rental Agents: Lake Shore Management Co.

From mosaics to pottery, fabrics to drapery, in every detail the new 1150 Lake Shore Drive Apartments are swank, modern, luxurious. Inside and out they're a tribute to Chicago's beautiful and famous lake front area. And we feel it is a tribute to Devoe paints that they were selected for the interior decoration.

But our service to architects goes beyond the inherent beauty and quality of Devoe paints. Our color consultants and architectural representatives will serve you free and without obligation. They'll assist your specification writer or color specialist. Or, if you wish, they'll prepare your complete color plan.

For industrial plants and tracts, office and apartment buildings, hotels and institutions, they'll carefully analyze costs, lighting problems, traffic, usage, maintenance, and durability as well as color and paint formulation. They'll save you

time, costs, and details. Make your color presentations to show your clients. Build you a color reference library. All free and without obligation.

Deveo's consultants are located in major cities throughout the country. Just write: Devoe Color Consultation Service, Devoe & Raynolds Company, Inc., Louisville, Ky.

FREEI A paint reference guide for every job. Plus special color guides for practically every type of building. Write today for your copies.

206 years of paint leadership



### DEVOE

DEVOE & RAYNOLDS CO., Inc. a subsidiary of Merritt-Chapman & Scott Corp.

ATLANTA . BOSTON . CHICAGO . CINCINNATI . DALLAS . DENVER . LOS ANGELES . LOUISVILLE . NEW YORK . PHILADELPHIA





MEXICO CITY, the ancient Aztec Empire Capital, is one of the world's fastest growing capitals. In 1940, its population was 2-million. Today, it is 5-million. Situated 7,200 feet above sea level in sight of the majestic snow-capped volcanos of Popocatepetl and Ixtlaccibuatl, Mexico City enjoys a delightful year 'round climate. Visitors are amazed by Mexico City's skyline. The extent of its modernity comes as a complete surprise. And the skillful blending of modern commercial architecture with old colonial arouses instant admiration. Further expansion plans include new bousing projects, hospitals, botels, commercial centers, churches and highway improvements that are sprouting up continuously to the amazement of the City's own dwellers. OTIS has a long-standing "expansion" interest in Mexico City's skyline. Over 50% of its elevators are the world's finest. They're by OTIS.




OTIS ELEVATOR COMPANY

60 11th Avenue, New York 1, N. Y.
Offices in 501 cities around the world

AUTOTRONIC OR ATTENDANT-OPERATED PASSENGER ELEVATORS . ESCALATORS . TRAV-O-LATORS . FREIGHT ELEVATORS . DUMBWAITERS ELEVATOR MODERNIZATION & MAINTENANCE . MILITARY ELECTRONIC SYSTEMS . GAS & ELECTRIC TRUCKS BY BAKER INDUSTRIAL TRUCK DIVISION





for buildings with charm, distinction, and livability




Entrances • Doors • Frames • Sash • Blinds
Casements • Glider Windows • Sliding Doors
Screens • Combination Doors • Storm Sash
Garage Doors • Mouldings • Interior Trim • Sash
Units • Louvers • Kitchen Cabinet Units • Cabinet
Work • Stairwork • Disappearing Stairs
"Farlite" Laminated Plastics

● Here is a pleasing example of Qualitybilt Casement Windows combined with rugged stone . . . creating a warm, friendly atmosphere to the entire building. This is just one more instance of the wide range of architectural treatments possible with Qualitybilt's complete wood window line. And . . . the superior insulating characteristics of Qualitybilt wood windows allows even more liberal use of window areas without sacrificing comfort or adding to heating and cooling costs!

You'll get complete details in Sweets Architectural and Light Construction File, or by contacting . . .

FARLEY & LOETSCHER MFG. CO. DUBUQUE, IOWA



## Originated for New York's New Chase Manhattan Bank Building NOW A STANDARD CELOTEX PRODUCT!

Custom-created for almost 1½ million square feet of ceiling in the 60-story tower of No. 1 Chase Manhattan Plaza, new Chase is a subtle version of classic fissured Celotone® mineral fiber tile...natural travertine texture, but with a lighter, less pronounced, non-directional fissuring.

Your Acousti-Celotex distributor will be glad to show you a sample of <a href="Chase">Chase</a> and many other new exclusive acoustical products...and will demonstrate advanced suspension systems that integrate components for lighting, air conditioning, movable partitions and sound conditioning.

#### THE CHASE MANHATTAN BANK BUILDING


Architect: Skidmore, Owings and Merrill • Builder: Turner Construction Company Ceilings: Jacobson & Co., Acousti-Celotex Distributor

- INCOMBUSTIBLE. Like all CELOTONE® mineral fiber tile, new <u>Chase</u> complies with Fed. Spec. SS-A-118b, Class A, Incombustible and carries the U.L. label.
- INSTALLATION. New Chase Tile is available in 12" x 12" size with bevel edge: butt joint for adhesive application, or with kerfed edges for suspension system.

If it's "by CELOTEX" you get QUALITY ... plus!



Products to Meet Every Sound Conditioning Problem...Every Building Code
The Colotex Corporation, 120 S. La Salle St., Chicago 3, Illinois
In Canada: Dominion Sound Equipments, Limited, Montreal, Quebec
Acousti-Colotex Distributors are in the "Yellow Pages"



# In your specifications it pays to name products with finishes protected by **CrysCoat**®

When you specify Oakite CrysCoat as a pre-paint treatment for the steel products in your plans, you are specifying a top quality phosphating process for bonding paint to metal. It means the products will be protected against under-paint corrosion, unsightly peeling, and creeping rust surrounding accidental paint damage.

To the advantage of architects and building owners everywhere, a wide variety of steel products is now being CrysCoated. Write for more information about CrysCoated products. Oakite Products, Inc., 83 Rector Street, New York 6, N. Y.

CrysCoat paint-bonding treatment makes architectural products look better...last longer





### MISSISSIPPI VALLEY

STRUCTURAL



Six Strategic Plants. Chicago (Melrose Park) • St. Louis, Mo. • Flint, Michigan Lansing, Michigan . Decatur, III. . Chattanooga, Tenn.

@1960 MVSS CO., Decatur, Illinois

Neither traffic, nor flood stop the "span-power" that MVSS generates to expedite a job. 11 bridges in 5 months is a record just set. At this very moment 6 MVSS plants are completing fabrication for 5 more bridges simultaneously.

spanned...in 17 months...

six completely equipped fabricating plants . . . three

Completely shop assembled bridges, too.—For this State of Illinois bridge (considerably skewed and on a 3.54% grade) MVSS fabricated 717 tons; three spans were shop-assembled and reamed while assembled. CTA bridge crosses over Congress Expressway, Chicago.



### FOLDING WALLS HELP INCREASE CONVENTION BUSINESS AT ATLANTA'S BILTMORE



FOLDING

WALLS





Atlanta's explosive growth as a convention city is responsible for the all-new 10th floor of the Biltmore. 7 of 11 meeting rooms, designed for conferences or private dining, are connected with Unitfold Folding Walls. These areas can be varied to serve groups from 25 to 160 persons.

In the example above, Unitfold is faced with the same paper as the permanent walls (photo 1). Photo 2 shows Unitfold withdrawn and entirely hidden in the pockets at right; contrasting pocket doors add interest to room decor. Photo 3 demonstrates that there are actually two

walls, separated by air space. All the Biltmore walls are of this type — one of the Fairhurst features that means the highest sound retardance known in movable walls. Note close clearance at column. This is Unitfold — solid, rigid, with all the characteristics of a permanent wall.

Write Dept. AR for free information and estimates

### John T. Fairhurst Co., Inc.

45 West 45th Street

New York 36, N. Y.

FAIRHURST . . . First Name in Folding Walls

### Office Literature

continued from page 254

Electrified Cellular Concrete Floors (A.I.A. 17-A) Office Building Manual presents complete information on Flexicore electrified precast concrete cellular floor systems, with data on the design and detailing of the structure and the underfloor distribution system, and structural and electrical specifications. 32 pp. Flexicore Mfrs. Assn., 297 S. High St., Columbus 15, Ohio \*\*

#### Public Pool Booklet

Discusses all phases of indoor and outdoor public pool installation, including such topics as location, plan or shape, elevation, size, depths, design, construction, and interior finishes (pool paints, *Marcite* and tiles). A section on mechanical equipment includes a visual location layout. *Paddock of California*, 14600 Arminta, Van Nuys, Calif.

#### **Comfort Conditioning**

... With Light and Air (A.I.A. 31-F-2, 30-E) Provides complete engineering and performance data on combination lighting fixture-air diffusers. Form OD-1040, 24 pp. Day-Brite Lighting, Inc., 6260 N. Broadway, St. Louis 15, Mo.\*

#### Specifier's Guide

. . . for Mercury-Lamp Ballasts contains prices, dimensions, wiring diagrams and other data for selecting and applying standard and special mercury-lamp ballasts, GEA-7056, 10 pp. General Electric Co., Schenectady 5, N, Y,\*

Air Intake Units and Unit Heaters Gives construction and control details, complete performance data, and dimensions on gas- and steam-fired air intake units and steam-fired unit heaters. Bulletin A-117, 12 pp. Hartzell Propellor Fan Co., Piqua, Ohio

#### Buyer's Guide to Ryerson Tubing


Selection chart gives comparative listing of characteristics and typical applications of seamless and welded round, square and rectangular steel tubing. Technical Bulletin 12-10, 4 pp. Joseph T. Ryerson & Son, Inc., Box 8000-A, Chicago 80, Ill.\*

\* Additional product information in Sweet's Architectural File

more literature on page 308



## TENANTS SELECT THEIR OWN TEMPERATURE IN 25 APARTMENTS ZONED BY B&G Hydro-Flo SYSTEM



Stratford Manor Apartments, Schiller Park, Ill., attracts tenants with such luxury features as *individually controlled Hydro-Flo* Heating for each apartment.

Five buildings, each with five apartments, are heated with one boiler in each building. Five B&G Boosters, together with auxiliary Hydro-Flo equipment, are installed on each boiler to provide thermostatically controlled circulation to individual apartments. Tenants receive all the comforts of radiant hydronic heating plus their own choice of temperature. Only a forced hot water heating system can provide zoning so effectively and economically.

The B&G Hydro-Flo Systems installed in these apartments have proved so satisfactory that the builder plans to install the same system in 92 additional housing units to be built.

### B&G BOOSTER®...key unit of the B&G Hydro-Flo System

Engineered for compactness, silent operation and years of service, this electric pump circulates boiler water for heating. It is built by precision manufacturing methods which translate good design into a superior product. This key unit and other auxiliary *Hydro-Flo* equipment can be installed on any hot water boiler.

BELL & GOSSETT

Dept. GI-32, Morton Grove, Illinois

Canadian Licensee: S. A. Armstrong, Ltd., 1400 O'Connor Drive, Toronto 16, Ontario




### Decorative patterns in concrete give unity

Hospital, clinic, school, research laboratory—the many activities of the new Stanford Medical Center require 7 separate buildings. To bring this complex into one harmonious whole, ingenious use has been made of modern concrete. Precast grilles provide a strong light-and-shadow pattern over large areas. They also set a design theme which is repeated in bold relief on other concrete surfaces throughout the Center. The elegant beauty achieved gives dramatic evidence of concrete's esthetic versatility and its structural advantages. Today, more than one architect is acquiring a reputation through the creative uses of modern concrete.



### and beauty to new medical center!



Stanford University Medical Center, Palo Alto, California. Architect: Edward Durell Stone, New York, N.Y. Structural Engineers: Pregnoff & Matheu, San Francisco, California



### ALL THE ADVANTAGES OF WOOD-and then some

The Wolmanized® brand makes every piece of wood it's on—something special. This quality building material has all the traditional advantages of wood plus permanent termite and decay protection. The Wolmanized brand is the "Mark of Quality", identifying the finest pressure-treated wood. It is produced under license and by Koppers Company, Inc. itself . . . world's leading supplier of pressure-treated wood and wood products.

Wolmanized pressure-treated lumber is the simplest and most effective way to insure built-in protection against decay and insect attack. Use it anywhere wood is near the ground, in contact with masonry or where high humidity and moisture conditions prevail. Application is easy — standard building and finishing methods. And Wolmanized pressure-treated lumber is available as dimension stock, plywood and timber.

The cost for this assured protection is surprisingly little . . . about 2% of total costs in residential construction, even less in commercial and industrial

structures. Next time you are looking for a long-life construction material, be sure to specify Wolmanized pressure-treated lumber. It's branded for your protection.

For the full story of Wolmanized pressure-treated lumber, how it is produced, where to use it, how to specify it and where to get it, write for the free 16-page booklet, "Safeguard Building Dollars."

Wolman Preservative Department Koppers Company, Inc. 751 Koppers Bldg., Pittsburgh 19, Pa.




PRESSURE-TREATED LUMBER · TERMITE AND DECAY RESISTANT · CLEAN · PAINTABLE · ODORLESS · FIBER-FIXED



New! Dramatic accent colors by Natco. The accent colors shown above are now available in Natco's line of ceramic glazed "Vitritile"—a genuine structural clay tile product. These colors can be used in combination, or can be used with standard "Vitritile" field colors to create interesting, colorful interior wall designs or patterns. The colors are: 1. Accent black, 2. Accent orange, 3. Accent yellow, 4. Accent dark blue, 5. Accent dark green, 6. Accent light blue, 7. Accent light green, 8. Accent brown, 9. Accent red... and two Natco Vivid colors, 10. Vivid orange and 11. Vivid red. For further information write for bulletin CC-60.

natco corporation

GENERAL OFFICES: 327 Fifth Avenue, Pittsburgh 22, Pennsylvania . . . BRANCH OFFICES: Boston • Chicago • Detroit • Houston • New York • Philadelphia • Pittsburgh • Syracuse Birmingham, Alabama • Brazil, Indiana . . . IN CANADA: Natco Clay Products Limited, Toronto



**Elevation Detail** 



Architects: Pedersen & Tilney (New York City)
Gasket Supplier: Inland Manufacturing Division,
General Motors Corp.

Aluminum wall framing fabricator and erector: Flour City Ornamental Iron Company, Minneapolis, Minn.

Curtain walls of attractive IBM offices in Baltimore are sealed with "Inlock" neoprene structural gaskets.

In New IBM Building ...

## NEOPRENE GASKETS SPEED GLAZING, GIVE TWO-WAY ECONOMY

In designing IBM's modern new office building in Baltimore, Md., architects specified preformed neoprene gaskets for the glazing system. Reasons: neoprene gaskets not only afford long service life, with virtually no maintenance, but also permit greater on-site economies than conventional glazing materials.

**INSTALLATION IS FAST.** Preformed neoprene gaskets do not require cutting and joining on the job, fit quickly into aluminum frame. In addition, these gaskets eliminate chances for error or careless workmanship. The filler strip firmly locks the glass in place, insures a clean, neat glazing job...no need for messy caulking.

**SERVICE LIFE IS LONG** because neoprene maintains a lasting seal under exposure to weather, ozone and airborne chemicals. It doesn't soften in hot weather or stiffen with cold. Neoprene accommodates horizontal and vertical expansion of glass or panels, as well as wind deflection and dimensional variations of glass or panels, maintains a weathertight seal. It has excellent resistance to compression set.

Neoprene has proven its durability and dependability in out-door service for over 25 years. For more information, send for Neoprene Gaskets for Curtain Walls. Write: E. I. du Pont de Nemours & Co. (Inc.), Elastomer Chemicals Department AR-9, Wilmington 98, Delaware.

### NEOPRENE

SYNTHETIC RUBBER



BETTER THINGS FOR BETTER LIVING . . . THROUGH CHEMISTRY

### here's

### STRENGTH

where it counts...
in the

### HARDWARE

Get away from coatings and plating, and you have the solid-metal strength and durability that's needed in toilet compartment hardware.

That's why Fiat LIFE-LINE Harmonized Hardware is solid-to-the-surface selected alloy . . . aluminum above the floor, stainless steel for floor shoes . . . all in a harmonizing satin finish that blends with any decor.

It's top quality, furnished without exception for every Fiat Enclosure installation because it's been tested and proved best for the purpose.





Send for new Brochure: "Fiat Toilet Enclosures" to get the facts about the FIAT line, as well as architectural details and specifications.

### STRATEGICALLY LOCATED PLANTS FOR FAST DELIVERY AT LOWER COST!


### FIAT

9301 Belmont Avenue, Franklin Park, Illinois



devices P

"the safe way out" in stainless steel







## Von Duprin 66

• Quality engineered . . . quality appearance . . . quality operation. That's the Von Duprin 66.

For enduring beauty and lasting service, the job calls for Von Duprin 66 in stainless steel. You quickly sense the excellent quality of this device . . . its clean, tasteful appearance will harmonize with your finest buildings.

Rim, mortise lock and vertical rod models are furnished with a smart new series of matching outside trims. Type 66 devices are also available in bronze.

Write for your copy of Bulletin 581 . . . full details on construction, function and accessory items.





VONNEGUT HARDWARE CO. • VON DUPRIN DIVISION 402 West Maryland Street • Indianapolis 25, Indiana





Two runs totalling 75' of 96" Burt Continuous Monovent are installed on the Boller House. 101' of 48" Burt Continuous Monovent Ventiletors serve the Water Treatment Plant in this photo.



4,268 sq. ft. of Burt Adjustable Louvers and 635 sq. ft. of Burt Fixed Louvers are in the installation. Illustrated is a 16' x 24' Fixed Louver in the transformer Form Wall. Coke areas have probably the greatest roof and ventilator replacement in steel mills. At the United States Steel Corporation's Clairton Works, the Boiler House and Water Treatment Plant, because of prevailing winds, are subjected almost constantly to quencher fall-out.

Tests show that V-Corr ceramic-coated sheets are fully resistant to emission acids, rust and salt. The Burt ventilators and louvers, of ceramic-coated steel and stainless steel, assure long, trouble-free operation under probably the most highly corrosive conditions in the country.

There is a particular type and size of Burt Ventilator and Burt Louver to solve your ventilating problems too. Send for the Burt Data Book now for your present or future needs.



Send for FREE Data Book!

Write for Burt Data Book SPV-101-1-60. It supplies quick data on Burt's complete line of modern Roof Ventilators.

FAN & GRAVITY VENTILATORS . LOUVERS . SHEET METAL SPECIALTIES

The Burt Manufacturing Company

48 E. South St. Akron 11, Ohio
MEMBER AIR MOVING & CONDITIONING ASSOCIATION, INC.

### Office Literature

WRI Building Design Handbook

Gives complete property and design information on welded wire fabric reinforcing. Wire Reinforcement Institute, Inc., National Press Bldg., Washington 4, D. C.

Ventilating Sets

Provides engineering and performance data for complete line of direct-connected and v-belt driven ventilating sets. Catalog 1160, 18 pp. Westinghouse Electric Corp., Sturtevant Div., Dept. 242, Hyde Park, Boston 36, Mass.\*

Sealtight Products

. . . for Concrete Construction catalogs expansion joints, joint sealing compounds, control joints, sewer joint compounds, waterstops, curing compounds and many new products. Catalog 100. W. R. Meadows, Inc., 26 Kimball St., Elgin, Ill.\*

Packaged Fuel Burning Systems

Describes design and operation of packaged systems for burning oil, gas, and combination oil/gas. Bulletin 1270. Orr & Sembower, Reading, Pa.

Mercury Floodlighting Catalog

Describes, illustrates, and gives specifications for complete line of high-output mercury vapor floodlights in units and clusters for pole, wall, or surface mounting. Catalog MV660. Stonco Electric Products Co., 333 Monroe Ave., Kenilworth, N. J.\*

Low-Impedance Bus Duct

(A.I.A. 31-C-621) Gives application data (descriptions, drawings, dimensions, specifications, and engineering and test data) needed to lay out, specify and install low-impedance bus duct. Application Data 30-662, 20 pp. Westinghouse Electric Corp., P. O. Box 2099, Pittsburgh 30, Pa.\*

Sliding Gate Temperature Regulators

Includes features, applications, sizing charts, flow curve, sample specifications and complete engineering information on sliding gate and plate temperature regulators. Catalog J180-1, 8 pp. OPW-Jordan Corp., 6013 Wiehe Rd., Cincinnati 13, Ohio.


\* Additional product information in Sweet's Architectural File



Why take Chinese copy?

Weshitt SILL-LINE

is often <u>imitated</u> but never duplicated



### Check before you choose!

If it gives you all of these standard features it is the genuine Nesbitt SILL-LINE. . . . No checkee, no takee!

16-gauge enclosures fully braced at least every four feet to equal strength of 14-gauge	V
The three-sided front locks to a full back panel to form the strongest unit-type assembly	V
Five styles of enclosure, 11" to 24" heights to meet all requirements of capacity and use	1
All accessories are expensively die-formed to compliment enclosure design and fit perfectly	V
Eight-step rust-inhibited baked enamet finish in a choice of six modern decorator colors	V
Seven stock lengths of enclosure and heating element; any wall-to-wall fit without cutting	V
Ten types of steam-or-hot-water fin-and-tube heating element; and four types of electric	V
Wide range of capacities, from 700 to 2900 Btu per hr. per lineal ft. (steam)	V
All ratings approved under the latest edition of the IBR testing and rating code	V

LOOK-SEE, my friend! Compare NESBITT SILL-LINE with any other manufacturer's wall fin type of radiation. Decide on the basis of what you can see and feel!

Start with Nesbitt's full one-piece back panel which fits anywhere, even over mullions, wall-to-wall without cutting, insuring perfect alinement and saving of wall trim. Then examine Nesbitt's three-sided front enclosure, dieformed, with turned edges. Note how this front interlocks with the back panel for the full length of the top and bottom grilles. Constructed of 16-gauge steel and braced from top to bottom at least every four feet, this enclosure is as strong as one of 14-gauge — but without extra cost!

Now examine the Nesbitt accessories — not "afterthoughts," like some accessories, but all smartly designed and expensively die-formed to complete the "world's most beautiful perimeter radiation."

Add Nesbitt's baked enamel finish — flawless result of an 8-step process under strict inspection.

Compare all the Nesbitt features with any others! Remember, like Confucius say: "Chinese copy cost less, worth less, is less. Take real thing, take Nesbitt!"

> Like to have Nesbitt man bring you sample of Sill-line? You write us . . . he come, chop chop!



Sill-Line Radiation is made and sold by John J. Nesbitt, Inc., Philadelphia 36, Pa.





### ...NATIONAL **ELECTRICAL**

**PANELBOARDS** 

PANELBOARDS-wide variety of circuit breakers and fusible panelboards can be furnished . . . meets all NEMA and UL requirements.

POWER

PANEL

SWITCHBOARDS

SWITCHBOARDS—complete range in NEMA Groups I, II, and III . . . also available in low-voltage metal enclosed Switchgear.

NE

-NE LO-LOSS FEEDER BUSWAY

NE LO-LOSS-FEEDER BUSWAY

NE SPEEDBUS

MOTOR CONTROL CENTER NE CIRCUIT-

BREAKER CUBICLE

UNIT SUBSTATIONS


NE UNIT SUBSTATION

UNIT SUBSTATIONS—available as packaged units in Group I (600 Volts) and Group II (5 and 15 KV) . . . special and custom arrangements can be supplied.

"I-P-I" INDUSTRIAL PLUG-IN BUSWAY

"I-P-I" INDUSTRIAL PLUG-IN BUSWAYup to 1500 amps at voltages up to 600 . . . versatile and time-tested . . . complete range of take-off and protective devices.

## ELECTRIC OFFERS COMPLETE DISTRIBUTION SYSTEMS



NATIONAL ELECTRIC DIVISION



H. K. PORTER COMPANY, INC.

PORTER SERVES INDUSTRY with steel, rubber and friction products, asbestos textiles, high voltage electrical equipment, electrical wire and cable, wiring systems, motors, fans, blowers, specialty alloys, paints, refractories, tools, forgings and pipe fittings, roll formings and stampings, wire rope and strand.



### Reinforced CONCRETE Arches

Support Luxury Apartment Building

Proving that you can do the unusual with reinforced concrete is this luxury apartment building designed by Tasso Katselas. In this design, the entire first floor is supported directly on reinforced concrete arches which serve as an open

colonnade leading to stairways and elevators. At ground level, the arches also support reinforced concrete columns extending the full height of the building, from which flat slab floors with continuous cantilevers extend around each side of the structure.

Only with reinforced concrete can you achieve such freedom of design. Before you build any type of building, investigate this more flexible medium of construction.

Concrete Reinforcing Steel Institute 38 South Dearborn Street, Chicago 3, Illinois



Neville House Apartments, Pittsburgh, Pa. Architect: Tasso Katselas, Pittsburgh, Pa. Structural Engineers: Gensert, Williams & Associates, Cleveland, Ohio Contractor: Gratziano Construction Company, Pittsburgh, Pa. Photos by Jay-Bee Studios



IN RECREATIONAL CENTERS, TOO, IT'S


## wietly beautiful. Beautifully quiet.

Quietly beautiful—the only inc

- Beautifully quiet-85 NRC.
- All the permanence, stability, and easy-application characteristics of glass fiber
- The ideal ceiling board for any suspended ceiling application where appearance and acoustical efficiency are important. . . offers uniformity without monotony.

FOR ADDITIONAL INFORMATION SEE SWEET'S FILE 11A/GU OR WRITE FOR 4-COLOR AIA BROCHURE TODAY.

GUSTIN-BACON Manufacturing Col



#### 6065

## Upstairs or down...there's plenty of room for beautiful idea-interiors with Marlite RANDOM PLANK

All through the home from basement to attic . . . from a limited remodeling job to an extensive new construction project . . . Marlite Random Plank offers almost unlimited decorating possibilities.

Available in six exclusive Trendwood® finishes, this beautiful wash-and-wear paneling gives any interior the luxury look of handsome hardwoods at a cost far less. It goes up fast over furring strips or

existing walls. With its high-heat baked melamine plastic finish, this versatile paneling stays like new for years without special care. And Marlite Random Plank provides remarkable resistance to stains, mars and dents; cleans with a damp cloth.

Get complete details from your building materials dealer, consult Sweet's File, or write Marlite Division of Masonite Corporation, Dept. 905, Dover, Ohio.

### Marlite plastic-finished paneling

MARLITE BRANCH OFFICES AND WAREHOUSES: 204 Permalume Place N. W., Atlanta 18, Georgia • 18 Moulton Street, Cambridge 38, Mass. 1925 No. Harlem Ave., Chicago 35, Illinois • 8908 Chancellor Row, Dallas 35, Texas • 1657 Powell Street, Emeryville, California (Oakland) 3050 Leonis Blvd., Los Angeles 58, Calif. • 39 Windsor Avenue, Mineola, L. I. (New York) • 2440 Sixth Avenue So., Seattle 4, Washington

## FOR THE HUNT LIBRARY CARNEGIE INSTITUTE OF TECHNOLOGY PITTSBURGH, PA.

## CURTAIN WALLS

### IN ALUMINUM by GENERAL BRONZE CORPORATION

Here's an example of a beautiful classical-modern effect achieved through the use of narrow window bays and deep, vertical mullions of contrasting shades of anodized aluminum.

In designing the new Hunt Library at Carnegie Tech., the architects, Lawrie & Green, used Permatite fully reversible, vertically pivoted aluminum windows set in narrow, aluminum framed bays. Thirty-six inch deep mullions between windows not only act as functional sun shades, but also add to the distinctive architectural beauty of the building.

General Bronze's vast experience in designing, fabricating and erecting curtain walls covers every style of architecture and every type of material. On your next job call in the General Bronze representative. You'll find him ready and anxious to be of service. Our catalogs are filed in Sweet's.

Hunt Library
Carnegie Institute of Technology
Pittsburgh, Pa.
Architects: Lawrie & Green
Contractor: George A. Fuller Co.



GENERAL BRONZE
CORPORATION - GARDEN CITY, N.Y.
SALES OFFICE: 100 PARK AVE., NEW YORK 17. N.Y.



PERMATITE DIVISION — Windows, Curtain Walls, Architectural Metal Work.
ALWINTITE DIVISION — Stock-size Aluminum Windows and Doors.
BRACH MFG. CO. DIVISION — Radio, Television and Electronic Equipment.
STEEL WELDMENTS, INC. DIVISION — Custom fabrication in Steel and Iron.
GB ELECTRONICS DIVISION — Telemetry and Tracking Antenna Systems

#### On the Calendar

September

6-16 Second Production Engineering Show, theme, "Automation, Key to Manufacturing in the Sixties"—Navy Pier, Chicago

- 6-16 Machine Tool Show; of equipment and products which keep machine tools running—International Amphitheater, Chicago
- 7 -9 Joint Automatic Control Conference, sponsored by American Society of Mechanical Engineers, American Institute of Chemical Engineers, Institute of Radio Engineers, Instrument Society of America, American Institute of Electrical Engineers—Massachusetts Institute of Technology, Cambridge
- 11-15 62nd Annual Conference, American Institute of Park Ex-

- ecutives-Long Beach, California
- 11-16 National Technical Conference, Illuminating Engineering Society—Penn-Sheraton Hotel, Pittsburgh
- 15-18 Annual Convention, Society of American Registered Architects—Statler Hilton Hotel, Dallas
- 25-29 42nd National Recreation Congress—Shoreham Hotel, Washington, D.C.
- 26-28 Ninth Annual Meeting, Standards Engineers Society—Hilton Hotel, Pittsburgh
- 26-30 Third Instrument-Automation Conference and Exhibit of 1960, sponsored by Instrument Society of America, and 15th Annual Meeting of LS.A.—The Coliseum, New York
- 27-30 Sixth Annual Convention, Prestressed Concrete Institute— Statler-Hilton Hotel, New York City


October

- 5 -7 39th Annual Meeting and Chapter Presidents Conference, the Producers' Council— Drake Hotel, Chicago
- 8-16 10th Pan-American Congress of Architects—Buenos Aires
- 8-16 American Institute of Decorators Show, sponsored jointly by Resources Council of the A.I.D., the New York Chapter of the A.I.D., and the New York Herald Tribune; theme, "Decoration and Design 1961"
  —Seventh Regiment Armory, New York City
- 9-13 National Convention (third of three in 1960), American Society of Civil Engineers—Boston
- 11-14 Eighth Annual Workshop Convention, Architectural Woodwork Institute Sheraton Park Hotel, Washington, D.C.
- 11-15 Annual Meeting, American Council of Independent Laboratories—Deauville Hotel, Miami Beach
- 17-21 48th Annual National Safety Congress—Conrad Hilton and other hotels, Chicago
- 17-21 National Metal Exposition— Philadelphia
- 19-23 15th Annual Convention, California Council, American Institute of Architects—Yosemite National Park
- 23-26 Annual National Planning continued on page \$24



### THE REAL ANSWER:

Don't be space wise and dollars foolish: provide at least the space shown at right. Then all the trades — plumbing, heating, air conditioning, ventilating — will find room to work.






CARRIER-FITTINGS

Write for WADE Carrier-Fittings Dimensional Standards Charts.

WADE MANUFACTURING CO.



Pleasant Hill High School
Pleasant Hill, Missouri
Matthews and Hillman, Architects & Engineers
M. R. Erwin, Pres., Board of Education
H. Hall, Superintendent of Schools



### Room by Room and Activity by Activity the Thermal Environment of Another School is Perfectly Controlled by LENNOX Comfort Curtain

Teachers like the individual temperature controls in the 12 classrooms of this new building. They have found that with Comfort Curtain they are able to provide a "climate" that stimulates learning, with students more alert and more receptive, which in turn makes their teaching all the more rewarding. With a Comfort Curtain System, individual classroom temperatures can be maintained within 1/2° of thermostat setting. Response is immediate, which permits rapid adjustment of the thermal environment to the changing requirements and uses of the particular room.

The Comfort Curtain System provides an air processing unit in each classroom which controls, blends and filters warm, return and fresh air as demanded. This air is distributed continuously across the full length of the exterior wall through functional, pre-finished metal bookshelf sections or wall ducts to eliminate cold spots, drafts and tired air. In the Pleasant Hill installation, gas fired heating sources, in approved construction heater rooms, are

located on exterior walls between each two classrooms.

Individual Day-Nite thermostats have "no-occupancy" settings that save fuel by recirculating warm air when fresh air is not required-make after-hour use of individual rooms economical. Minimum structural requirements and ease of installation reduce both initial costs and over-all expenditures. As future building expansion is required, the modular design permits new units to be added economically. When desired, the Comfort Curtain System provides for present or future air conditioning on a room-by-room basis. Servicing of the entire system can be handled by any qualified local heating contractor.

For complete information about the Comfort Curtain System and its adaptability to in-the-room, two-room remote, central warm air, steam or hot water, heat pump, or electric heat sources, write LENNOX, 502 S. 12th Avenue, Marshalltown, Iowa, or phone your nearest Lennox office, listed below, and ask a technical representative to call.

World leader in indoor comfort for homes, business, schools and industry LENNOX



©1960 Lennox Industries Inc., founded 1895; Marshalltown and Des Moines, Ia.; Syracuse, N. Y.; Columbus. O.; Decatur, Ga.; Ft. Worth; Los Angeles; Salt Lake City. In Canada: Toronto, Calgary, Montreal, Vancouver, Winnipeg.

### How Day-Brite lighting helps a school prepare for tomorrow


The "little red school house" was fine in its day, but future demands on our educational system require a new kind of educational plant. This high school, incorporating some of today's most forward-looking architectural concepts, promises to remain modern and efficient for years to come.

With great attention given to both form and function throughout, Day-Brite was the logical lighting choice. Semester after semester after semester, these fixtures will provide highest visual comfort with substantial long-range operating and maintenance economies.

If a school building or remodeling project figures in your "tomorrow", consult your Day-Brite representative about the lighting designed with "tomorrow" in mind. Day-Brite Lighting, Inc., 6260 N. Broadway, St. Louis 15, Mo. and Santa Clara, Calif. In Canada: Amalgamated Electric Corp., Ltd., Toronto 6, Ont.



NATION'S LARGEST MANUFACTURER OF COMMERCIAL AND INDUSTRIAL LIGHTING EQUIPMENT





Superb Day-Brite Holiday fixtures maintain a minimum lighting level of 70 footcandles.

Princeton High School, outside of Cincinnati


Architect:

Potter, Tyler, Martin and Roth


Consulting Engineer: Fosdick and Hilmer

Electrical Contractor:

Beltzhoover Electric Co.



Molded acrylic plastic enclosures control light prismatically, eliminating glare.



Beneath a Handsome Williamsburg



Exterior ...




## The High Strength and Light Weight of LACLEDE OPEN WEB STEEL JOISTS

Study, Farrar and Majers have borrowed from the gracious architecture of colonial times to design beautiful new offices for Mississippi River Fuel Corporation in suburban St. Louis.



Laclede Open Web Steel Joists were used generously in the construction of this low-flung, classicly symmetrical building by G. L. Tarlton Contracting Company. Every advantage was taken of the versatility offered by these high strength, lightweight structural members. Quickly set in place and stabilized with continuous horizontal bridging, they provided a sound support for the poured concrete floors. In a variety of lengths, they formed the graceful slopes and valleys of the hip roof with its interrupting gables and dormers.





LACLEDE STEEL COMPANY


SAINT LOUIS, MISSOURI

Producers of Steel for Industry and Construction

## FREQUENT

## SMALL FIRES







8168-DE

THE DONLEY PRINCIPLE OF FREQUENT BURNING MINIMIZES HEAT, SMOKE ODOR AND FLY-ASH TO INCREASE A BUILDING'S FUNCTIONAL VALUE



Donley

Donley offers a range of incinerators in standard designs to satisfy most installation requirements. Donley Automatic Safety Burners provide economical small fires at frequent intervals and comply with standards of leading insurance companies and building codes.

METAL PRODUCTS FOR BUILDING 13972 Miles Avenue • Cleveland 5, Ohio Write for your copy of the Donley Incinerator Catalog or see it in Sweet's.



Chancery of the Embassy of Switzerland, where gas provides heat for comfort through a Lo-Blast Burner.

National Rifle Association of America. New building is heated throughout with Lo-Blast Gas Burners, installed on the roof to save valuable space.



### In Washington, D.C....cost-conscious building


Private homes, clubs, schools, government buildings, industrial plants...all types and sizes of buildings in Washington...get top heating efficiency and unbeatable fuel economy with Lo-Blast Power Gas Burners. Consistently low operating costs reflect the advantages of this type of burner.

Versatile Lo-Blast burners adapt easily to any boiler or furnace. With their "inshot" design, all components are outside the firebox for easy access and longer life. Burners operate automatically with forced air injection, independently of variable chimney drafts. You get greater combustion efficiency with all the conveniences and economy of gas heat. For information on Lo-Blast Gas Burners—and their smaller counterpart, the Economite—contact your local Gas Company, or write to Mid-Continent Metal Products Co., 1960 N. Clybourn Ave., Chicago 14, Illinois. American Gas Association.



St. Anthony's High School. The Lo-Blast Gas Burner keeps the entire building comfortably warm, from classrooms to the spacious gymnasium.

Economite and Lo-Blast Power Gas Burners operate silently, cost less to install, are well suited for down-draft boilers, and are available in capacities from 70,000 to 20,000,000 BTU.



### owners heat with LO-BLAST GAS burners

Neisner Variety Store · Electronics Cleaners · Dickey's Dry Cleaners · American Security & Trust Co., Pa. Ave. Branch · Peeler's Cleaners · Clothes Doctor · McBride's Five and Ten · Call Carl's Auto Repair · Holy Comforter School · Charles H. Tompkins Residence · St. Paul's Lutheran Church · Kensington Fire Department A. S. Aloe Building · Washington Loan & Trust Company · Electrical Workers Union Building · Second Baptist Church · Apartment · Gé New York Avenue · Hungarian Relief Agency · Ransdell, Inc., Printing Shop and Office · Luther Rice Church · James Vito Apartment · Washington Maid Ice Cream Plant · Harvey's Restaurant Farragut Medical Building · Bolling Field Mess Hall · Quick Car Wash Company, Inc. · Devitt School Building · Wissinger Chevrolet Garage · St. Matthew's Church · Stidham Tire Company · National Bureau of Standards · Old Dominion Bank · Beverly Plaza Valet

Service • Stratford Hotel • Town and Country Cleaners • National Professional Engineers Society Building • Best & Co. Retail Store O'Donnell's Restaurant • St. Leo's Catholic Church • Holy Name College • Telephone Company Garage • Temporary Building, Capitol Hill • Posin's Delicatessen & Bakery • Arthur Capper Dwellings (Federal Housing) • IBM—Vanguard Headquarters • Takoma Park Presbyterian Church • 2117 E St., Apartment • 2116 F St., Apartment • 2500 Q St., Apartment • Cherrydale Methodist Church Bolling Air Force Base • 3300—16th St., Apartment • Crusty Pie Bakery • Firestone Recap Shop • St. Paul's Lutheran Church • Grace Methodist Church • Hogates Arlington Restaurant • Sulgrave Club

### FOR HEATING & GAS IS GOOD BUSINESS!

Conference of Community Planning Association of Canada; theme, "Planning for the Smaller Communities"—Sheraton Connaught Hotel, Hamilton, Ont.

24ff 7th Advanced School for Home Builders, University of Illinois Small Homes Council-Building Research Council in cooperation with National Association of Home Builders; through November 2—University of Illinois, Urbana, Ill.

27-28 Sixteenth Annual Conference, American Society of Industrial Designers (open to business executives in fields of general management, marketing, manufacturing, engineering as well as to society members)—Edgewater Beach Hotel, Chicago

November

10-14 20th Annual Convention, Society of Industrial Realtors; in-

cluded in proceedings will be exhibition "New Homes for Industry, North America"—Dallas

13-16 Seventh Annual Building Materials Exposition, sponsored by National Retail Lumber Dealers Association—Civic Auditorium, San Francisco

14-15 Conference on Prestressed Concrete—Biltmore Hotel, Los Angeles

- 14-16 Fall Conferences, Building Research Institute—Shoreham Hotel, Washington, D.C.
- 21-22 Conference on Prestressed Concrete — Sheraton - Palace Hotel, San Francisco
- 27ff Winter Annual Meeting, American Society of Mechanical Engineers; through December 2
   —Statler-Hilton, New York
- 28-30 Semi-Annual Meeting, American Society of Refrigerating Engineers—Chase-Park Plaza Hotel, St. Louis

### Office Notes

Offices Opened

Norman A. Hintz, James F. Browning, architects, and Edward A. Wilke, structural engineer, have set up offices at 2846 No. 85th St., Milwaukee 10, Wis.

Robert W. Kemp, architect, has opened a new office at 2649 No. 118th St., Milwaukee 13, Wis.

Heinz Brummel, architect, has set up offices at 4058 No. Downer Ave., Milwaukee 11, Wis.

Robert Joseph Pilc, architect, announces the opening of a new office at 244 5th Ave., New York 1, N. Y.

Allan Kenny, A.I.A., has set up offices at 3379 No. Green Bay Ave., Milwaukee 12, Wis.


Consulting engineer Wayman C. Wing announces the opening of his office at 411 7th Ave., New York 1, N. Y.

Max von Berlichingen, structural engineer, has set up new offices at Highway 141, Grafton, Wis.

New Firms, Firm Changes

The firm of Carl W. Pirscher and Associates, Architects A.I.A., 23255 Woodward Ave., Ferndale, Mich., is being joined by William R. Jarratt, A.I.A. The new organization will be known as Pirscher and Jarratt, Architects.

continued on page 332



In fiberglass, in color... and a design as fresh as the latest architectural trends! HAWS Model 10Y brings welcome beauty and color appeal to school and institutional environments. It's vacuum molded in tough, lightweight, acid resisting fiberglass—with smooth lines and 100% concealed trim. HAWS vandal proof, shielded bubblers are anti-squirt, with HAWS Flow Controls. Choose from five decorator colors and white at no extra cost! Write for the complete specs on Model 10Y (and also Model 10X, the same fine design in enameled iron).

See HAWS Catalog in Sweets Architectural File for data on the entire Haws line.



324

## toilet compartments now certified for... RUCTION

SATISTACTO

### Certification

MATERIAL - CONSTRUCTION - FINISH

We hereby certify tollet compartments furnished on our order # plans and section \_ \_of specifications\_

#### MATERIALS

- Type of Steel Where galvanized Bonderized steel is specified, the minimum zinc coating shall be a nominal .15 mils each side as supplied by,
- Gauges of Steel Minimum standards shall be as follows:
  - 22 gauge Flush Partitions 48" and under: Doors.

  - 16 gauge Stiles (without headrail).
  - Headrail 20 gauge lockseam tubing (11/2" x 11/4").
- Wall and Stile Brackets Floor Mounted or Ceiling Hung: Zamak, extra heavy die cast and chrome plated.

  Headrail Braced: Extruded aluminum, etched and anodized.
  - Floor Fastenings -- Heavy zinc plated steel
    - Shoes Stiles 4" wide and wider: .031 stainless steel, full 3" high, hemmed top and bottom.

      Stiles under 4" wide: Zamak, extra heavy die cast.

### CONSTRUCTION

- Face Plates of Stiles, Doors and Partitions shall be welded at regular intervals throughout.

  Door and Partition welds shall be made WITHOUT use of gas flame or electric arc.
- Corners of Doors and Partitions shall be fabricated WITHOUT welding or grinding.
- Door and Partition Fillers shall be double-faced honeycomb.
- Stile Reinforcing and Mounting Assembly shall be assembled to stile BEFORE enamel is applied, and welded WITHOUT use of gas flame or electric arc.
  Enamel shall consist of two coats of baked-on organic or one coat of porcelain.

#### ENAMEL FINISHES

- Application shall be by electrostatic process in a dust-free atmosphere. Enamel shall be cured by oven baking.
  - Quality shall be such as to meet the following specifications:

HENRY WEIS MANUFACTURING COMPANY-Elkhart, Indiana

President

Secretary



## FOR A QUALITY ROOF, IT'S BARRETT

- FINEST MATERIALS... BOTH ROOFING AND ROOF INSULATION
- APPLIED BY BARRETT APPROVED ROOFERS
- BACKED BY BARRETT ROOF INSPECTION SERVICE

Taking chances can be fun. But if you like to play it safe—at least where roofs are concerned—specify Barrett. Pitch or asphalt, applied over Barrett surface-sized roof insulation, adds up to roofs that will be giving trouble-free service when the present board chairman's son is board chairman.



### **ACROSS THE BOARD**

Barrett's SPECIFICATION® Roof is the **only** 25-year bonded pitch and felt roof. For buildings requiring an asphalt flat roof, we've got the best, too—the new ANCHORBOND†. And now we've added the finest fiberboard roof insulation. For 106 years, Barrett has offered the finest in built-up roofing materials.

BARRETT IS OUT TO HELP YOU! With a line of dependable, highest quality building materials that includes: ASPHALT SHINGLES • ROLL ROOFINGS • FIBERBOARD PRODUCTS • ALUMINUM SIDING • GYPSUM PRODUCTS • PROTECTIVE COATINGS AND CEMENTS.

BARRETT DIVISION

40 Rector Street, New York 6, N. Y







... the smallest unidirectional dynamic microphone is here

SOUNDS EVEN BETTER THAN IT LOOKS!

Compact size . . . modern design . . . wide response . . . superior feedback suppression . . uniform cardioid pattern . . ruggedness . . reliability; you name it, SHURE has designed it into the dramatic new Unidyne III. 50% SMALLER-Smaller than 6" x 114". PERFECTION IN PERFORMANCEmoving coil design with truly uniform cardioid pick-up pattern. 50 to 15,000 cps. Up to 75% greater distances from sound source. Impressive feedback suppression.

VERSATILE-unobtrusive size, dual versatile—unobrusive size, dual impedance, light weight, instant change from stand to hand, and wide-range respons make it ideal for faithful reproduction of voice or music, indoors or out, for P.A., tape recording . . . anywhere fine quality is required.

Free: Architects' literature:


SHURE BROTHERS, INC 222 Hartrey Ave., Evanston, Ill.

\$5100

Professional Net

THIS IS IT, ACTUAL SIZEI

SHURE



### JOHNSON Forced Draft BURNERS

For firing with Oil only . . . Gas only . . . or Combination Oil or Gas. Wired, tested and completely assembled at the factory ready for easy, inexpensive attachment to any boiler or heat receiver. They provide smoother, more efficient combustion regardless of stack conditions and firebox pressure variations. Powered by the

famous Johnson Mod. 53 Burners, these "packaged" units are available 28HP to 560HP. S. T. JOHNSON CO.

for any heating need, in sizes from

940 ARLINGTON AVE. CHURCH ROAD OAKLAND 8, CALIF. BRIDGEPORT, PA.






Sanitary! Strong! Efficient! You can assemble any size cooler, freezer or combination in any shape from standard sections. Add sections to increase size as your requirements grow. Easy to disassemble for relocation.

ARCHITECTS: see 8 pages of engineering data in Sect. 26/A of Sweet's Catalog.

Bally Case and Cooler, Inc., Bally, Pa. Get details - write Dept. AR-9 for FREE book.



### Now...quick delivery, lower costs, same high quality simplify your project problems

Now you can specify Milcor Metal Base as a standard item available through building supply dealers. You can provide the advantages of steel at an installed cost competitive with costs of bases made of other materials. All styles of Milcor Metal Base — and all other items in the nation's most complete metal lath line — are described in the Milcor catalog in Sweet's Architectural File, section 12a/In. If you would like a personal copy, write for catalog 202.



A Complete Selection

of metal trim items

in the Milcor Line



NEW! Clip-on Bases.





INLAND STEEL PRODUCTS COMPANY
DEPT. 1, 4033 WEST BURNHAM STREET, MILWAUKEE 1, WISCONSIN ML-34

BALTIMORE, BUFFALO, CHICAGO, CINCINNATI, CLEVELAND, DETROIT, KANSAS CITY, LOS ANGELES, MILWAUKEE, MINNEAPOLIS, NEW ORLEANS, NEW YORK, ST. LOUIS

## NEWEST, NEATEST IDEA



NO UNSIGHTLY PLUMBING—IT'S CONCEALED INSIDE! Nothing juts out behind to collect dirt or mar clean appearance. As a result, instead of usual 18" to 22", this Westinghouse cooler extends only  $12\frac{1}{2}$ " from the wall—leaves passageways clear for traffic, handtrucks. New "slip" connections inside make installation far faster and simpler, too.



so Modern, so neat—so easy to clean under! Slim and smart looking, this Westinghouse model fits compactly on the wall, out of the way. Completely eliminates dirt-catching areas . . . simplifies floor cleaning. Doubles as a kiddie-cooler when mounted on the floor . . . measures just 31" high, just right for schools, etc.

## IN WATER COOLERS!



FITS IN 6%" SPACE—SERVES SEVERAL FOUNTAINS! Meets the move to "built-ins!" Just 65%" slim, yet delivers as much cold water as other units requiring double the space! 5- and 10-gal. capacities, interchangeable as needs change. Serves several fountains on the same or other floors. Mounts in or on wall, under counter, etc.

# WESTINGHOUSE WALL LINE

Exclusive Westinghouse Water Coolers end unsightly plumbing and wasted space...help keep your buildings smart and functional!

Architects have hailed the Westinghouse "Wall Line" as today's biggest news in water coolers—and with good reason! Its exciting "clean look" matches perfectly the clean, functional style of today's architectural designs. Gone is old-fashioned dirt-catching exposed plumbing—it's concealed inside. Gone is wasted space in offices and corridors—these new coolers fit compactly against... on... or in the wall! What's more, you've a choice of 3 completely different types that allow you maximum flexibility of style and location. Get the full story. Mail the coupon today—or call your Westinghouse Water Cooler Distributor. He is listed under "Water Coolers" in your Yellow Pages. You can be sure... if it's Westinghouse.

### Westinghouse



Write for more information on new WESTINGHOUSE WALL LINE

Westinghouse Electric Corp., Water Cooler Dept., Columbus, Ohio GENTLEMEN:

Please send more information on your new Westinghouse "Wall Line" Water Coolers.

NAME OF COMPANY\_\_\_\_\_

ADDRESS\_\_\_\_\_

R-0 ZONE\_\_\_STATE\_

The firm of George M.D. Lewis, Registered Architect, 445 Kressler Court, Scranton 10, Pa., has added a new partner, Donaldson Berghauser, A.I.A. The new partnership is known as Lewis & Berghauser, Registered Architects. Edward Davis Lewis is junior partner in the firm.

Michael D. Schwartz, Registered Architect, announces the formation of Michael D. Schwartz & Associates, Registered Architects-Construction Coordinators. Associates are: Jamés S. Gaspari, A.I.A.; Sid Dyer; and Sidney Schwartz, administrator. New offices are at 114 East 32nd St., New York 16. N. Y.

The formation of the firm of Kissinger-Jaroszewicz Associates, Architects, is announced by Stewart S. Kissinger, A.I.A., Mark T. Jaroszewicz, A.I.A., and Tobias J. Gersback. Their. offices are at 1310 No. Telegraph Rd., Dearborn, Mich.

The firm name of Robert W. Talley, Architect, 805 Lovett Blvd., Suite

203, Houston 6, Texas, has been changed to Robert W. Talley and Associates.

Thomas and Hutton and Associates announces that the firm name has been changed to Thomas-Driscoll-Hutton, Inc., Architects and Engineers. Offices are still at 20 East Bay St., Savannah, Ga., in conjunction with Thomas and Hutton, Engineers.

Richard D. Riehl has joined Frederic P. Wiedersum Associates, architectural-engineering firm which has its headquarters in Valley Stream, L. I. Mr. Riehl serves as liaison between Wiedersum and school board members and administrators in Westchester, Long Island, and New York State.

Three new partners and four new associates have been admitted to the architectural firm, Sargent-Webster-Crenshaw & Folley, whose offices are in Syracuse, Watertown, Plattsburgh, and Schenectady, N. Y. The new partners are: Edward H. Wells, chief engineer; William Stevenson Young, general manager; and Robert W. Malmros, project architect. New Associates are: Donald P. Barner, chief specification writer; Edwin B. Bruce and Arthur C. Friedel, Jr., project architects; and John H. Deierlein, project architect.

The firm name of Ziegler, Childs & Paulson, Architects-Engineers, of 921 Bergen Ave., Jersey City 6, N. J., has been changed to the Office of Valdemar H. Paulsen, Architects. Mr. Paulsen became sole owner of the firm after the death of Christian H. Ziegler several years ago and the previous retirement of Fred S. Childs. Newly appointed associate members are Frederick W. Menne and Richard B. Riyardo.

The firm of Seelye Stevenson Value & Knecht, Consulting Engineers, 101 Park Ave., New York 17, has announced that subsequent to the death of senior partner Elwyn E. Seelye in 1959, the firm name remains the same and that the organization continues the practice of consulting engineering in structural, civil, mechanical, electrical, and highway engineering.

### New Addresses

Aeck Associates, Architects, 180 Techwood Drive, N.W., Atlanta, Ga. Sidney Astor, Architect, 170 5th Ave., New York 10.

Charles E. Broudy, Architect, 2016 Walnut St., Philadelphia 3, Pa.

## NEW! Electrically-Operated Projection Screen Pre-engineered For Cond




### Pre-engineered For Concealed Installation



The most practical product an architect ever specified! The exclusive Da-Lite Electrof projection screen—enclosed at the factory for simplified on-job installation. Screen may be installed in a concealed position—or mounted on wall and finished to match. Da-Lite Electrol is ready for use seconds after control button is touched.

Da-Lite's quality-controlled projection screens are your assurance of years of trouble-free service. For over half a century, Da-Lite has built a reputation as the finest in projection screens for theatres, auditoriums and conference rooms!



Electrol Screens feature Da-Lite's famous White Magic glass-beaded screen fabric. Permits big-picture vision . . . with beautiful clarity and color. Specially-engineered electric motors are totally sealed, require no further lubrication. Screens are completely assembled at factory. Control switch and plate furnished.

#### WRITE TODAY!

New technical bulletin gives complete details on operation and installation of electrically-operated Da-Lite projection screens and portable tripod models.



10 ...

9 . . . 8 . . .

7...6...5...

4 . . . 3 . . . 2 . . . 1

COMING SOON! NEW INCOMBUSTIBLE ACOUSTICAL TILE FROM BESTWALL: A MAJOR BREAKTHROUGH IN TILE DESIGN GIV-ING YOU 'SPACIAL SILENCE'. SEE IT SOON.





#### BESTWALL GYPSUM COMPANY


Ardmore, Pennsylvania

Plants and offices throughout the United States



### Kansas City Municipal Airport north terminal building, kansas city, missouri

Selected—SG-190V Automatic Surface Door Holders for their simplified control and adjustable holding power. Heavy duty arms and brackets, extra sized sex bolts for attachment insures long life for these cushioning stop-holders. Easily accessible control lever for hold-open function may be set with door in open or closed position. Door may be released by "push-pull" while control remains engaged until manually re-set.



COOPER, ROBISON, CARLSON & O'BRIEN Kansas City, Missouri

General Contractor INTERSTATE CONSTRUCTION CORP. Kansas City, Missouri

Hardware Supplier BUNTING HARDWARE COMPANY Kansas City, Missouri



SARGENT & GREENLEAF, INC. - ROCHESTER 21, NEW YORK



Send for Free GR movable wall and partition catalogs today!

This informative data on GR Products movable walls and partitions will help you in your business needs. Specify with complete confidence and the sure knowledge that a GR Products installation will give your clients the versatility, flexibility and attractiveness they want in movable walls or partitions.



NAME	
STREET	
CITY	STATE

GR PRODUCTS INC. 47-01 35th St., Long Island City, N. Y.

TO KEEP DAMP. NESS FROM CON-CRETE and MASON-RY SECTION, select **PICK** DEHYDRATINE #6. CINDER BLOCK YOUR TO SPAN HOLES NUMBER AND CRACKS, use DEHYDRATINE #10. TO FOR SURFACES OF SOLVE < LOW POROSITY, use DEHYDRATINE #1. YOUR STONE FOR A STONE BACKING, use DE-**DAMPNESS** HYDRATINE #3. **PROBLEM** LIMESTONE OR CAST STONE Dampness damage goes deeper than can be seen on the surface—like exterior deterioration, "spalling," and cracks. Moisture softens and disintegrates plaster, causes rusting—and weakening—of steel reinforcements. And alternate wetting and drying can cause serious cracks in concrete. Every moisture problem is different—and so is the cure. Spot your problem—and then cure it with the proper Horn DEHYDRATINE. GRADE TO DAMPPROOF DAMP MASONRY use DEHYDRATINE CONCRETE For more information about your dampproofing problem, write to Dept. H-31-99.



A. C. HORN COMPANIES

Sun Chemical Corporation 750 Third Avenue, New York 17, N. Y.



## IT'S HARD TO HIDE SUCCESS

...THANKS TO YOU

Is there a more genuine smile than the one which follows recognition for a job well done?

We think not. And—figuratively speaking—you've helped to put just such a smile on our faces by your overwhelming acceptance of the new Herman Nelson classroom unit ventilator ensemble.

Enthusiastic approval of our new architectural styling, accent colors and functional window-wall equipment is making 1960 a record year for Herman Nelson.

You told us what you wanted, what you thought would be best for classroom environment. We combined this information with our experience in making classroom equipment. The resulting equipment has proven to be a functional contribution to a "new kind of classroom"—a contribution that has been singled out by Product Engineering magazine for a "Master Design Award for Achievement in Product Engineering."

This is our way of saying thank you for your help in making this possible.



# UNLIMITED REMODELING DESIGN FREEDOM

... with architectural porcelain panels!

Whatever your remodeling problem . . . modern curtain-wall-effect for an office building, modernizing a store front, revitalizing a gas station, creating a handsome facade for an industrial plant . . . porcelain enameled panels offer speed, economy and remarkable design flexibility. You can use lightweight porcelain panels alone or in combination with tile, brick, concrete or any other building material—literally put a new "skin" over an entire building. Adjacent buildings can be faced with matching or design-integrated panels to achieve the visual effect of a single, unified structure. Facing is accomplished in any weather—with little or no disturbance to old surfaces—often without interruption of the building's normal business activities.

INLAND STEEL COMPANY—producers of the basic enameling iron used in the manufacture of porcelain panels, suggests that the way to find the exactly right panels for your specific job, is to talk it over with an established and reputable Porcelain Enamel Panel Manufacturer or Applicator.

When your client plans remodeling . . investigate.



#### Washington Topics

continued from page 72

#### Congress Allows \$920.4 Million For 1961 Military Construction

Most of the appropriations for construction programs were cleared by Congress before it recessed for the conventions. Actions on funds for the Hill-Burton hospital construction program and for general civil works construction were the two notable exceptions. Further work on and clearance of these appropriations were held over till August.

A resolution pushed through before the recess allowed all agencies not covered by final appropriations action to operate on last year's basis until their specific money for fiscal 1961 could be cleared.

The compromise on the military construction measure already was reached before the lawmakers left Washington in July. The House had voted \$867.1 million and the Senate increased this to just over \$1 billion. The conference committee agreed on \$920.4 million, divided among the services as follows: Army, \$148.4 million; Navy, \$162.5 million, and Air Force, \$609.5 million. This compared with an appropriation for fiscal 1960 of \$1.3 billion.


Final action also was taken before the recess on money for the public buildings program of the General Services Administration. The House first voted \$144.8 million for building 20 projects. The Senate raised the amount to \$171.9 million, urging that some of the increase go for fallout shelters in the new buildings. As the measure went to the White House, it contained \$165.4 million.

Also in the Independent Offices appropriation measure was \$20 million for elderly housing, \$80 million for Federal-aid airport construction, \$150 million for slum clearance and urban renewal, \$6 million for a reserve of planned public works projects, and \$75 million for construction and improvement of Veterans Administration hospitals.

#### Four Changes Mark Extension Of GI Home Loan Act

The GI home loan program of the Veterans Administration was excontinued on page 348









#### DODGE BOOKS, F. W. Dodge Corporation 119 West 30th St., New York 18, N. Y.

Send me ..... copies of EXHIBITION AND DISPLAY @ \$13.75. Within ten days after receipt, I will either remit \$13.75, plus postage, or return the book and owe nothing.

Name	
Address	

The new help in planning displays and exhibits

## EXHIBITION AND DISPLAY

by James Gardner and Caroline Heller 190 pages, 8% x 11½ over 350 photographs and line drawings

\$13.75

NOW you can profit from an authoritative, eminently practical guide in which every aspect of contemporary exhibition and display receives detailed analysis and evaluation. Its view ranges from individual store windows and sales floors, through industrial and government exhibits, to mammoth projects of international scale such as world trade fairs and expositions.

EXHIBITION AND DISPLAY studies the problems of designing exhibits to explain, create atmosphere, and sell—the three activities which, alone or in combination with each other, are the objects of any exhibit. It also examines the methods and underlying principles used to achieve these objects. Its thorough criticism of scores of displays apply the principles outlined in a practical way. For the specialist, there is a technical appendix on procedure.

The book's analysis is made more vivid by a lively collection of over 350 photographs and line drawings showing exhibitions good and bad, past and present, from nearly every continent.

#### Divided into three sections, EXHIBITION AND DISPLAY

1. Principles—What exhibition can and cannot do, Displaying goods, Selling ideas, Circulation and stand layout, Catching the eye, Lighting, Words and Lettering, Special effects, Plants, Features; 2. Practice—Goods and services, Ideas and information, Things for their own sake, Exhibition in the street, Analysis of the 1958 Brussels Fair; 3. Procedure—(a technical appendix).

#### ABOUT THE AUTHORS

James Gardner is a leading designer noted for such projects as the British Pavilion at the 1958 Brussels Exhibition.

Caroline Heller has worked as writer and lecturer for the United Nations, the British Government, and a number of private corporations.

> Order Your Copy On Approval



#### **LOOK "UNDER THE HOOD"** of LABORATORY SERVICE FIXTURES



It's a fact that there are important differences in fixtures used for laboratory furniture and it takes such experts to recognize them—even the busy repair man on his frequent trips to replace ordinary washers, re-grind worn seats, or to install whole new units because of stripped threads. That is why T&S Lab-Flo Service Fixtures, heavy duty engineered and constructed throughout especially for laboratory use, constructed throughout especially for laboratory use, are preferred for wood or metal installations of any size or design. Lab-Flo is built for strength, safety, and ease of handling in the laboratory. No thin walls or shallow threads to break down, no weak parts to give out when full line pressure is applied. Look at a cross-section of a Lab-Flo fixture and you will see a cross-section of quality at its finest. You pay for quality—why not get it? You will... when you specify Lab-Flo right down the line on your pay Laboratory. Lab-Flo right down the line on your next laboratory installation, new or remodeled.


its fixtures.

it will operate only as well as



ab- He dealer or write for Catalog

SERVICE FIXTURES . HOSE COCKS REMOTE CONTROLS . RECEPTACLES







#### WHO BUYS HALF-A-DOOR"?

Nobody does, intentionally. But, any industrial door worth having is and MUST be part of a "package". And, that "package" must include a worthwhile guarantee and available after-service to keep that door in tip-top working condition through the many years that a good door will last.

Anybody who settles for less is getting only "halfa-door". And the fact that it had a bargain-counter price tag on it is no comfort when the door is out of commission (perhaps through a truck backing into it) and the owner has an emergency on his hands until the door is fixed.

We know, because our dealers get plenty of calls to service such doors and, sometimes, to replace the complete installation because the owner simply can't take it any more.

The answer, of course, is to buy doors ONLY from a known company with an established product backed by a real guarantee and complete service facilities. Then, you know you're going to be happy.

If you choose Crawford, you can get even moreyou can get PREVENTIVE MAINTENANCE SERVICE which, like the lubrication of your car, stops certain kinds of trouble before it has a chance to happen.

And, you can buy this P.M.S. on contract so that it is automatic, which is a good deal for you because your doors are looked after by professionals ALL the time. P.M.S. covers your door operators, too.

Your local Crawford Door Dealer, listed in both the White and the Yellow Pages, will be glad to tell you more. Or, drop us a line here at Industrial Door Headquarters. Crawford Door Company, 20263-3 Hoover Road, Detroit 5, Michigan.





and DOOR OPERATORS

Quality and Service for over 30 Years



"G-E Remote-Control Wiring has saved money since the day it went into this building in 1953," says Mr. Donnelly, standing in front of 3-story, block-long office building, Menands, N. Y.

## "G-E Remote-Control Wiring saved us \$20,561 in this N.Y.Telephone building - on installation alone!"

#### ... Mr. H. J. Donnelly, Supervising Electrical Engineer New York Telephone Company, Albany, N.Y.

"We compared General Electric Remote Control with an ordinary switching system that would give us the kind of lighting control we wanted," says Mr. Donnelly. "We were surprised to find that, in addition to its other advantages, the G-E low-voltage system cost \$20,561 less to install!

"On top of the initial savings, we reduced our operating costs, because G-E master switching makes it easy for maintenance crews to turn On only those lights needed, rather than lighting up whole floors. Switches at convenient locations save our men extra steps, too.

"These savings were all in addition to the original reason we considered Remote-Control. That was extra safety in controlling the 480Y/277-volt power system we chose for its saving in branch circuit copper. Remote-Control relays in the ceiling control the 277-volt lighting circuits, so there's only a low, 24 volts at the switches. Of course, the lightweight, 24-volt switch wiring makes it easier to relocate office partitions, too. And the elimination of switch-loop voltage drops that can cut the life and efficiency of lamps, is still another feature."

General Electric would appreciate the opportunity of working with you on the design of a Remote-Control Wiring System tailored to fit your particular needs. Write Commercial Engineer, General Electric Company, Wiring Device Department, Providence 7, Rhode Island.



"Douse the lights you don't need!" is standard procedure for maintenance crew, in building from 5:00 to 11:00 p.m. G-E Remote Control makes it easy.



G-E master selector switches at ends and center of each floor control lighting separately for each ½ floor. Building contains 2000 fluorescent lamps.

Progress Is Our Most Important Product



For every room... on-grade

For every room . . . above-grade

For every room ... below-grade



Split-level to skyscraper, Amtico Vinyl Plastex opens resilient flooring revolution!



For Michens





A AMERICAN BILTRITE RUBBER COMPANY

The with the hand a grant of

Datias e Toronta e London, England

Datias e Toronta e London, England

In Canada: American Stitute Bubber Company Ltd., Sherbrooke, Out.

For every building . . . commercial, industrial, residential!

Proved far superior to non-flexible vinyl by independent laboratory test, yet only pennies more per tile That's brand new Amtico Vinyl Plastex Flooring... a unique combination of vinyl and polymeric resins

Wears much lenger than non-flexible vinyl.

Much more flexible and resilient.

Glossy, non-percus surface . . . easy to maintain.

Easier to install . . . can be "cold-cut."

12 beautiful decorator colors.

Two pauces—"/" and "/".



American Biltrite Rubber Co. Dept. AR-90, Trenton 2, N. J.

Please send complete FREE set of Amtico Vinyl Plastex samples and information . . . fast!


Name\_\_\_\_

Address

City\_\_\_\_\_Zone\_\_\_State\_\_\_\_



#### BUILDING PRODUCTS





## CLOSED CELL STRUCTURE KEEPS ROOFMATE DRY

That's why the insulating efficiency stays high permanently; why Roofmate keeps heat, water, moisture out, regardless of weather conditions.

Roofmate\* doesn't soak up water. The millions of tiny non-interconnecting air cells in Roofmate provide high water resistance. This insulation can even act as its own moisture vapor barrier, eliminating the need for a separate vapor barrier. Water and moisture vapor won't pass through or build up inside Roofmate.

Roofmate has a rigid core of expanded polystyrene foam (Styrofoam®), enclosed in asphalt-laminated Kraft paper. The closed-cell structure of the foam core bars water and moisture vapor entry so effectively that foam of this type is used as unsinkable flotation material for floating docks! This same water resistance makes Roofmate a permanently effective insulating material.

Low "C" factor gives Roofmate maximum insulating efficiency with minimum thickness. This lightweight material is strong and rigid, too, spanning fluted steel decks without danger of cracking. In addition, the high moisture vapor resistance of Roofmate reduces the possibility of blistering.

Roofmate can be bonded to any conventional deck-poured concrete, pre-cast panels, poured gypsum, wood, steel-and the built-up

roof can be applied directly over it using any of the conventional hot-applied systems.

The advantages offered by Roofmate add up to quick, easy installation for the contractor, long, trouble-free service life for the owner, and dependable, economical performance which the architect can plan on with confidence. For more information about Roofmate, contact the nearest Dow sales office, or write THE DOW CHEMICAL COMPANY, Midland, Michigan, Plastics Sales Dept. 1702N9.

\*Trademark

#### Other Dow Building Products

STYROFOAM®-Long lasting insulation for cavity walls; an effective insulating base for plaster and wallboard. Low "K" factor, resistant to water and water vapor.

**SCORBORD**<sup>®</sup> (pat. applied for)—Superior moisture-resistant insulation for foundation perimeters, slab floors. Pre-scoring speeds installation.


**SARALOY**® 400 – Durable, elastic flashing material that's cut to size right on the job, conforms to irregular shapes, bonds to most common construction materials.

**POLYFILM**®—High-quality polyethylene film for use as vapor barrier or dust stop.



See "The Dow Hour of Great Mysteries" on TV

THE DOW CHEMICAL COMPANY . MIDLAND, MICHIGAN



#### **New sunshade of Nickel Stainless Steel** . radically beautiful, highly functional

Here's a new idea for combining enduring architectural beauty with practical savings in cooling costs.

Every daylight hour, 4,000 of these electrically welded Nickel Stainless Steel louvers provide effective control of the sun's heat, shielding it out in summer and screening its glare in winter.

All parts of this sunshade on Ohio's new ASM Headquarters Building are press-formed from Nickel Stainless.

Interested in this dramatic new idea? Then consider the advantages of the screen's Nickel Stainless Steel construction. Its high strength-to-weight ratio gives you wide design flexibility...plus the economy of using lighter gauges for weight and cost savings.

And the gleaming beauty of Nickel Stainless is lasting beauty. It resists atmospheric corrosion and oxidation. Rainfall alone helps keep it clean.

See how other architects are using Nickel Stainless. Write for "Architectural Uses of the Stainless Steels."



On the inside, looking out. Light is pleasantly softened as it passes through the sunshade. Nickel Stainless louvers are finished in soft gold tone on the inside.

THE INTERNATIONAL NICKEL COMPANY, INC.



67 Wall Street New York 5, N. Y.

#### INCO NICKEI

NICKEL MAKES STAINLESS STEEL PERFORM BETTER LONGER

344



#### WEATHER-RESISTANCE

This label stands for unmatched weatherability among glassfiber reinforced panels, because it signifies that the panel is made with Paraplex P-444 acrylic-polyester resin. Years of Rohm & Haas research on many types of resins for reinforced panels have established that the best weather resistance is achieved by a combination of acrylic and polyester resins. Paraplex P-444 represents the most effective combination for imparting outdoor durability, plus pleasing appearance, high strength, excellent light transmission, and easy installation. Only Rohm & Haas supplies this proper combination, in Paraplex P-444. We will be glad to send you the names of panel manufacturers.



Chemicals for Industry

#### ROHM & HAAS

WASHINGTON SQUARE, PHILADELPHIA 5, PA.

PARAPLEX is a trademark, Reg. U.S. Pat. Off. and in principal foreign countries.

## PARAPLEX P-444



Quickly, easily Steeltex goes down at superbly designed Canevin High School, Pittsburgh, where 60,000 square feet of Steeltex support concrete floor slabs. Architect: Celli-

Flynn, McKeesport, Pa. Contractor: Navarro Corp., Pittsburgh. Steeltex from Pittsburgh Steel Co. was specially commended for its installation features on this project.

Architect, Contractor Find . . .

#### Steeltex Saves 35 Cents per Square Foot

"I estimate we saved about 35 cents per square foot by using Steeltex instead of another material on the Baptist Hospital addition in Pensacola. Steeltex' quick installation also helped us meet our construction timetable easily."

Man speaking: President Raymond C. Dyson of Dyson and Company, Pensacola, Fla., general contractors.

Job: \$1¾-million addition to Baptist Hospital. Here, Pittsburgh Steel Company supplied 70,000 square feet of Steeltex, the waterproofed, paper-backed wire mesh reinforcing used in the concrete floors and roof slabs.

Like Mr. Dyson, Architect Charles H. McCauley has used Steeltex for more than 20 years. He, too, knows Steeltex helps provide better construction at lower costs.

"I specified 100,000 square feet of Steeltex when the main hospital building was erected eight years ago," said Mr. McCauley. "Naturally, I specified it again when the addition was built. I think this shows I am enthusiastic about the qualities of Steeltex."

• Cost 30-40 Percent Less—Similar comments came from Cleveland where Architect Eugene W. Gray and Contractor William Passalacqua were responsible for constructing the new \$600,000 Child Welfare Division Building.

Mr. Gray and O. E. Kronenwetter, chief engineer for Passalacqua Builders, estimated that 30,000 square feet of Steeltex in floor slabs cost 30 to 40 percent less than methods generally specified.

On Pittsburgh Job—When Steeltex was combined with Pittsburgh Steel's wire mesh to support 60,000 square feet of concrete floor slabs at Canevin High School in Pittsburgh, Steeltex was specially commended for its installation features.

Joseph V. Cutuly, job superintendent for the general contractor,

Navarro Corporation of Pittsburgh, likes Steeltex because "it takes more punishment during installation than a sheet metal, goes down faster and is much easier to handle."

Dean Regan, foreman of the crew that installed Steeltex in the \$2½-million building, has used Steeltex on more than 55 jobs in ten years.

"Steeltex is very easy to install. Just unroll it, cut, tighten and clip," he said.

• Makes Stronger Slab—William B. Tabler of New York City, architect for the \$2½-million Hilton Inn at the San Francisco Airport where 65,000 square feet of Steeltex supports the floors, pointed out additional Steeltex features. Said Mr. Tabler:

"Steeltex retains moisture and cement to a greater degree than lath. This makes a cleaner job. Also, the sag from the concrete cradled in the Steeltex gives additional lateral resistance which aids earthquake construction."



Snug fit of Steeltex around drain pipe at Canevin High School is shown by Joseph V. Cutuly, job superintendent (l.), and Foreman Dean Regan. Mr. Cutuly says, "Steeltex takes more punishment during installation than a sheet material, goes down faster and is much easier to handle.



At luxurious Hilton Inn, San Francisco Airport, 65,000 square feet of Steeltex in floor slabs aid earthquake construction. Architect: William B. Tabler, New York City. Contractor: Cahill Construction Co., San Francisco.

· New Users Like Steeltex-Steeltex also is endorsed by new users such as the architectural firm of Charles Bacon Rowley and Associates, Inc., and Ernst Payer, and Contractor Albert M. Higley Company, both of Cleveland. They teamed up on building the \$805,000 Western Reserve Historical Society Museum in their city.

Superintendent Albert M. Higley Jr. estimated "perhaps a four percent savings was realized by using 11,500 square feet of Steeltex instead of placing conventional roof struc-


· Will Use Again-Another satisfied new user is Irving D. Robinson, architect for the new \$325,000 Luria Brothers Building in Cleveland.

Mr. Robinson said: "This is the first time I specified Steeltex and I am sure I will use it many times again. Steeltex permitted work to continue on the floors without planking or scaffolding, although the concrete slab was not poured for many weeks after the 12,000 square feet of Steeltex were installed." Contractor for the job was J. L. Hunting Company, Cleveland.

Whether you are a veteran Steeltex user or a newcomer, you cannot afford to pass up using Steeltex on your next construction job.

Trained sales engineers are available to help solve your construction problems. Put them and Steeltex to work for you soon.

Contact the nearest Pittsburgh Steel Products sales office listed at right. Call today . . . you'll be glad you did.



\$24,500 was saved on cost of material and labor by using 70,000 square feet of Steeltex in the Baptist Hospital addition in Pensacola. Architect: Charles H. McCauley, Birmingham. Contractor: Dyson and Company, Pensacola.

See Sweets Catalog Section 2-B

#### Steeltex®

#### **Pittsburgh Steel Products**

a division of Pittsburgh Steel Company



Chicago

**Grant Building** 

Pittsburgh 30, Pa.

DISTRICT SALES OFFICES Los Angeles

Cleveland

Dayton Houston

Detroit

New York

Tulsa Philadelphia Warren, Ohio





This new authoritative 8-page booklet shows and tells you all about the use and application of color in the manufacture of concrete building products. Published as a service by C. K. Williams & Co., a leading producer of iron and chromium oxide pigments for over 82 years.

#### SPECIAL FEATURE

A special 4-page section contains 46 actual color chips which show you the many colorful effects you can obtain in finished concrete products through proper use of iron and chromium oxide pigments as made by Williams. You'll also find a special section devoted to specific concrete color recommendations, and a section on how to determine final color. You will come to depend on this booklet as a prime reference source for concrete color information. Don't miss sending for your free copy. The supply is limited, so fill out and mail the coupon today.



*********				*********	
C. K. W	ILLIA	MS &	CO		
640 N.	13TH	STRE	EET	DEPT.	92
EASTON	, PEN	NSYL	VAN	IA	

Gentlemen:

Please send me \_\_\_\_ copies of your new booklet titled "What You Should Know About Color in the Manufacture of Concrete Building Products."

MY NAME	
COMPANY	
TITLE	
ADDRESS	

#### Washington Topics

continued from page 337

tended by Congress for two more years with four VA-recommended changes designed to make the Act more workable. Private home builders have not been too enthusiastic about their potential performance under the law in the years ahead.

The four changes are these:

- 1. Lenders participating in the program are enabled to obtain a guarantee on veterans' loans that were closed without first getting the required certifications of intent to occupy, as required by law. Previously, if the veteran occupied the home but the lender failed to obtain the certification of intent to occupy, the loan was not eligible for guaran-
- 2. It now is required that the veteran's deposit or down payment on a home be put in a special account where it cannot be attached by the seller's creditors.
- 3. A special account is established in the U.S. Treasury for the VA, making program administration easier.
- 4. A technical amendment changes the wording to assist lenders and title companies.

The two-year extension applies both to guaranteed loans and direct home loans for veterans of World War II and the Korean conflict. Both would have expired July 25 without the action. An additional authority of \$150 million for the programs was thus assured.

#### Closer Planning Coordination Asked on Military Housing

The coordination of troop objectives with housing need has been pointed up by a report of the Senate preparedness subcommittee on military housing. The 135-page document calls for a closer coordination by the Department of Defense between military strength and the future needs of military family housing. In this respect, it supports previous reports from both appropriations and armed services committees of Congress.

The Senate subcommittee insists that there is an urgent and continuing need for a closely coordinated continued on page 357

#### FREE from **BLONDER-TONGUE**



#### MASTER TV SYSTEM INSTALLATION MANUAL

All the facts that you need to assure top and dependable master TV system performance. Contains information that is the result of more than 2,000,000 TV installations featuring Blonder-Tongue Masterline equipment:

#### CONTENTS

#### TYPES OF SYSTEMS

New construction; old construction; vertically designed systems; horizontally designed systems.

#### COMPONENTS IN MASTER TV SYSTEMS Amplifiers; splitters; tapoffs; antennas; transmission line.

#### THE 'HEART' OF MASTER TV SYSTEMS

"Head-end"; amplifiers; line filters; feed-thru couplers; radiation-proof

#### 'ARTERIES' OF MASTER TV SYSTEMS "Branching"; splitters; cable; tapoffs; isolation.

#### ANTENNA INSTALLATION

Orientation, "directivity"; signal strength; towers and masts.

#### LINE INSTALLATION

Balanced transmission; co-ax cable: RG/11U and RG/59U; 300 ohm ribbo line; baluns, matching transformers.

#### DESIGNING AND CALCULATING MASTER TV SYSTEMS

Typical system diagrams; vertical cable run systems; hotel, apartment — 6 400 outlets, new construction, existing construction; horizontal cable run systems: School or hospital—100 outlets, new construction, hospital—400 outlets, old construction; traiter park system—148 outlets, new or old construction.

#### TESTING AND MAINTAINING A SYSTEM

Equipment for servicing a system; substitution method; field repairs; testing and maintaining cable.

#### CHARTS AND TABLES

Amplifier specifications: tapoff— isolation networks; cable characteristics; attenuator pad construction; half wave open ended stub traps, and more

#### ARCHITECT'S SPECIFICATIONS

#### BLONDER-TONGUE-A HISTORY IN MASTER TV

Company background; products; services: Free engineering service.

#### GLOSSARY OF MASTER TV TERMS

Motel Master TV systems.

Write for your free copy today.



Export: Morhan Export Corp., N. Y. 13, N. Y. hi-fi components • UHF converters • Master TV systems • industrial TV cameras • FM-AM radios



(Invisible pivot: ½" Stainless Steel pin, oilite bushing; greater ball bearing surface.)

FLAWLESS APPEARANCE PERFECT PERFORMANCE

#### THE HAGER NEW

#### **EXECUTIVE...**

#### ... the pivot hinge with the Decisive design!

Impressive "pillars of Hercules" Simplicity!

use 3 on important portals

The architectural accent is appropriately modern; the new Hager EXECUTIVE Hinge gives a fleeting, but definite impression of strength. It comes from clean, uncluttered design... from a massive new dimension in knuckle size.

You sense, without leaf exposure, that these unetched, untipped "pillars of strength" will competently swing a massive heavy wood or metal door—forever!

For a subtle, masculine motif specify the HAGER EXECUTIVE

Both Styles available in WROUGHT Bronze #BB 293, Stainless Steel #SSBB 293, or WROUGHT Steel #BB 1143.



available in 2 knuckle styles



the Executive TRUNCATED flat planed ends at 90° to perpendicular. Specify Detail A.



the Executive
DOMED
dome-shaped ends.
Specify Detail B.



ne deck for a dozen different jobs



#### All built with Gold Bond "Firefighter" Poured Gypsum Roof Deck

Supermarkets, schools, stores, fabricating plants, bowling alleys, roller rinks, hospitals ... there is no limit to the use of this construction.

Large or small, flat, barreled or pitched... any non load-bearing roof can be poured with speed and economy. Here are some of the advantages that helped sell the jobs above:

- 1. Fire protection: Poured gypsum roof decks receive fire ratings of up to two hours. Gypsum's natural water supply is chemically locked into the deck itself no fire can penetrate the slab until this water of crystallization has been driven off.
- 2. Extra strength: A poured gypsum roof deck is a monolithic, steel-reinforced slab

of rock... an integral part of the building. Gypsum decks, of standard design with subpurlins welded to main purlins, have resisted uplift forces up to 125 lbs. per square foot.

- 3. Fast construction: An experienced crew can pour up to 20,000 feet a day. Gypsum sets in less than an hour—built up roofing application can start almost immediately.
- **4. All-weather construction:** Gypsum can be poured in temperatures as low as 15°F. Heat generated from setting action protects the deck from freezing.

Ask your Gold Bond® Representative for complete details, or write Dept. AR-960 for free samples and technical literature.

NATIONAL GYPSUM COMPANY, BUFFALO 13, N. Y.

a step ahead of tomorrow ...





#### 70,000 feet of time-tested galvanized steel pipe will serve Detroit far into the 21st Century

In the new multi-million dollar Cobo Hall and Convention Arena in Detroit's civic center, galvanized steel pipe is used for water, drainage and vent systems. The reasons why?

1: Longer lengths of steel pipe meant fewer joints with commensurate installation economies. 2: Water, drainage and vent lines of steel pipe required less support. 3: Threaded joints on steel pipe made plumbing and aligning easier and quicker. 4: Low cost, durable steel pipe, with its built-in strength, will efficiently serve the millions of people who will use these quarters for conventions, exhibits and spectator sports for generations to come.

Steel pipe remains the first choice in outstanding buildings throughout the country. It is dependable, reliable and low in cost for gas, air and water transmission, fire sprinkler systems, electrical conduit, structural uses, radiant heating, snow melting, refrigeration and cooling . . . and it has always been easily and readily available anywhere in the country.

#### STEEL PIPE IS FIRST CHOICE

- Low cost with durability
   Strength unexcelled for safety
   Formable—bends readily
   Weldable—easily, strongly

Insist on

Threads smoothly, cleanly
 Sound joints, welded or coupled
 Grades, finishes for all purposes
 Available everywhere from stock

Steel Pipe



90% of domestic water, drainage and vent lines require horizontal suspension. Because steel pipe is easy to install and needs less support, significant economies are effected in installation.

> COMMITTEE OF STEEL PIPE PRODUCERS

150 East Forty-Second Street, New York 17, New York

## PROTECT FLUORESCENT LIGHTING INSTALLATIONS



ADVAN-guard® is sealed in the ballast housing and pre-set to instantly and automatically trip out whenever the ballast is operating at higher than recommended temperatures. When heat decreases to normal operating temperature, ADVAN-guard® resets automatically and the ballast resumes operation, adding years to ballast life by preventing ballast operation at abnormal temperatures. To assure maximum protection for fluorescent lighting installations, provide ADVAN-guard® Fluorescent Lamp Ballasts. ADVAN-guard® is listed by Underwriters' Laboratories, Inc. Write for detailed literature.


"The Heart of the Lighting Industry"





2950 NO. WESTERN AVE. CHICAGO 18, ILL. U.S.A

Manufactured In Canada by: ADVANCE TRANSFORMER CO. Ltd., 5780 Pare St., Montreal, Quebec, Canada



The new PITTCO® "900" Series-You can frame windows and glass-clad walls completely with the related components of the new PITTCO "900" series. It is provided with a drainage system. All members are aluminum; all fastenings are concealed; all glass is held in neoprene strips and recessed to increase daylight opening. And the clean beauty of every line is strikingly apparent. For details, consult your PITTCO Metal Representative.





Husky fittings mean

Whether by automobile or movement of gases and liquids by pipeline, today's trend in transportation is toward efficiency and economy. HUSKY steel welding fittings are designed to provide both. In fact, a welded system using HUSKY fittings can now be installed for no more than a threaded system. Or, looking at it another way, you can save as much as 85% per fitting over the welded fittings now in use! HUSKY fittings are tdeal for all Schedule 40 piping and fully comply with A.S.T.M. A234 specification . . . perform admirably at much lower cost. \* ASK FOR FULL PARTICULARS FROM YOUR WHOLESALER ... OR WRITE NIBCO INC., Dept. K-2109, Elkhart, Ind.

GOM DaG City transportation, too!



HUSKY CONCENTRIC REDUCER



HUSKY 90° ELBOW





Current jobs where HUSKY FITTINGS are being used include the following: KAISER PERMANENTE CEMENT PLANT, Nanakuli, Hawaii; U.S. STEEL CORP., Chicago, Illinois; TEXAS A & M COLLEGE, College Station, Texas; WOODLAND CHRISTIAN CHURCH, Lexington, Kentucky; PURDUE UNIVERSITY, West Lafayette, Indiana; McCHORD AIR FORCE BASE, McChord, Washington; SONOMA COUNTY CIVIC CENTER BUILDINGS, Santa Rosa, California; NORTHWEST ORIENT AIRLINES FACILITIES, Minneapolis, Minnesota; FIRST BAPTIST CHURCH, Lima, Ohio.



## Newest expression in the fine art of creative construction / Designed to use Haskelite Building Panels

An outstanding architectural concept in fully exploiting the advantages of modern construction materials is shown above. This three-story office building, designed by the architectural firm of Begrow and Brown, would consist of a reinforced concrete structure with exterior panels and sash combined to form the curtain wall. Natural light is provided through transparent, tinted glass set into the panels.

Haskelite Curtain Wall Panels we incorporated in this design because they provide an exterior surface that is permanently insulated, moistureproof and corrosion-free . . . there is also the extra beauty appeal of facing color and texture. Haskelite panels are versatile, lightweight and exceptionally easy to handle on the job. A wide selection of panel facings (porcelain enamel, fiberglass, aluminum,

stainless steel, cement asbestos and others by request), and insulating and non-insulating core materials are available.

Since Haskelite Curtain Wall Panels require minimum upkeep, a substantial saving is made in over-all building maintenance. Detailed information will be sent you promptly if you simply address your request to:



HASKELITE MANUFACTURING

Grand Rapids, Michigan

Master Laminators for over 40 years

## HASKELITE

#### INSTITUTIONAL

## ARCHITECTURAL DOORS







Now . . .

Particle-Board Solid Core

#### everything you need tailored to your needs!

Complete factory fabricating, prefinishing and prefitting of all standard and special size Haskelite doors are available per architectural specifications. This assures the architect greater freedom of design and simplification of installation.

In addition, all Haskelite doors are Thermo-Bonded using pressure and heat to assure maximum resistance to distortion . . . Quality-Controlled Unitized Frame Construction provides outstanding structural rigidity plus 100% adhesion at all points of contact with face . . . Velvetized Surface brings out the full natural beauty of Haskelite face veneers.

Light openings, louvers and door moldings are provided according to architectural specification or in accordance with Haskelite manufacturing detail list. Constructed weathertight. Available in solid or hollow core doors.

(See also Sweet's Architectural File 16c/Has.)



#### HASKELITE MANUFACTURING

DIVISION EVANS PRODUCTS COMPANY Grand Rapids, Michigan

#### Washington Topics

continued from page 348

family housing program geared to coincide with the long-range troop objectives of the Department of Defense.

The report represents the first time that military housing laws have been gathered together in a single volume and codified. Much of the document concerns itself with detailing the Capehart housing program, appropriated fund military housing and Wherry Act housing. The numbers of units constructed under each statute and the number under construction are given.

One of the significant conclusions reached is that the programs continue to list larger and larger deficits in housing for the military while projected troop strength plans show a drop in total military population.

Since 1955, troop strength in all three of the services dropped by 400,000—from 2,887,000 to 2,487,000—while at the same time the statements of deficits in housing have gone up from 247,000 units to 310,000.

Subcommittee Chairman Lyndon B. Johnson of Texas (then not yet the Democratic Vice Presidential nominee), said the report constitutes a call for closer coordination of planning rather than a criticism of the need for adequate housing facilities for the military. Only through such coordination can maximum utilization be made of available community housing with the resultant savings of defense dollars which might otherwise go to high priority weapons system programs, he added.

#### U.S. "Goals" on Housing Starts Opposed by N.A.H.B. Board

The National Association of Home Builders does not favor any move by the Federal government in the direction of establishing annual home start quotas. At its recent Board of Directors meeting in Washington, D. C., the organization officially opposed by resolution Federal legislation that would attempt to establish either as a maximum or a minimum any number of housing starts in any given year.



Both cubage and equipment can be saved by designing cafeterias for economical all-paper food service.

See how both operating and construction costs are being cut and service is improved in hospitals, schools and industry through the use of this personal food service.



Write on your letterhead for this big 60-page Manual of Paper Food Service.

The Paper Cup and Container Institute, Inc. 250 Park Avenue, New York 17, N. Y.



These new pulls are carefully designed to give lifelong beauty and service. Each fulfills all the necessary requirements for easy operation, clean and handsome appearance, ease of installation and freedom from maintenance worries.



GP-14 pull for butt jam. Extruded alum-inum, anodized finish. Spring tension holds to taped edge. 23/4" or 6' lengths.



CP-15 pull for re-cessed jam. Extruded aluminum, anodized finish. Spring tension holds to taped edge. In 23/4" or 6' lengths.



GP-16 pull of extruded aluminum. anodized finish. Snaps in place on taped edge. In 23/4" or 6' lengths.



GP-17 pull of hi-im-pact plastic. Standard color light gray. Spring tension holds to taped edge. In 4 7/16" and 6' lgths.



WP-18 Pull for 3/4" doors. Extruded aluminum. Fastens with screws in back. In 23/4" and 6' lengths.



WP-34 Pull for panel doors. Extruded aluminum, anodized fin-ish. Mounts easily. In 23/4" and 6' lengths.

Here is a family of beautiful drawer and door pulls that answers all the problems for commercial furniture and cases. Many unique effects can be achieved . . . they install easily and quickly . . . they're sturdily designed to give years of trouble-free service.



DP-40 Drawer pull. Extruded aluminum with anodized finish. In 37/8" and 6' lengths. Other colors lengths. available.





DP-41 Drawer pull.

Extruded aluminum, Aluminum. Stender and ized finish. Flat or angled to specification. 1½" and 6' service. 3½ inches lengths.



DP-43 Drawer pull.

DP-44 Drawer & door
Extruded aluminum, aull. Extruded aluminum, anodized finish.
heavy service. In In 37½" & 6' lengths.
37½" and 6' lengths.
Other colors available.





DP-45 Pull for drawers and doors. Extruded aluminum, anodized finish. Heavy duty. In 37/8" & 6' lengths.

SEE SWEET'S CATALOG of complete EPCO line under Arch. File No. 18g-En and Light Const. File No. 7a-En. FREE 20-PAGE CATALOG of complete EPCO line of Mag-netic Catches, EZ-Glide track, and drawer and door pulls on request.





#### The only gym seats that provide THE TOP FEATURES



#### TELESCOPIC GYM SEATS

- Vertical fronts prevent accidents, permit recessing • Four vertical uprights per row put load on floor, not wall-distribute weight evenly
- Interlocked uprights insure straight-line trackage, make operation easier
- Toughest, abrasion-resistant seat finish known
- More leg and foot room—greater visibility

Write for catalog



POWER OPERATION Key-operated. Opens and POWER OPERATION Key-operated. Opens and closes entire banks of seats in seconds, safely, quietly. Adds only a fraction to seat cost.

FRED MEDART PRODUCTS, INC. 3540 DeKalb St. St. Louis 18, Mo.



Use Reznor direct-fired duct furnaces in stores, offices and factories

Specify Reznor direct-fired furnaces and save big money for your clients by avoiding expensive boilers, piping and controls. Clients stay happy because Reznor furnaces are built for long-run performance with low maintenance.

For complete data, call your Reznor representative (under "Heaters-Unit" in the Yellow Pages) or write for Catalog SA-5900, Dept. 62-P, Reznor Manufacturing Co., Mercer, Pennsylvania.



"WORLD'S LARGEST SELLING DIRECT-FIRED HEATERS



Meet an expert in light construction A hornet nest is one of the few geometric structures built by nonhumans. Hornets chew wood fibers to a pulp, then build their nest entirely of this home-made paper. Notice the design of these cells; they're hexagonal for space economy. This hornet nest is light, yet strong enough to protect against the elements. 
To achieve these same features in light man-made structures, we suggest USS AmBridge Steel Joists—both standard and longspan. They provide strong, lightweight and economical construction suitable for most any type of roof, ceiling or floor. AmBridge Joists have an underslung, openweb design for maximum headroom, and to accommodate pipe, ducts and conduit in all directions. AmBridge Steel Joists are easy to install. And once in place, they make a safe working platform. Want more information? Write to our Pittsburgh Office for your free copy of a 40-page catalog.

USS is a registered trademark

General Offices: 525 William Penn Place, Pittsburgh, Pa.

Contracting Offices in: Ambridge • Atlanta • Baltimore • Birmingham • Boston • Chicago • Cincinnati
Cleveland • Dallas • Denver • Detroit • Elmira • Gary • Harrisburg, Pa. • Houston • Los Angeles
Memphis • Minneapolis • New York • Orange, Texas • Philadelphia • Pittsburgh • Portland, Ore.

Roanoke • St. Louis • San Francisco • Trenton • United States Steel Export Company, New York

American Bridge Division of United States Steel





SEE a demonstration by a specialist

#### **CONCRETE FLOOR** TREATMENT

Western Electric Plant, Columbus, Ohio







for FREE demonstration or literature address: For PREE demonstration of interactive address.

WEST CHEMICAL PRODUCTS INC., 42-46 West St., Long Island City 1, N. Y.

Branches in principal cities • IN CANADA: 5621-23 Casgrain Ave., Montreal



#### ONE PRODUCT ONE APPLICATION 4-WAY PROTECTION

1-CURES

2-HARDENS

3-SEALS

4-DUSTPROOFS

WEST CONCRETE FLOOR TREATMENT

saves labor, materials and time. It can be applied immediately after troweling. Avoids delays after pouring. Replaces as many as three separate products and applications. Eliminates labor required for cleaning after delayed drying between the use of separate products.



HOME INTERCOM-RADIO SYSTEM

Provides complete intercommunication as well as radio all thru your house.

- Listen-in on baby, children or sick room . . . You can keep an ear on loved ones from any room in the house, day or night.
- Answer outside doors from any room . . . without opening to strangers. Saves time . . . saves steps . . . gives you that added safety in the home
- Talk from room to room Talk from room to room . . . upstairs or downstairs, talk back and forth with anyone in kitchen, bedroom, work or play room.
- Enjoy radio in every room . . . Your best liked radio programs follow you throughout the house with the simple flick-of-a-switch.


A touch of elegance—distinctively styled by Dave Chapman, internationally renowned industrial designer. Beautifully finished in richly blended tones of satin silver and polished gold. Easily installed in homes already constructed as well as in new construction.

Write today for complete information

A.I.A. File Number 31-i-51

TALK-A-PHONE CO.

Dept. AR-9, 5013 North Kedzie Ave. Chicago 25, III.



For Enduring Charm . . . Specify

Architectural METAL WORK

by Fiske

Aluminum, Bronze, Stainless Steel and Iron for quotations.

Smith, Kratz & Strong
Architects B.P.O.E. Elks Lodge No. 682 Jacksonville, III

For over 100 years, Architects have relied upon Fiske for the widest choice of artistic designs, materials, craftsmanship and dependability. Now, more than ever, Architectural Metal Work by Fiske ... in Aluminum, Bronze, Stainless Steel and Iron ... represents the finest obtainable.

Write for our catalog of designs or send blueprints

I.W. Fiske ARCHITECTURAL METALS, Inc.

113-115 Pennsylvania Avenue, Paterson 3, New Jersey ESTABLISHED 1858

# Z Y L O ALUMALUME LOUVER DIFFUSERS

CELL SIZES  $\frac{1}{2} \left| \frac{3}{4} \right| 1'' \left| 2'' \right| 45^{\circ}$   $\frac{1}{2} \left| \frac{3}{4} \right| 1'' \left| 2'' \right| 601$ Also  $\frac{1}{2} \times \frac{3}{4} = 1'' \left| 2'' \right| 601$ Other Cell Sizes and Cutoff Angles Available

Now you can create higher levels of illumination and provide comfortable brightness levels with ALUMALUME LOUVERS.

- Finishes: Unfinished, painted or anodized.
  All colors available.

Gauge material from .015 to .125 hard

# 1/32" tolerance. Gauge material fror alloy aluminum.

Automation fabricated and quality controlled from hard aluminum alloy ... permanently fused and locked at every intersection by our exclusive "Presslock" process.

Write For Complete Bulletin

317 East 22nd Street New York 10, N. Y.

ZYLO LOUVER CORP. Manufacturers of Metal Specialties

ARCHITECTURAL RECORD September 1960

specifications. Panel size: up to 48" x 48" and larger

Manufactured to your exact



#### 1200 REPUBLIC STEEL LOCKERS

protect student valuables at Bedford High, Bedford, Ohio

Modern is the word for Republic Steel Lockers. That is why 1200 Republic Recessed Steel Lockers were specified and installed at the new Bedford High School, Bedford, Ohio.


Republic Steel Lockers meet practically every architectural requirement for school design and construction. Smartly styled to blend with school interiors and decor—available in architect recommended and student tested colors, with any of the popular locking devices. All steel construction—fire proof!

Students like the big, roomy interiors. Louver engineering provides free-flow ventilation for better air circulation. Republic Lockers stay fresh, clean-smelling the year 'round.

Republic Recessed Steel Lockers fit into the wall, allowing full width corridors for greater student traffic and safety. Recessed flush with the wall eliminates sharp corners and other hazards. Cleaning and maintenance is easier, faster, and economical, too. No dust catching ledges or trim.

Bonderized! This Republic feature provides a superior base for the baked-on enamel finish. Offers protection against rust and corrosion. Restricts bumps, scratches, abrasions of everyday service to the site of the injury. Reduces maintenance care and costs.

Your Republic representative will help you with your locker planning. He will assume full responsibility for complete installation. Call him today, or write direct.



TRUSCON ALUMINUM CLASSROOM WINDOWS offer the economy of large glass areas combined with a wide selection of projected ventilator arrangements. Weatherstripped with vinyl plastic around the entire vent perimeter of the inner weathering contact. Hardware is polished, white bronze. Call your Republic-Truscon representative for details and specifications. Write for A.I.A. FILE No. 16-E.





REPUBLIC HIGH STRENGTH BOLTING provides a fast, low-cost method of fastening. When wrenched up tight, it provides a vise-like clamping force which transfers loads by friction to the structural members. Fatigue life is improved. Joints are stronger. Economical, too. Two men teams replace crews of costly skilled labor. Send for additional information, and data.



REPUBLIC ELECTRUNITE TUBING — rounds, squares, rectangles, offer architects and engineers a building material with unlimited freedom in design. Both beautiful and functional. Greater strength, less weight, easy to handle. Smooth, unbroken surfaces resist moisture and corrosion. No sharp corners or bare edges. Easy to join with other members. Weldable. Available in carbon and stainless steels. Write for complete range of sizes and specifications.



#### REPUBLIC STEEL

World's Widest, Range of Standard, Steels and Steel Products

REPUBLIC STEEL CORPORATION	
DEPT. AR -9888	
1441 REPUBLIC BUILDING - CLEVELA	ND 1, OHIO
Please send more information on the	following products:
☐ Republic Steel Lockers ☐ Republic High Strength Bolts ☐ Republic ELECTRUNITE® Tubing	□ Locker Planning Service
☐ Truscon Aluminum Classroom Win	dows
Name	Title
Firm	

Zone State



#### A Washington Report

continued from page 68

stalled so as to withstand sustained as well as impact pulls; mechanical appliances and contrivances can be selected on the basis of their proved safety; and adequate convenience outlets appropriately located will obviate the use of extension cords and lamp wires that stretch across one's path in the house.

#### "Special" or Suitable?

The special shelter needs of elderly persons and the effort to provide more suitable living environments for them have resulted in certain labels such as "special housing" and "housing specially adapted for the elderly," it is noted. Commenting on this, the paper states: "For workers in housing and related areas, these phrases have differing and sometimes unfavorable associations, being taken to connote: (1) proposals for providing segregated housing for the elderly similar to earlier European experiments; (2) expensive and unwarranted dissipation of the housing supply; or (3) a splintering of organized effort into yet another category of housing. Some have spoken against 'special housing for the aging,' arguing that good housing for the aged is also good housing for younger people. To some extent this is true; but by and large, existing and projected housing continues to be of the split-level variety with narrow doorways and small bedrooms, with stairs at entrances, and with such meager space for circulation as to preclude continued occupancy by persons-and particularly by infirm persons-of advanced age."

The report sets out many gaps in present housing knowledge—one of them: "We need needs-demands studies not only of present generations, but of future generations of older individuals—individuals who have experienced higher standards of living, and increasing amounts of leisure time, and have been planning ahead for their retirement."

To the extent of a limited supply, copies of the paper will be sent in answer to inquiries directed to Robert W. Kean, chairman, National Advisory Committee, White House Conference on Aging, Department of Health, Education and Welfare, Washington 25, D. C.




**ECONOMICAL!** Although priced competitively with conventional forms, Jay-Pans give you more for your money! Always new . . . custom built . . . they eliminate drippage, and the vertical sides mean good savings in concrete, as well as a nice, smooth appearance.

**LABOR-SAVING!** Jay-Pans are tailored for any job, and when cutting is necessary, all that is required is a saw or pocket-knife. Sand is never placed under a Jay-Pan pour, and jobs stay on schedule because there are always enough Jay-Pans on the job site. Lightweight, easy to use, Jay-Pans end chipped floors, save both time and men!

WEATHER-RESISTANT! These are not regular "paper" pans. Jay-Pans are made of "freezurboard"—a patented, heavy-duty asphalt-impregnated material similar to asphalt roofing, which is saturated with asphalt. Millions of square feet of federal government, state, and private projects have proved the reliability of Jay-Pans under all weather conditions.

ALL SIZES! Tapered, adjustable, longspan, waffle, or cored slab, Jay-Pans give a clean job . . . come in all standard sizes as well as practically any other size you need to fit your most economi-






#### FUNCTIONAL-

261 Fifth Avenue, New York 16, New York

#### FABRICS INC.

An Affiliate of Kandell Industries. Established 1925.



Chicago builders get greater crack resistance at no extra cost with the


## KEYMESH - KEYCORNER -

Lasting beauty and low maintenance are built into the new Williamsburg Apartments located in Chicago, Illinois. That's because greater plaster-crack resistance is assured by reinforcing the lath and plaster walls.

Valenti Builders, Inc., Chicago, found it cost no more to get this extra reinforcing quality. By specifying Keymesh, Keycorner and Keystrip galvanized reinforcing lath, the builders got top quality reinforcement with greater resistance to cracks and fire.

Tiled bathrooms in the Chicago project have lasting beauty with KEYMESH reinforcement. The portland cement plaster reinforced with Keymesh provides a strong, maintenance-free base for the tile. You'll find Keymesh makes any gypsum lath and plaster wall stronger and more crack resistant.

Keymesh rolls out flat and laps without bulging . . . forms easily and cuts quickly. The open mesh permits rapid troweling and assures a full, even thickness of plaster. Keymesh, Keycorner and Keystrip are galvanized against rust.





KEYSTRIP is a new addition to the Keystone line of plaster reinforcement. Here, this flat strip reinforcement is stapled over joints where narrow strips of gypsum lath are used. This use of Keystrip adds strength where needed.



KEYSTRIP can be used as a reinforcement for plaster in a space too narrow for strips of gypsum lath. A full bond of Keystrip to the plaster is assured. Keystrip also adds strength to points of stress above doors and windows




three keys to stronger plaster

## KEYSTRIP GALVANIZED REINFORCING LATH

Inside plaster corners reinforced with KEYCORNER lath have almost twice as much resistance to cracking as corners reinforced with other materials. Recent tests and actual use confirm this feature.

The men working on the Williamsburg Apartments, as on other jobs, found the preformed, 4foot lengths of Keycorner easy to handle. Keycorner goes into place quickly and can be nailed or stapled. The open mesh design makes it easy to plaster over and assures a complete bond.

Get quality wall construction with lath and plaster at low cost by specifying the three keys Keymesh, Keycorner and Keystrip. Send for more complete information and results of recent tests conducted by leading laboratories. Write Keystone Steel & Wire Company, Peoria 7, Illinois.





#### **KEYSTONE STEEL & WIRE COMPANY**

Peoria 7. Illinois

Keycorner · Keymesh · Keystrip · Keywall · Keydeck · Welded Wire Fabric

#### ESPECIALLY DESIGNED TO BLEND WITH ACOUSTICAL CEILINGS

### AGIAR Perfair


PERFORATED AIR OUTLETS



The architectural styling of PERFAIR, both supply and matching return units, conform to all interior designs. The interchangeable core and built in air controllers permit the location of PERFAIR units in any part of the ceiling.

Engineers can depend upon AGITAIR PERFAIR air diffusers to meet every requirement — maximum turbulence...aspiration...quick temperature equalization...uniform air distribution...noiseless...draftless operation.

Ask your AGITAIR representative for catalog P-200 or write direct to Air Devices Inc.



- Provide Uniform Ceiling Design
- Can Be Located Anywhere In Ceiling
- Interchangeable Diffusing Cores
- Unlimited Patterns
- Built-In Air Controllers
   Adjustable for 1-2-3-4 Way Blows
- No Blank-Offs Required
- Maximum Turbulence Aspiration
- Quick Temperature Equalization
- Uniform Draftless Air Distribution

Send for complete Perfair Catalog

#### AIR DEVICES INC.

185 MADISON AVENUE • NEW YORK 16, N. Y.

BETTER PRODUCTS FOR AIR DISTRIBUTION • AIR CLEANING • AIR EXHAUST

## For QUALITY and SERVICE INSTALL ANGLE PATTERN FLOW CONTROL VALVE PRESSURE REDUCING VALVE HOT WATER HEATING SPECIALTIES



H. V. H. HOT WATER CIRCULATOR

TRIPLEX HEATING
SPECIALTY CO., INC.
PERU, INDIANA

## Solve Your EXPANSION JOINT Problems with Expand-o-flash with the NEOPRENE BELLOWS



Expand-o-flash is made of weatherproof flexible neoprene, bonded mechanically and adhesively to metal edging and is installed with totally relaxed neoprene bellows to allow both sides of the joint to move freely in any direction. Stresses and metal fatigue are eliminated. Expand-o-flash provides a continuous

Expand-o-flash provides a continuous watertight seal all around the building both above and below grade.



Low profile expansion joint,



Expand-o-flash in vertical walls.



Shop fabricated corners and crossovers eliminate errors in the field and reduce the cost • No training needed for installation • Literature, engineering data and sample on request • See us in Sweet's.



LAMONT & RILEY CO. 300 SOUTHWEST CUTOFF, WORCESTER 7, MASS.



WILLIAM E. BOYD RESIDENCE, EL PASO, TEXAS ARCHITECT: RAY PARRISH, SCOTTSDALE, ARIZONA ROOFING CONTRACTOR: L. & K. SHEET METAL ROOFING CO., EL PASO, TEXAS



## Beautiful Roofing and Beautiful Dreamers

It used to be that the roof of a house was a very unimaginative thing—installed mainly to afford protection against the elements. It was given little consideration in the overall aesthetic expression of the house.


Then, a number of beautiful dreamers—architects and builders who felt that the roof was a significant design feature—began to design roofs that became the focal point of the house's beauty.

Follansbee Terne, an architectural roofing metal, has been used as the roofing material for many of these houses because its use places no limit on the imagination of the designer. Terne is versatile, allowing the desired expression of form, function and color because it can be applied in so many ways.

Follansbee Terne is a very practical roofing material, too. Properly installed and painted, it will last more than a lifetime. It can be painted any color, any time, to harmonize with other aesthetic changes. Painted a light color, it will reflect most of the sun's heat. And Follansbee Terne is completely fireproof.

Materializing a beautiful dream with Follansbee Terne is the practical way to a distinctive roof—one which makes a house an outstanding and beautiful structure. If you do not have the latest information on Follansbee Terne, we would be very pleased to send it to you.

Follansbee is the world's pioneer producer of seamless terne roofing.



## PROFITABLE WAYS FOR ARCHITECTS TO USE THE DOW BUILDING COST CALCULATOR

It's the easy, time-saving, authoritative way to . . .

- Figure building costs in minutes...save hours and even days over other methods
- Make reliable advance budget estimates
- Get costs within contractors' normal bidding ranges
- · Check the reasonableness of contractor bids
- Take local price variations into account wherever you plan to build
- Advise your clients of cost variants in different localities
- Find historical cost data covering 150 metropolitan areas... bring old estimates up-to-date
- Keep abreast of changing cost patterns throughout the country
- Get results recognized as authoritative by courts
  of law
- Make reliable replacement cost appraisals

With the Dow Building Cost Calculator and Valuation Guide, you can quickly prepare authoritative building cost estimates. The Calculator is in a continuous state of revision reflecting changes in material prices and labor rates. You stay up to date by receiving revisions or supplements every three months, or oftener. The Building Cost Calculator is issued by F. W. Dodge Corporation, the foremost construction information authority.

#### NOW...A SPECIAL 10-DAY FREE TRIAL OFFER

F. W. Dodge Corporation

119 West 40th Street, New York 18, N. Y.

Please send me the new Dow BUILDING COST CALCULATOR. I understand that after using it for ten days, I may return it and be under no obligation. If I keep it you may bill me for \$32\* to cover the CALCULATOR and quarterly supplements for an entire year.

Name \_\_\_\_\_

Street & No.

\*plus 3% sales tax in New York City, Florido, California, South Carolina; 2% sales tax in Washington, D. C.



Just mail this coupon to try it. If you don't think it's worth the low cost of \$32 for a year's subscription (including the handsome starting book plus quaterly revisions and supplements), return it and be under no obligation.


Dow

#### BUILDING COST CALCULATOR

and valuation guide

F. W. DODGE CORPORATION
119 West 40th St., New York 18, N. Y.

# REGULATOR controls 2 dampers over 250 feet away!



No other regulator matches the performance of No. 700A Young Remote Control Regulator. It gives individual room control of heating or air conditioning by simply turning the knob to the desired position.

Using Young Corner Pulleys this manually controlled regulator operates two Young No. 805 Dampers, size 18" x 12", over 250 feet away.

Write for complete information or see our Catalog in Sweet's Architectural Eile.

# SPIROLL

TAKES THE



**OUT OF DRAFTING** 

#### DRAFTING IS EASIER

#### DRAWINGS PROTECTED





Catalogue Number **Actual Lengths** 

401/2" 461/2" 521/2" 581/2"

#60

Order from your Blueprinter or

### Spiroll Products Company





the first handbook to provide complete information on supervising and testing building construction

## FIELD INSPECTION OF BUILDING CONSTRUCTION

by Thomas H. McKaig, C.E., Chairman of the N. Y. State Board of Examiners for Professional **Engineers and Land Surveyors** 

Here is a strictly practical book — it is not a textbook. It assumes that you or your inspector have had sufficient theoretical training to put to immediate use the wealth of practical information it

The opening chapter discusses the role of the field inspector—gives sound advice on getting along with the various trades, on treading the line between under- and over-inspection, on setting up the needed records, on reporting through correct channels, and on other general, but important, matters.

#### COVERS EVERY STAGE OF CONSTRUCTION

The next five chapters are devoted to your inspection and testing problems at each stage of construction. For each stage you will find specific information on testing the materials and workmanship used there, on pitfalls to avoid, on material storage, protection of work in place, safety precautions, and hundreds of other vital points.

The seventh and final chapter covers every aspect of concrete construction, and the many special problems involved in getting uniform and acceptable quality.

#### USE THIS HANDBOOK FOR TEN DAYS' FREE TRIAL

To examine this important material, all you need do is fill out and return the coupon. As soon as your copy arrives, take it right to the job site and put it to work for ten days. We guarantee that it will —

1. Point out better ways to speed job progress.

2. Provide better ways of testing materials and millwork.

3. Help coordinate and ease friction among the many parties to the

If FIELD INSPECTION OF BUILDING CONSTRUCTION fails in the above objectives, or if it does not satisfy you for any reason, return the book and consider the invoice cancelled.

344 pages, 6 x 9", illustrated, \$9.35

#### 7 IMPORTANT CHAPTERS

- 1. The Job of the Inspector
- 2. Preliminary Stage
- 3. Foundation Stage
- 4. Structural Framing Stage
- 5. Intermediate Stage
- 6. Finishing Stage
- 7. Concrete

#### ----- MAIL TODAY -----DODGE BOOKS, F. W. Dodge Corporation 119 W. 40th St., New York 18, N. Y.

Send me......copies of FIELD INSPECTION OF RUILDING CONSTRUCTION @ \$9.35. After ten days free use, I shall remit payment plus postage, or return the book without obligation.

ADDRESS..... STATE

Payment enclosed. Dodge pays postage, same return privilege.



Rauland

the very finest in

# Central Control Sound Systems



for: SCHOOLS INSTITUTIONS INDUSTRY



your choice of every desirable modern feature & program facility

RAULAND Central Control Sound Systems are available to fit your exact sound distribution needs. Available features include:

FM-AM Redio—selects any radio program on FM or AM for distribution to any or to all locations as desired

Phonograph—distributes phono program (transcription player or record changer); also available for use with tape recorder

Microphone Origination — selects and distributes sound from multiple microphone locations

Intercom—permits 2-way conversation with any or all locations (up to a total of 220 locations or rooms)

Special — Emergency Switch; all-call; signal clock provision; telephone intercom; remote control, etc.

RAULAND SYSTEMS are available to meet all your sound distribution needs. Send for FREE catalog and detailed specification sheets.

WRITE TODAY



RAULAND-BORG CORPORATION 3535-R Addison Ave., Chicago 18, III.

Send full details on all RAULAND Central Control Sound Systems

Name\_\_\_\_

Address\_\_\_\_

City\_\_\_\_\_Zone\_\_State\_\_

#### Required Reading

continued from page 95

Romanesque . . .

this case being more than 200 plates of really excellent photographs excellently reproduced. The text has been translated into English, and the captions are in both English and German, though somewhat more detailed in the latter.

#### Received and Noted

THE EARLY CHURCHES OF ROME. By Emile Mâle. Translated by David Buxton. Quadrangle Books, 119 W. Lake St., Chicago 1, Ill. 253 pp., illus. \$12.50.

The English translation of a book by a famous French art historian, this is a work of great charm and seemingly effortless erudition, handsomely printed and amply illustrated. A perfect companion for a trip to Rome

OLD HOUSES ON NANTUCKET. By Kenneth Duprey. Architectural Book Publishing Co., 151 E. 50th St., New York 22. 242 pp., illus. \$12.50.

In the course of restoring his own house on Nantucket, the author of this book found no adequate study of the particularities of Nantucket domestic architecture and designed this book to fill the gap. The gap has been filled, at least partly, both lovingly and usefully. Numerous drawings and photographs trace both structure and detailing of the island's architecture, from the small houses of the early settlers through the Greek Revival houses of wealthy whaling Nantucket.

NORMAND'S PARALLEL OF THE ORDERS OF ARCHITECTURE. Edited by R. A. Cordingley. Quadrangle Books, 119 W. Lake St., Chicago 1, Ill. 88 pp., illus. \$5.

A new edition of this old student's stand-by with its familiar cross-eyed caryatids, this book contains all of Normand's plates plus eight more from Mauch's German editions. There are also seven introductory plates giving a simplified method for setting up and drawing Renaissance orders, colonnades, arcades, and doors.

the complete survey of multiple dwellings

#### APARTMENTS and DORMITORIES



by the editors of Architectural Record 238 pp, large 8¾ x 11¾" size over 275 photographs over 200 other illustrations

The latest, most complete source of information on this building type. In expertly-authored text and over 475 illustrations, are shown some 51 multiple dwellings of all sizes, plus additional material on social and technical

only \$8.95

Opens with a general section on building multiple dwellings. Here are discussed the economics of shelter, housing patterns, and technical studies on heating, elevators, cost-saving apartment designs, and engineering details.

considerations.

The next four sections are arranged as follows:

# COMMUNITY-SCALE PROJECTS LARGE PROJECTS SMALL PROJECTS CAMPUS DORMITORIES AND APARTMENTS

Thus the entire range of multiple housing is covered, from huge apartment cities housing thousands of families, to small apartments for 2, 4, or 10 families. In the campus section are shown dormitories for men and women, and apartments for faculty members and married students

Every one of these projects is the work of a gifted architect — some of these are famous, some are not yet. They include Edward D. Stone, Mies van der Rohe, Frank Lloyd Wright, and Walter Gropius.

Order your copy of this comprehensive work today, on ten-day free trial, using the coupon below.

DODGE BOOKS, F. W. Dodge Corp. 119 W. 40th St., New York 18, N.Y.

Send my copy of APARTMENTS AND DORMITORIES for 10 days free use. At the end of that time, I will either remit \$8.95 plus nostage, or return the book without obligation.

Name	 		
Address	 		******
City	 	State	



If you have ever felt your design limited by window wall units, the Alenco Aluminum Window Walls give you almost complete freedom. Among the many combinations are: panel, window, panel; glass, window, panel; glass, window, glass; hopper, window, panel; etc.

Another important feature of Alenco window walls is that each bay has a complete sub frame assembly for easy erection. This allows for clean, finished appearance that adds so much to the overall esthetic effect.


Find out for yourself about Alenco's wide versatility . . . design freedom and emancipation from hackneyed, long-used approaches. With the flexibility of Alenco, you can use window walls where they were never feasible before . . . and Alenco's shop drawing department is available to help with your preliminary design. Just tell them what you want it to look like—and leave them a place to put it! And . . . not more than six weeks delivery time required.

Spec file on Alenco Aluminum Windows is yours for the asking . . . write for your copy today.

LOOK OUT ON A NEW WORLD THRU



P. O. Box 31 Bryan, Texas
West Coast Plant: 1400 S St., Bakersfield, Calif.



- V Cast aluminum seat. Foam latex cushion, 21/2" thick.
- V Replaceable seat and back covers. Choice of smart fabrics and colors.
- √ Comfort-response, adjustable back. Foam latex cushion.
- V Spring steel back support with exclusive "Dualok" control.
- V Non-revolving steel spindle for easy swivel without seat wobble.
- V Adjustable foot ring.

Exclusive Forward Tilt Seat provides continuous posture support.


All Cramer Chairs have simple finger-tip adjustments—no tools required.



WRITE FOR COMPLETE DETAILS

### Cramer\_ POSTURE CHAIR CO., INC.


625 Adams Street Dept. AR.9 Kansas City 5, Kans.



# Steel pipe building frames make a strong structure lighter

Swiss Fabricating, Inc., of Pittsburgh, Pa., saves money for customers by using USS National Butt-Welded Steel Pipe for lower-cost, faster-erected building frames. This particular building will house an automobile sales agency consisting of a show room, parts and service departments and a body shop. The building is 350′ long with 80′ clear span steel pipe trusses.

Steel pipe is strong, yet it's light enough to cut the weight of a structural frame by approximately one-third. In a test performed on a 60' clear span building designed to support 65 pounds per square foot roof load, a load of more than 182 pounds per square foot was safely handled through uniform loading. Deflection at



the peak was less than 3%6".

Because it weighs less, steel pipe reduces shipping costs. It also cuts maintenance costs, because there's less surface area. Less to clean. Less to paint.

USS National Butt-Welded Steel Pipe is ideal for many structural applications in buildings such as: trusses, columns, posts, scaffolds, towers, frames. It is available in sizes  $\frac{1}{2}$ " thru 4" from your local National Tube Distributor.

For additional information, write National Tube Division, United States Steel, 525 William Penn Place, Pittsburgh 30, Pa. Ask for Bulletin #2, entitled "Pipe for Mechanical and Structural Applications."

USS and National are registered trademarks

This mark tells you a product is made of modern, dependable Steel.





National Tube Division of United States Steel

Columbia-Geneva Steel Division, San Francisco, Pacific Coast Distributors United States Steel Export Company, New York

# MODERN DESIGN IN AN HISTORIC SETTING

Burk, LeBreton & Lamantia, Architects and Engineers, New Orleans, Louisiana

There's a dramatic blend of past and present in the firm of Burk, LeBreton & Lamantia located on historic Pirates Alley in New Orleans' colorful French Quarter. Housed in a century-old building and inspired by some of the finest French and Spanish architecture of another age, these architects are busily designing for tomorrow.


On the drawing boards are entire city-revitalization plans, new schools, office buildings, shopping centers, marinas and the many other projects which make such an exciting contrast to the eighteenth century setting. And helping to keep the work flowing smoothly is another modern-day feature . . . Dodge Reports.

A special office on the third floor occupied by William R. Burk, Jr., is used as a clearing house of data for the Dodge Reporter. Mr. Burk has found through long experience that the firm's close co-operation with the Dodge Reporter has resulted in more competitive bids and quotations . . . earlier completion dates . . . and lower project costs.

Filing of plans and specifications in Dodge Plan Rooms has also helped to save precious time in a busy work schedule. Dodgealerted salesmen expedite work flow . . . instead of interrupting it with "cold" calls . . . because they are better prepared to discuss specific projects of current interest, and often contribute timely suggestions on new materials and services.


At Burk, LeBreton & Lamantia the smooth exchange of information is a key to better service . . . another way of saying that DODGE REPORTS ARE A VALUABLE COMMUNICATIONS LINK BETWEEN THE ARCHITECT AND THOSE WHO SERVE HIM.

Below: second and third floor offices of Burk, LeBreton & Lamantia. Not shown: first floor lobby.





CONSTRUCTION NEWS SERVICE 119 West 40th Street, New York 18, N. Y.



## FIFTH EDITION—Just Published BOECKH'S MANUAL OF APPRAISALS

If advance cost planning is a part of your architectural problem, then this book and its supplement service "Building Costs" should be part of your "Kit of Tools." Here is a service program that has been helping architects and builders develop costs of proposed projects for more than a quarter of a century.


# YOU CAN FIGURE BUILDING COSTS

Quickly and Accurately

For laymen or experts, the most comprehensive and quick method yet published, over 100,000 individual unit costs, more than 300 buildings with hundreds of variations, all easily convertible to local conditions through "Building Costs!"

#### **BUILDING COSTS**

A comprehensive monthly supplementary service giving you up to the minute news and analysis of market conditions, plus the latest cost indexes for the major metropolitan areas of America and Canada to convert the estimating Manual to local cost conditions.



SEND TODAY FOR BROCHURE TO

E. H. BOECKH & ASSOCIATES Consulting Valuation Engineers 1406 M Street, N. W. Washington 5. D. C. Please send me full descriptive literature on your estimating and cost planning services.


NAME\_\_\_\_\_

PIEM NAME

STREET\_\_\_\_

ZONE STATE

# The Finest Collection of Architect-designed Houses Ever Published



452 pages, 9" x 12"
2 volumes, handsomely boxed more than 1,000 illustrations, photographs, plans, drawings 8 pages in full color only \$14.50

# THE TREASURIES OF CONTEMPORARY HOUSES

by the editors of Architectural Record

YOU CAN'T AFFORD to miss these books if you are interested in houses. For here are practical ideas on planning, construction, decorating, and money-saving details that will make any house more economical to build, more pleasant to live in, and easier to sell. Whatever price range interests you, you will find beauty, convenience, and cost consciousness reflected constantly in the pages of these volumes.

THE TREASURIES OF CONTEMPORARY HOUSES contain ninety-four houses. They come in all sizes and shapes. They have flat roofs, shed roofs or pitched roofs. They include bungalows, split-levels, and two-story houses made of brick, steel, wood and concrete. There are houses designed to meet the problems of a specific setting, houses designed around the hobbies and professions of their owners, country houses, city houses, houses planned for entertainment, children or outdoor living. The houses presented here range from the inexpensive to the luxurious, yet whatever their regional, financial or esthetic variations, these houses have one important point in common — they were built to be lived in and enjoyed.

Lavishly illustrated with over 800 superb photographs which show each house from almost every conceivable angle indoors and out, the volumes also include the architects' floor plans and a brief, lively text that is free

of technical jargon. In addition to structural detail, the books include information on decoration and landscaping.

DODGE BOOKS, F. W. Dodge Corporation 119 W. 40th St., New York 18, N.Y.

Send me The Treasuries of Contemporary Houses. Within ten days after receipt, I will either remit \$14.50, plus postage, or return the books and owe nothing.

Name	 	 	 	****	 	 	
Address	 	 	 		 	 ******	

City......Zone....State......

**SAVE MONEY.** Enclose payment with your order, and Dodge pays postage. Same return privilege.

Order your set on approval



Mail this coupon today for immediate delivery

The Prescon System of Post-Tensioning Prestressed Concrete Works for You From Design and Engineering to Completion



More design flexibility to achieve esthetic effects and meet engineering demands can more often be done with post-tensioned prestressed concrete.

The Prescon System offers the simplest and most economical method, both from design and construction standpoints. The system is adapted to either yard or job site use.

If you are not acquainted with design and construction using post-tensioned prestressed concrete and The Prescon System, contact any Prescon Representative. For technical data see Sweet's Catalog.

#### THE PRESCON CORPORATION

MEMBER PRESTRESSED CONCRETE INSTITUTE

"It is highly regrettable that some of the highest qualities of the human mind, such as intuition and direct apprehension, have been banned from our schools and have been overwhelmed by abstract and impersonal mathematical formulas."

Pier Luigi Nervi

from his new book

#### **STRUCTURES**

118 pp, 71/4 x 97/8", \$6.95

Order on approval from

DODGE BOOKS
F. W. DODGE CORPORATION
119 West 40 St., N. Y. 18, N. Y.

# Leading Architects tell us: MIDGET LOUVERS HELP PREVENT MOISTURE DAMAGE



-with screen and all-weather deflector.



"LD"—screened for interior and protected exterior incations.

Specify the installation of the original Midget Louvers in eaves, walls, floors to release trapped moisture, excess heat that cause corrosion, peeling paint. This economical ventilation method is especially valuable where the new non-porous building materials are used. Midget Louvers install easily in wood, metal and concrete without nails or screws — merely tap into drilled hole. Available in anodized aluminum, chrome and copper in seven sizes from 1 inch - 6 inches. Sold by leading building supply dealers, or write:

MIDGET LOUVER COMPANY
6 WALL STREET • NORWALK, CONNECTICUT

#### New School Design Based on Arts, Craft Curriculum

In New York's new High School of Art and Design, the wide art and craft curriculum in combination with regular high school courses determined the design. Special instruction will be offered, when the school opens this fall, in sculpture, painting, fashion and costume design, commercial art, photography, jewelry, music and display.



3 1-PART Tremco formu 1-PART Tremco formu 2 4 1-PART Tremco formu 1-PART Tremco nates failure hazards 5 reasons why 1-PART Tremco you should consider formulation offers TREMCO 1-PART 100% LIQUID POLYMER 6 SEALANT! 1-PART Tremco formu lation provides caulking tridge or bulk GLAZE TREMCO MONO LASTO-MERIC® has this important basic superiority NO LASTO-MERIC

LIBERTY MUTUAL INSURANCE COMPANY Office Building in Boston, Massachusetts ARCHITECT: Perry, Shaw, Hepburn and Dean Boston, Massachusetts has this important basic superiority over conventional sealants; it is formulated with Tremco-developed and Tremco-manufactured pure 100% liquid polymer. Conventional sealants require the use of ingredients that will migrate or disappear in time, thus


lowering sealant life and efficiency. The desired requirements of exceptional adhesion and enduring elasticity are *inherent* and *permanent* parts of the Tremco basic polymer.

Tremco 1-Part 100% Liquid Polymer supplies the difference that assures absolute weathertightness for controlled joints, expansion joints and conventional caulking joints. Ask your TREMCO Man for a Mono Lasto-Meric data sheet or write: The Tremco Manufacturing Company, Cleveland 4, Ohio, or The Tremco Manufacturing Company (Canada) Limited, Leaside, Toronto, Ontario. See our Catalogs in SWEET'S.




"When you specify a Tremco product
...you specify a Tremco service!"

Architects Kahn & Jacobs and William Lescaze aimed at creating a "structure modern in concept, designed to nurture young artists, and intended to help train them to learn, to do, and to show what they have created."



The building is of reinforced concrete with curtain walls of windows and yellow porcelain enamel on aluminum. Blue brick end walls contrast with curtain wall openness. General contractor is the Plane Construction Company.

Accommodating some 3500 pupils in day and night classes, with a primary school whose enrollment is 650 an integral part of the eight-story structure, the new high school has many features: a 700-sq-ft glass-enclosed exhibition hall on the first floor, 500-seat auditorium, roof terrace playground and outdoor exhibit area, all convertible classrooms (except for fixed laboratory tables and darkroom equipment, stage and related facilities and auditorium seating), soundproof band practice rooms, ceramic work rooms with appropriate kiln facilities, areas for fashion design, an architectural drafting section and gymnasia with dividing walls.



#### THE CECO SYSTEM WORKS 2 WAYS . . . FRAMES FLOORS—CARRIES UNDERFLOOR ELECTRIFICATION

Buildings to be truly modern need underfloor electrification . . . on that everyone agrees. And when a system serves a double purpose it's worth investigating. So look into the Ceco Electro-Channel Steel Joist System which carries both the electrical and structural loads. With the savings inherent in steel joist construction, underfloor electrification is now practical for almost any new building, large or small. Send for facts. Ceco Steel


Products Corporation. Sales offices, warehouses and fabricating plants in principal cities. General offices: 5601 West 26th Street, Chicago 50, Illinois.



### IN CONSTRUCTION PRODUCTS CECO ENGINEERING MAKES THE BIG DIFFERENCE

Steel Joists / Steelforms / Concrete Reinforcing / Curtainwalls, Windows, Screens, Doors / Cecoframe Buildings / Roofing Products / Metal Lath

TOTAL MANUFACTURING FOR THE BUILDING INDUSTRY FROM RAW TO FINISHED PRODUCTS



# architectural and engineering design

ARCHITECTURAL RECORD has attracted the largest number of architect and engineer subscribers in the history of its field by finding out what they need and supplying it in ways that inform and stimulate.

Effective editing hinges on an unflagging awareness of the activities, problems and interests of readers.

A tall order in the architectural field . . .

Consider . . . the fluctuating interest of architects and engineers in individual building types as they vary in volume . . . the design implications of new products and methods . . . the unceasing clash and accommodation of taste and technology . . . the fast changing programs of industry, commerce, government, education and medical care for which architects and engineers must plan . . .

Even Architectural Record's highly qualified editorial staff would be severely handicapped without its . . .

#### **Exclusive Information Facilities:**

- On building planning activity: F. W. Dodge Corporation's daily *Dodge Reports*.
- On construction trends: Dodge Statistics.
- On costs: Dodge's Dow Building Cost Calculator.
- On reader interests: Eastman Research Organization plus Continuing Readership Research.
- On education and medical care: Record's sister publications, The Nation's Schools, College and University Business, The Modern Hospital.

Rewarding Reading — With the aid of these penetrating and accurate information sources Record editors are better able to serve promptly the full range of architect and engineer interests... and to alert their readers to tomorrow's opportunities.

Moreover, all the Record's editorial resources—including an unequaled number of editorial pages—are concentrated on serving architects and engineers. Its timely building presentations, authoritative technical articles, expert drawings and perceptive photographs all speak their language. And its editorial content is enriched for them by the world's leading architectural critics, practitioners and innovators. From cover to cover Architectural Record is rewarding reading and a stimulus to creative design.

Leadership Results: Architects and engineers have voted Architectural Record "preferred" in over nine out of ten independently sponsored studies. And more architects and engineers subscribe to the Record. They're active, too—verifiably responsible for over 89% of all architect-planned building!

ONE MORE RESULT: again in 1960 more advertisers are placing more advertising pages in Architectural Record than in any other architectural magazine. The Record's margin of leadership—60 per cent!

Kalita Humphreys Theatre, Dallas, Texas. Architect: Frank Lloyd Wright. Photographer: Messina Studios. Architectural Record
119 West 40th Street New York 18, N. Y.




Illustration: Memorial Hospital, Albany, N. Y., featured in The Modern Hospital as the "Hospital of the Month" in August 1958. This 235-bed, \$3.5 million hospital replaces an older building a few blocks away. Architects: Curtin and Riley, Boston. The architects subscribe to The Modern Hospital; the hospital has three subscriptions in force: one in the name of the hospital, one to the business manager, one to the chief dietitian.



# hospital people want

OF ALL THE MAGAZINES PUBLISHED for hospital administrators, their department heads and other hospital personnel, only The Modern Hospital sells every subscription at the full published price without special inducements of any kind. This evidence of "wantedness", coupled with a long history of steadily increasing subscription sales, indicates that more and more hospital people want The Modern Hospital—because they find it not only helpful in their work but interesting and exciting, alert and competent in its reporting of facts, ideas, opinions that make more competent the exacting, interesting and challenging business of running the nation's hospitals.





The Modern Hospital Publishing Co., Inc.

919 N. MICHIGAN AVENUE, CHICAGO 11, ILLINOIS

SURE PROTECTION OF VENTILATED OPENINGS WITH ROLLING GRILLES-BY COOKSON



FULL VISIBILITY AND ATTRACTIVENESS FOR \* SCHOOL CORRIDORS ★ GARAGES ★ STORE FRONTS ★ COURTYARDS \* OPEN AIR MARKETS \* INDUSTRIAL PLANTS \* STAIRWAYS





525 Cortland Avenue, Dept. AR San Francisco 10, California Sales and Service Representatives Throughout the U. S. A.

ALSO STEEL ROLLING & FIRE DOORS . WOOD COILING PARTITIONS . COUNTER DOORS



#### At Last! A Rich, Durable Vinyl... Fits easily into your specifications

Fabrique Vinyl Non-Woven Wall Clotb by Birge is designed for extensive, economical use in homes, buildings, institutions.

You'll find it compares favorably with expensive heavy vinyls in every way, particularly price. You can go decoratively "all out" with Fabrique's wide selection of designs, colors, whitest of whites, flocks, embossed effects, raised printing, matching fabrics.

Versatile Fabrique decorates room after room with lastingly beautiful virule non worse well cloth as respectable, seen. Weethable. Soufferness.

tiful vinyl non-woven wall cloth at reasonable cost. Washable. Scuff and abrasion resistant. Covers surface flaws. Pulls off easily for redecorating. Enhances the charm of any room for years. For Fabrique sample and informative folder, write: Dept. AR-9



THE BIRGE COMPANY, INC.

BUFFALO, N. Y.

# RUBBER and VINYL


#### FOR MASONRY

Water Seals for cast-in-place construction joints between concrete footings and walls, walls and floor slab, wall section and wall section, and floor slab and floor slab.

Sealing Gaskets for use between sill and coping stones, brick and stone wall panels, masonry wall panels and structural steel members.

Sealing strips for control joints in block constructed walls . . . watertight seals with an inherent, permanent liveliness for use in Michigan and Besser Control Joints.

#### WATERSTOPS RUBBER VINYL



Williams Waterstops are made from Natural Rubber Stock and designed for maximum effectiveness in any type of cast-in-place construction joint. They will bend around corners, and will not crack or tear from shear action. Tensile Test: 3990 Ibs., Elongation Test: 650%. Available in rolls up to 80 feet in length. Field splicing is simple. Willi Waterstops can also be furnished in Vinyl or Neoprene for industrial uses where resistance to oil and other injurious wastes is desirable.

#### VERLASTIC MASONRY GASKETS

Everlastic Masonry Gaskets are a readily compressible, nonabsorbent Elastomer impervious to water and inert to heat, cold and acids. In masonry joints they permit linear expansion in summer heat, and seal joints against maisture which causes frost damage in winter. Everlastic Gaskets are furnished die-cut to specifications and coated with pressure sensitive adhesive . . . they should be used between sill and coping stones, brick or stone wall panels, and masonry and structural steel members.



#### PERFECT-SEAL for CONTROL JOINTS



Williams "Perfect-Seal" (Pat. Pend.) is a specially designed seal for use in Michigan Control Joints . . . it provides continuous six-point pressure-contact sealing which keeps moisture out of joints and prevents air passage. The T-Section is a high-grade rubber compound; the cross-sealing member at the base of the "T" is a strip of readily compressible, nonabsorbent, expanded closed-cell Neoprene Rubber—it provides an effective pressure-contact seal directly behind the calking.


See Sweet's Files, or Write for Information.

#### ILLIAMS EQUIPMENT and SUPPLY CO. 456 W. Eight Mile Rd., Hazel Park, Michigan

Available for the first time – 300 detailed tables giving 8,568 reinforced concrete column designs using the ultimate strength method

# REINFORCED CONCRETE COLUMN TABLES, ULTIMATE STRENGTH DESIGN

by Hugh F. Fenlon, Consulting Engineer



8568 column designs 300 tables large 8½ x 11" size clothbound, \$15.00

A must sourcebook for architects, structural engineers, concrete designers

THIS UNIQUE new handbook is specifically prepared for the structural engineer and architect. Through the use of these tables, the column designer can confidently select reinforced concrete columns for every set of conditions he is likely to encounter.

Because they are based on the ultimate strength method, these remarkable tables indicate more rational stress patterns and more accurate measurements of true column strength. Working with these tables, you will find that many savings are possible in material costs, since less material generally will be used in columns designed by this method.

In the book, an introductory section explains the

nature of this technique and the formulas used. The 300 tables are computed in accordance with the ACI building code, and cover rectangular columns up to 24" x 24" and round columns up to 36" in diameter. In all, there are 8,568 column designs. Provision is made for four material strength combinations.

In addition to saving many hours, these tables often save designs themselves by better suiting column sizes to architectural and structural functions. You will find at your fingertips: Column Loads, Moment Capacities, Maximum Allowable Loads, and Values for Figuring Long Columns.

#### DODGE BOOKS, F. W. Dodge Corporation 119 W. 40th St., New York 18, New York

Send me .... copies of Reinforced Concrete Column Tables, Ultimate Strength Design @ \$15.00. Within ten days after receipt, I will either remit payment, plus postage, or return the book(s) without obligation.

NAME	•••••
ADDRESS	
CITY	ZONESTATE


Check enclosed. Same return privileges; Dodge pays postage.

## With these remarkable tables, you can now:

- ...quickly choose column sizes during the preliminary design
- ...complete the column designs with a minimum of effort
- ...quickly and easily change or check the designs
- eliminate figuring eccentricities and other calculations
- ...cut the cost of building by using less concrete and steel



Mail this coupon today for immediate delivery



Jordan Sellars High School Gymnasium, Burlington, N. C. Unobstructed floor area is 100' by 120'. Height at center of arch is 32'.

Architect: McMinn, Norfleet & Wicker, Greensboro N. C.

Contractor: O. G. Thompson & Sons, Burlington, N. C.

Manufacturer Precast Units: Arnold Stone Company,
Greensboro, N. C.

Ready Mixed Concrete: R. F. Kirkpatrick & Sons, Burlington, N. C.

# 8 PRECAST CONCRETE ARCHES FRAME 100' WIDE GYM

### Lehigh Early Strength Cement Cuts Casting Time

Attractiveness, durability, fire safety and unusual simplicity—all characterize the frame of this new gym and further prove the versatility of precast concrete. The huge arches were cast on the gym floor in half sections and raised into position. Precast concrete purlins, spanning 16 feet between arches, provide lateral stability.

For fast re-use of forms in casting both arches and purlins, Arnold Stone Company used concrete made with Lehigh Early Strength Cement. To quote Mr. M. A. Arnold, "Lehigh Early Strength Cement enabled us to complete the casting operations in half the time required with regular portland cement."

This is a typical advantage of Lehigh Early Strength Cement in modern concrete construction. Lehigh Portland Cement Company, Allentown, Pa.




As one crane raised and held the 18-ton arch half, another (on the right) guided it into position. The two halves were then welded together to form complete arch.


#### LEHIGH CEMENTS


LEHIGH EARLY STRENGTH CEMENT . LEHIGH PORTLAND CEMENT . LEHIGH AIR-ENTRAINING CEMENT . LEHIGH MORTAR CEMENT

#### Current Trends in Construction



Total contracts include residential, nonresidential, heavy engineering contracts





#### BOOM IN OFFICE BUILDING

OFFICE BUILDINGS, to the surprise of many people, are continuing to enjoy a boom, as they have for the past several years. But there is a perceptible difference: this year, the big new office building contracts are spread around the country, and not concentrated on Manhattan Island. According to the large-project list compiled by Dodge, the big contracts in the first half of 1960 included three in the Chicago area, and one each in or around New Orleans, Los Angeles, St. Louis, Miami, and New York. Total office contracts in the first half of this year were \$689 million, up 19 per cent over the same period of last year. This was the largest percentage increase reported for any building type, except jails and penitentiaries, which are having a boom of their own. Preliminary indications are that July was also an excellent month for office contracts.

THE MOST frequently asked question about office buildings is "Do we need them?" New floor space has been added at a fast pace during recent years, and it is natural to wonder whether we are approaching a saturation point. It can happen, of course. But so far, at least, no serious oversupply seems to have developed, even in New York, where so much of the new space has been concentrated. Part of the reason is the tremendous expansion in the amount of white collar work to be done in our complex society. An inkling can be gleaned from this: in the period 1950-1958, the number of clerical workers in the United States gained 19 per cent while the number of factory operatives actually declined. Finance, distribution and services have grown considerably faster than manufacturing in terms of employment, and even within manufacturing, white collar work has greatly expanded relative to production work. Office workers require offices; hence the sustained boom in office building.

STILL ON the subject of people, the growth rate of the population of this country in the past decade has jumped back up about to where it was in the Gay Nineties. There's one big difference, however; while the birth rate has been pretty high in recent years it is still well below the level at the turn of the century. The extra push in today's rapid population growth comes from what has been called "death control"—a very definite extension in the average length of life, which keeps more of us around longer.

GEORGE CLINE SMITH
Vice President and Chief Economist
F. W. Dodge Corporation







New steels are born at Armco

### The beauty of your buildings is TIMELESS at low cost









#### with ARMCO STAINLESS STEEL

Many metals can be transformed into handsome architectural components, but none will retain the original beauty you created as will stainless steel. Nor will any other metal cost your clients less in the

Naturally, stainless steel is somewhat more expensive than less durable metals. But the premium for stainless quality is very low when its high strength is utilized effectively and its most economical sizes, finishes and forms are specified.

#### STANDARD PRODUCTS CUT COST

Increasing availability of many standard stainless steel building products also has materially cut the cost of using this durable architectural metal. Curtain wall systems, doors, entrances, windows, hardware, roof drainage, store fronts and wall panels are only a few.

Growing fabricator-experience with stainless and more extensive use of economical production methods have also greatly reduced the cost of custom stainless steel building units.

Make the beauty of your buildings timeless at low cost by specifying Armco Stainless Steel. Let us send you a copy of "Armco Stainless Steels/for architecture," a manual that suggests how stainless can be used at minimum cost, and information on stainless steel products and fabricators. Armco Steel Corporation, 2700 Curtis Street, Middletown, Ohio.

#### **ARMCO STEEL**



Armco Division • Sheffield Division • The National Supply Company • Armco Drainage & Metal Products, Inc. • The Armco International Corporation • Union Wire Rope Corporation

#### Index to Advertising

Thack to Tracer trong				
PRE-FILED CATALOGS of the		t Metal Manufacturing Co	305	Oakite Products, Inc 296
manufacturers listed below are available in the 1960 Sweet's Catalog	A Fish	ke Architectural Metals Inc.,	360 A-IC	Oasis Water Coolers         48           Olin Mathieson         126
Your and de Manney (A) Amphibacture !	Flin	W. nchbaugh/Murray Corp	86 A-IC-LC	Orangeburg Mfg. Co., Div. of
Files as follows: (A) Architectural File (green), (IC) Industrial Construction File (blue), (LC) Light-	A-IC-LC Flin	tkote Company. The	102 242	Flintkote Co
Construction File (yellow).	A Foll	ating Floors, Inc	369	America. Inc
	Fun	nctional Fabrics, Inc	365 A	Otis Elevator Company 293
Abolite Lighting 60 A-IC Adam Electric Co., Frank 291	A Gen	eral Bronze Corp	315	Paper Cup & Container Insti-
A-IC Adam Electric Co., Frank 291 A Adams-Rite Manufacturing Co. 64	Gen	eral Electric Co 119, eral Fireproofing Co	340 147 A	tute, Inc. The
A Adams & Westlake Company 44	Gen A GR	Products Inc		Perfection, Div. of Hupp Corp. 42-43
Advance Transformer Co	A-IC Gra	Products, Inc	0-11 A-LC	Pittsburgh Plate Glass Co 354 Pittsburgh Steel Company 346-347
Air Devices, Inc	A Grid	dwall Company	8-77 313 A-IC	Porter Co., Inc., H. K., National
Albritton Engineering Corp 373 All-Steel Equipment, Inc 75	A Gua	mi-bacon Mig. Co		Electric Div
A-IC-LC Aluminum Co. of America 245, 266-267	**			275, 300-301
IC American Air Filter Co., Inc 335 A-LC American Biltrite Rubber Co.,	A Hal	ger & Sons Hinge Mfg. Co., C.		Pratt & Lambert, Inc
Amtico Flooring Div 341	A Har	nley Company	109 A-10	rrescon corp., the or
A-LC American Brass Company 7 American Bridge Div 859	A Has	nley Companyskelite Mfg., Div. of Evans ducts Co	-357	D 11 C 11 11 11 11 11 11 11 11 11 11 11 1
American District Telegraph Co. 104	A Hav	ws Drinking Faucet Company	824 A-TC	Radio Corporation of America
American Dockbridge, Inc 16	A Hey	Products Co	290 244	Pauland Boye Cornoration 979
American Gas Association 322-323 American Laundry Machinery	A-LC Hon	masote Companyrn Companies, A. C	280 A-IC-IC	Republic Steel Corporation 362-363 Reynolds Metals Company 87
Co., The	A Hor	rn Companies, A. C	834 246 A-IC	Reznor Manufacturing Co 358
A-IC-LC American-Saint Gobain Corp. 100-101	A Hui	ittiigtoii Latoratories, Inc	A	Rixson Company, Osear C 265 Rock Island Millwork Co 279
American Sisalkraft Corp 287			A-LC	Roddis Plywood Corporation 57 Roebling's Sons Division, John
American Sterilizer	Ing	alls Iron Works Co. The		Roebling's Sons Division, John A., Colorado Fuel & Iron Corpo-
Antico Floring Div. of the American Biltrite Rubber Co	IC Inla	and Steel Co	-337	ration 276
A-IC Armo Drainage & Metal Prod-	A-IC-LC Inla	and Steel Products Co ernational Nickel Co., Inc.,	329 A-LC	Rohm & Haas Company 845
ucts 58	The		344 A-IC	Rotary Lift Company 2-3
A Armco Steel Corporation 389 A-IC-LC Armstrong Cork Company 17 to 32, 69			A-LC	Rowe Manufacturing Co 81
are or are interested contact company in the only of	A Jan	nison Cold Storage Door Co.	82 A-IC-LC	Ruberoid Co., The 150
A Bally Case and Cooler, Inc 328	A Jan	itrol Heating & Air Condi-		Russell & Erwin Div., American
A-IC Barber-Colman Company 392 A-IC-LC Barrett Div., Allied Chemical 326-327	A-IC-LC Joh	ning	9~80 86	Hardware Corp 107
A-LC Bell & Gossett Co	Joh	ns-Manville nson Co., S. T. es & Laughlin Steel Corp. , 5	328	St. Charles Warned attacks of a 114
A-IC-LC Bestwall Gypsum Company 333 A-IC Bethlehem Steel Company 92, 138	Jon	les & Laughlin Steel Corp. , b	8-59 A	St. Charles Manufacturing Co 114 Sarco Co., Inc
Bigelow Sanford 140	0.011		A	Sargent & Greenleaf, Inc
Birge Co., Inc., The 385 Blonder-Tongue Laboratories, Inc. 348	Var	ragheusian, A. & M	96	Shell Chemical Company
Hoeckh E H & Associates 277	A-IC-LC Kes	sbey & Mattison Company	56 A-IC	Shure Bros., Inc
A-IC Borden Metal Products Co. 85 A-LC Bruce Company, E. L. 111	A-LC Ken	ratile, Inc	68 A-IC-LC	Sonoco Products Co
Burnham Corporation 391	A-IC-LC Kin	nberly-Clark Corp.		Spiroll Products Co 371
A-IC Burt Manufacturing Co., The 308 A-IC Byers Company, A. M 4	A-IC Kin	mear Mfg. Corp., The	274 A-IC	Stark Ceramics, Inc. 269 Steeleraft Mfg. Company, The 73 Stem, Inc., Chester B
A-10 Dyers Company, A. M	Kor	ppers Co., Inc., Metal Prod-	142 A	Stem, Inc., Chester B 70-71
A-LC California Redwood Assn 120-121	ucts	ppers Co., Inc., Plastics Div. ppers Co., Inc., Tar Products	78 285	structural Chy Products In-
A Cambridge Tile Mfg Co. 272,273	A-IC Ko	ppers Co., Inc., Tar Products		Summitville Tiles, Inc 2nd Cover
A-LC Caradeo, Inc. 286 A-IC Ceco Steel Products Corporation 381			243 A	Sun Chemical Corp 384
A-IC Celotex Corporation 295	A-IU-LU KOI	ppers Co., Inc., Wood Pre-	302 A	Surface Combustion Corpora-
Chesapeake and Ohio Railway 124-125 Cincinnati Time Recorder Co				tion
Cincinnati Time Recorder Co 95 A Clancy, Inc., J. R	A.IC Lac	elede Steel Co	320 A	Sylvania Electric Products, Inc. 278
Committee of Steel Pipe Pro- ducers	A-IC Lar	mont & Riley Co	368	
A-IC Concrete Reinforcing Steel Insti-	A LC	Wrence Paper Company	364 -259 A	T & S Brass and Bronze Works,
A Connor Engineering Corp 106	Leh	N Closers, Inc	387	Inc.       339         Talk-A-Phone Co.       360         Taylor Co., Halsey W.       262
A-IC Cookson Company, The 385	Ler	nnox Industries, Inc	317 0-91 A-IC	Taylor Co., Halsey W 262
A Corbin Div., P. & F., American Hardware Corp	A Lin	ien Supply Association of	A	Tile Council of America, Inc 94-90
A Cramer Posture Chair Co., Inc. 373	Am	key Aluminum, Inc	66 86 A	Timber Structures, Inc 105 Titus Mfg. Corp 260-261
A-IC-LC Crawford Door Company 339	A-LC Lot		271 A	Tremco Mig. Co 880
			A	Cement 41
A-IC Day-Brite Lighting, Inc 318-319	A-IC Ma	rmet Corporation	99	Triplex Heating Specialty Co., Inc. 368
A-LC Devoe & Kaynolds Company, Inc. 292	A-LC Ma	rsh Wall Products, Inc Philben Lighting	314 76	Inc doo
Dodge Books 338, 371, 372, 378, 379, 386	A Med	dart Products Co., Inc., Fred	358	United States Gypsum 128-129
	A-T.C Mis	dget Louver Company		
A-LC Donley Brothers Co., The 321 A-IC-LC Douglas Fir Plywood Assn. 46-47	A-IC-LC Mis	ssissippi Glass Company 268	3-264	United States Plywood 97-98 United States Steel Corp. (Subs.)
Dow Building Cost Calculator 370  A-IC-LC Dow Chemical Company, The 342-343	Mis	ssissippi Valley Structural	297 A	Universal Atlas Cement 83 Universal Manufacturing Corp. 35
A-IC-LC Dow Chemical Company, The 342-343 A Dow Corning Corporation 256-257, 364	Mo	dern Hospital, The	384	Universal Manufacturing Corp. 35
Du Pont de Nemours & Co. Inc.		ontgomery Elevator Co		
E. I	A Mu	rray Tile Co., Inc.	281 A	Vonnegut Hardware Co 806-307
A-LC Dur-O-Wal, Inc				727- 3- 36
Eagle Pencil Co. 997	AsIC-LC No	teo Corporation	303 A	Wade Manufacturing Co 316 Weis Mfg. Co., Henry 325
A-IC Eastman Chemical Products, Inc. 283	A-IC Na	tional Gypsum Company	A	West Chemical Products, Inc 360
A-IC Engineered Products Co. The 48	A-IC No	49 to 52, 350	270 A-IC-LC	West Coast Lumbermen's Assn. 1 Westinghouse Electric Corp.
A-IC Executone, Inc 181 to 134	IC Na	tional Supply Co., The	1-375	38-39, 143 to 146, 330-331
				Wheeling Corrugating Co 148-149 Williams & Co., C. K 348
A-IC-LC Fairbanks, Morse & Co 33	A Ne	sbitt Inc., John J	Cover A	Williams Equipment & Supply
A-IC-LC Fairbanks, Morse & Co	A No	orman Products Co	855 241	Young Regulator Co 371
A-IC Fenestra, Inc	A No	orton Door Closer Co 115 to	118 A	Zylo Louver Corp 361

New York—Tom Tredwell, Advertising Mgr.; Blake Hughes, Marketing Mgr.; Richard Crabtree, Business Mgr., Benton B. Orwig, Director of New Business Development; Joseph R. Wunk, Advertising Production Mgr.; Harry M. Horn, Jr.; Michael J. Davin, 119 W. 40 St.; BOSTON—Harry M. Horn, Jr., 355 Park Square Bldg.; BUFFALO—Benton B. Orwig, 70 Nisagara St.; CHICAGO—Robert T. Franden, David K. Bortz, James A. Anderson, 919 N. Michigan Ave.; CLEVELAND—John C. Jackson, Regional Mgr.; Joseph F. Palmer, Lonis F. Kulscher, 321 Hanna Bldg.; LOS ANGELES—Wettstein, Nowell & Johnson, Inc., 678 S. Lafayette Park Pl.; MIAMI—Benton B. Orwig, 808 N. W. First St.; PHILA-DELPHIA—Tom Tredwell, Harry M. Horn, Jr., 1821 Arch St.; PISBURGH—John C. Jackson, 411 Seventh Ave.; PORTLAND—Wettstein, Nowell & Johnson, Inc., 1821 S. W. Washington St.; ST. LOUIS—Robert T. Franden, John I. Howell, 3842 W. Pine Blvd.; SAN FRANCISCO—Wettstein, Nowell & Johnson, Inc., 427 Market St.

# A-IC-LC

# These symbols tell you which advertisers' catalogs are INSTANTLY ACCESSIBLE in your office

The great majority of Architectural Record advertisers employ Sweet's Catalog Service to maintain their catalogs continuously in architectural, engineering and building-contractor offices.

By doing so, these manufacturers make it easier than is otherwise possible for you always to have instant access to further information about their products or services.

The above symbols\* are included in the facing Advertisers' Index as a quick guide to which advertisers' catalogs are in your Sweet's File—classified by product type, indexed, up-to-date, and always ready for use whenever you want them.

Sweet's Catalog Service
Division - F. W. Dodge
Corporation
119 West 40th Street
New York 18, N. Y.



\*A (Architectural Catalog File)

IC (Industrial Construction Catalog File)

LC (Light Construction Catalog File)

# CLIENTS YOU MEET... BURNHAM

### THE SHREWD SHOPPER

...and why she'll buy BURNHAM BASE-RAY®



This customer wants everything. The heating system must blend into the room so beautifully you never notice it's there. She wants to put a couch right under a big picture window because "it looks smart"—but the people sitting on it shouldn't feel the tiniest chill! Well, thanks be to BASE-RAY it is possible to satisfy her. Explain these six BASE-RAY advantages and she'll buy!



- Lowest lifetime cost! BASE-RAY'S one-piece cast-iron construction can't dent, warp, rattle, or come apart like some fabricated baseboards. BASE-RAY'S durability and reliable performance have been proved in over 75,000 installations.
- Like bringing the sun indoors! BASE-RAY warms your home directly with gentle radiant rays like sunshine. This natural radiant warmth is the kind your body prefers for comfort and health.
- Constant comfort. Because BASE-RAY contains a far larger volume of water than fabricated baseboards it holds heat longer...releases steady heat long after burner shuts off.
- 4. Warm floors and walls. BASE-RAY floods the floor with healthful radiant warmth. It blankets outside walls and windows with an even curtain of heat. Floor-toceiling temperatures vary less than 3° even when outdoor temperatures fall far below zero.
- 5. Looks like wood baseboard. Slim, modern BASE-RAY is 35% thinner than fabricated baseboard of equal capacity. It is entirely unobtrusive gives complete decorative freedom.
- 6. Silent. BASE-RAY is all cast iron . . . no dissimilar metals with different expansion rates. No expansion creaks and groans, as with fabricated baseboard. No "pings".

\*HYDRONICS ... the science of heating and cooling with water.

#### 

Throughout the Plains states, industry relies heavily on motor freight to keep its products on the move and on time. The J. S. Dillon & Sons Stores Co., Inc., of Hutchinson, Kansas, supplies its chain of supermarkets in Kansas and Colorado exclusively by truck. Each day at the company's new 250,000-square-foot home office and warehouse building, scores of products move rapidly to and from waiting trucks through 48 Barber-Colman OVERdoors.


These OVERdoors form an attractive part of the building exterior yet are **COMPLETELY FUNCTIONAL.** Electrically operated OVERdoors assure quick opening, rapid access to loading docks and warehouses. Exclusive Cam Action Closing provides full positive closure – seals the building year-round against wind, dust, and weather. Barber-Colman builds a wide range of OVERdoors, Electric Operators and Radio Door Controls for industrial, commercial, and residential applications... see our catalog in Sweet's or write directly to the factory.



#### BARBER-COLMAN COMPANY

Dept. PO9, Rockford, Illinois







### You mean they're both heavy duty?

• There's no mistake. They're both listed as "heavy duty." And that's ridiculous. The whole trouble is that no one ever set up a yardstick for folding partition specifications. Anything heavier than standard is called heavy duty.

We think heavy duty should mean just one thing: a partition designed and built . . . from top to bottom . . . to handle all the stress, weight and abuse you get on big jobs. That's our yardstick. And we've spelled out ten particulars. We've pinpointed what a partition needs to be heavy duty. We've illustrated what we offer. And what competition offers. All in a four-page book that's yours for the asking. Just fill out the coupon below.

New Castle Products, Inc.

**DEPT. J 310** 

New Castle, Indiana

Gentlemen: Please send me your book on heavy duty partitions.

Address

In Canada: New Castle Products Canada, Ltd., St. Lambert, Que.





You pay no more for unequalled SLOAN quality...



eliminates need for regulation

Many flush valve "firsts" have come from Sloan's engineering research, one of the earliest of which is the "no regulation" of the ROYAL Flush Valve. Here is the flush valve so perfectly engineered in its functional design that, once actuated, it performs faultlessly all by itself—even if the water pressure fluctuates.

Nothing to regulate means nothing that can be tampered with; nothing to get out of order—it means service you can take for granted. And this is but one of the many features responsible for the continued popularity of the ROYAL.

"No regulation" is a standard feature of the ROYAL—another bonus of quality you expect from Sloan. And since you can have Sloan quality at no extra cost—why not make sure you get it.



SLOAN VALVE COMPANY · 4300 WEST LAKE STREET · CHICAGO 24, ILLINOIS

